Canadian Journal of Anaesthesia

Index of Authors

VOLUME 41, 1994

Abe K, Nishimura M, Sakakibara T. Interleukin-6 tumour necrosis factor during cardiopulmonary bypass (correspondence), 876

Abe S, see Tachibana M, jt. auth.

Abouleish A, Abouleish E, Camann W. Combined spinalepidural analgesia in advanced labour, 575

Abouleish E, see Abouleish A, jt. auth.

Abram SE, see Lutsky I, jt. auth.

Adams M, see Pattee C, jt. auth.

Agarwal A, Kaushik S. Tracheal obstruction (correspondence), 1015

 Kaushik S, Maheshwari A. Anaesthetic drug error (correspondence), 755

- see Wig, J, jt. auth.

Agoston S, see Wierda JMKH, jt. auth.

Aguar F, see Llagunes J, jt. auth.

Akiyoski Y, see Sato S, it. auth.

Alderson PJ, Lerman J. Oral premedication for paediatric ambulatory anaesthesia: a comparison of midazolam and ketamine, 221

Alexander R, Hetreed M, Birch R. Brachial plexus block and cervical rib (correspondence), 266

Allard M, see Couture P, jt. auth.

Alon E, see Atanassoff PG, jt. auth.

Amaha K, see Fujii Y, jt. auth.

- see Oshima T, it. auth.

- see Uchida T, jt. auth.

Amankwah K, see Halpern S, jt. auth.

Ananthanarayan C, see Fisher JA, jt. auth.

Ando K, see Ezri T, jt. auth.

Ando N, see Ibuki T, jt. auth.

Ansermino JM, see Roux A, jt. auth.

Ansley DM. De l'aspirineTM au ZyloprimTM: considérations sur la chirugie vasculaire majeure (refresher course), R128

 From aspirinTM to zyloprimTM: new considerations for major vascular surgery (refresher course), R121

Arakawa M, Goto F. Power spectral analysis of heart rate and blood pressure variability in lumbar epidural anaesthesia 680

Archer DP, see Ewen A, jt. auth.

- see Froelich JE, it. auth.

- see Kowalewski RJ, jt. auth.

Arellano R, see Asokumar B, jt. auth.

- see Doyle DJ, jt. auth.

- see Levytam S, jt. auth.

Aris A, see Litvan H, jt. auth.

Armstrong M, see Crosby ET, jt. auth.

Arndt GA, Kranner PW, Lorenz D. Co-axial placement of endobronchial blocker (correspondence), 1126

Stock MC. Death from the oculocardiac reflex (correspondence – reply), 161

 The diving reflex: bradycardia during cold occular irrigation (correspondence – reply), 876

Asakura N, see Watanabe S, jt. auth.

Ashimura H, see Sato S, jt. auth.

Asai T, Morris S. The laryngeal mask airway: its features, effects and role (review article), 930

Asokumar B, see Cheng DCH, jt. auth.

- see Hennessy M, jt. auth.

Asokumar F, Chung F, Cheng DCH, Paramanathar B, Cruise C, Arellano R, Kitts J, Roger S, Sandler AN. Postoperative myalgia of mivacurium with or without reversal agents in comparison to succinylcholine in day surgery: a prospective randomized study (abst.), A72-B

 A prospective randomized study of intraoperative efficacy of mivacurium chloride with or without reversal agents in comparison to succinylcholine (abst.), A72-A

Atanassoff PG, Alon E, Weiss BM, Lauper U. Spinal anaesthesia for Caesarean section in a patient with brain neoplasma (correspondence), 163

Attolini L, see Bruguerolle B, jt. auth.

Au J, see LeDez KM, jt. auth.

Babjak, see Fargas-Babjak

Backman CR, Kopelaw M, McNeill A, Graham R, Froese N, Patel L, Reimer H, Swartz J, Ullyot S, Wong H. Perioperative respiratory complications in a paediatric anaesthesia practice (abst.), A57-A

Backman SB, Ralley FE, Fox GS. Anaesthesia for cardiac transplant patients (correspondence), 655

 Stein RD, Polosa C. The mechanism of the bradycardia produced by eserine and phyridostigmine (abst.), A21-A Badner N, see Mezon B, it. auth.

Badner NH. Les anesthésiques locaux et le traitement de la douleur postopératoire (refresher course), R48

 Local anaesthetics in postoperative pain relief – what is their role? (refresher course), R42

 Bhandari R, Komar WE. Bupivacaine 0.125% improves continuous postoperative epidural fentanyl analgesia after abdominal or thoracic surgery, 387

Bourne RB, Rorabeck CH, MacDonald SJ, Doyle JA.
 Intraarticular bupivacaine provides analgesia for knee joint replacement but not evidence of preemptive blockade (abst.), A74-B

 Komar WE, Bhandari R, Cuillerier D, Dobkowski W, Smith MH, Vannelli AV. Safety and efficacy of PCA and epidural narcotic – local anaesthetic infusions on regular wards (abst.), A73-A

Badola R, see Katsnelson T, jt. auth.

Baicho N, see Wig J, jt. auth.

Bailey K, Karski J, Zulys V, Carroll J. Safety of indomethacin in the early postoperative period following aortocoronary bypass surgery (abst.), A41-B

- see Karski JM, jt. auth.

Baker AJ, see Baker JE, it. auth.

- see Naser BI, jt. auth.

Baker JE, Baker AJ, Mazer CD. Determinants of postoperative hypothermia following normothermic cardiopulmonary bypass (abst.), A15-B

Ball DR. LMA masks and children (correspondence), 1235 Bands C, see Hung OR, jt. auth.

Baraka A. Laryngeal mask airway for endentulous patients (correspondence), 78

 The oesophageal tracheal combitube for difficult intubation (correspondence – reply), 657

 Postoperative respiratory depression following excision of carotid body tumours (clinical report), 306

- Tracheal obstruction (correspondence - reply), 1016

 Vecuronium neuromuscular block in patients with malignant obstructive jaundice (correspondence), 759

Baribault J-P, see Romualdo A, jt. auth.

Barker SJ, see Kao YJ, it. auth.

Baron CL, see Baron CM, it. auth.

Baron CM, Kowalski R, Greengrass T, Horan T, Unruh H, Baron CL. Effects of epinephrine on the continuous infusion of epidural fentanyl for postoperative analgesia following thoracotomy (abst.), A3-B

Barst S, see Kreidstein A, jt. auth.

Basnyat NB, see Tweed BM, jt. auth.

Batra RK, Gulaya V, Madan R, Trikha A. Anaesthesia and the Sturge-Weber syndrome (clinical report), 133

Battersby E, see Bingham R, jt. auth.

Baxter AD. Respiratory depression with patient-controlled analgesia / Dépression respiratoire et PCA (editorial), 87

 Laganière S, Samson B, Stewart J, Hull K, Goernert L. A comparison of lumbar epidural and intravenous fentanyl infusions for post-thoracotomy analgesia, 184

Samson B. Epidural and intravenous fentanyl (correspondence – reply), 1237

 Samson B, Sylvie L. Fentanyl infusions for postthoracotomy pain management (correspondence – reply), 871

Baxter MRN. Congenital laryngomalacia (review article), 332

Beaufort AM, see Wierda JMKH, jt. auth.

Beaulieu P, Davies C. Airway obstruction during anaesthesia for anterior cervical cord decompression (correspondence), 874 Bedoes NM, see Whalley DG, it. auth.

Beers RA, Kane PB, Nsouli I, Krauss D. Does a mid-lumbar block level provide adequate anaesthesia for transurethral prostatectomy? 807

Bélisle S, see Hardy J-F, jt. auth.

Belo SE, Kolesar R, Mazer CD. Intracoronary propofol does not decrease myocardial contractile function in the dog (laboratory investigation), 43

 Mazer CD. Effect of intracoronary midazolam on systolic function in the dog heart (abst.), A70-A

- see Koutsoukos G, it. auth.

Ben Hur H, see Szmuk P, jt. auth,

Benhamou D, see Joby L-M, it. auth.

Benumof JL. Difficult laryngoscopy: obtaining the best view / La laryngoscopie difficile: à la recherche de la meilleure exposition (editorial), 361

- see Friedlander M, jt. auth.

Berde C. Epidural analgesia in children / L'analgésie épidural chez l'enfant (editorial), 555

Berdock SE, see Lerman J, jt. auth.

Bergeron P, DeLima LGR, Dupuis J-Y, Enns J, Wynands JE. Anxiety, sedation, patient satisfaction and arterial oxygen saturation in premedicated patients undergoing cardiac catheterization (abst.), A32-B

Bergeron G, see Searle NR, jt. auth.

Bernards CM. Human dura mater permeability (correspondence), 1125

Berry A, see Brimacombe J, it. auth.

Berry J, see Ezri T, jt. auth.

Bertlik M, Orser BA, Yang L-W, MacDonald JF. Propofol selectively inhibits the NMDA subtype of glutamate receptor (abst.), A6-A

Best A, Wenstone R, Murphy P. Prolonged use of isoflurane in asthma (correspondence), 452

Bevan DR. Succinylcholine / Succinylcholine (editorial), 465

- see Bevan JC, jt. auth.

Bevan JC, Purday JP, Reimer EJ, Bevan DR. Reversal of doxacurium and pancuronium neuromuscular blockade with neostigmine in children, 1074

Bhandari R, see Badner NH, jt. auth.

Bharadwaj B, see Kowalewski RJ, jt. auth.

Bhatti TH, see Maroof M, jt. auth.

Bhavani-Shankar K. Negative arterial to end-tidal CO₂ gradients in children (correspondence), 1125

Biheiry, see El-Biheiry

Bingham R, Battersby E, Black A, Facer E, Hatch D, Howard R, James I, Lloyd-Thomas A, Mackersie A, Summer E, Sury M. Succinylcholine warming (correspondence), 657

Birch R, see Alexander R, jt. auth.

- see Campbell FA, jt. auth.

Bissonnette B, see Halpern L, jt. auth.

- see Lerman J, jt. auth.

- see Miller C, jt. auth.

Black A, see Bingham R, it, auth.

Blaise G, see Campbell RA, it. auth.

- see Couture P, jt. auth.

- see Dubé L, jt. auth.

Blake J, see Spencer J, jt. auth.

Blazek W, see Sosis MB, jt. auth.

Blew P, Miller D, Martineau R, Hull K. Midazolam decreases the incidence of awareness with recall during propofol/alfentanil total intravenous anaesthesia (abst.), A3-A

 Miller D, Martineau R, Hull K, Boisvert D. Midazolam does not prolong recovery following total intravenous anaesthesia with propofol/alfentanil (abst.), A63-B

Bloom MJ, see Young ML, it. auth.

Blouin C. see Dubé L. it. auth.

Bluestein LS, see Ziser A, jt. auth.

Boatwright M, see Frenette L, jt. auth.

Bogetz MS, see Vessey JA, it. auth.

Boisvert D, see Blew P, it. auth.

Boldt C, Renwick JE. Safety hazard – Sabex drug labels (correspondence), 75

Bonnet F, see Fulgencio JP, jt. auth.

Boogaerts JG, see Lafont ND, jt. auth.

Boorin MR, see Kreidstein A, jt. auth.

Borgeat A, Wilder-Smith O, Forni M, Suter PM. Adjuvant propofol enables better control of nausea and emesis secondary to chemotherapy for breast cancer (preliminary communication), 1117

Botero C, see Smith CE, jt. auth.

Boudreault D, see Couture P, jt. auth.

Bourke M, see Bryson G, jt. auth.

Bourne RB, see Badner NH, jt. auth.

Boutros AR, see O'Hara JF, jt. auth.

Boylan D, see Karski JM, jt. auth.

Boylan JF, see Cheng DCH, jt. auth.

Braden H, Mazer CD, Halperin ML, Cheema-Dhadli S, McKnight DJ, Singer W. Hyperglycemia during cardiopulmonary bypass: the role of the kidney (abst.) A64-A

Bradley J, see Doyle DJ, jt. auth.

Bradwell J, see Doyle DJ,. jt. auth.

Bragg PR, see Bryson GL, it. auth.

Braitman LE, see Colonna-Romano P, jt. auth.

Brand MI, see O'Hara JF, jt. auth.

Brassard J, see Romuald A, jt. auth.

Braude BM, see Lerman J, jt. auth.

Braverman B, see Sosis MB, jt. auth.

Breen TW. Aortocaval compression (correspondence), 356
Brimacombe J. Spontaneous reinflation characteristics of the laryngeal mask airway (correspondence), 873

- Berry A. Laryngeal mask airway cuff pressure and position during anaesthesia lasting one or two hours, 589
- The oesophageal tracheal combitube for difficult intubation (correspondence), 656

Britton JT, see Hannallah RS, jt. auth.

Brock-Utne J, see Macario A, jt. auth.

Bromberg IL, see Fisher JA, jt. auth.

Brooker RF, James FM. Elevation of PetCO₂ after submucosal epinephrine (correspondence), 162

Brooks DA, see Devitt JH, jt. auth.

Brouchu J, see Doyle DJ, jt. auth.

Brossard E, see Depierraz B, jt. auth.

Brousseau C, see Romuald A, it. auth.

Brown JV, see Knill RL, jt. auth.

Browne PM, see Code WE, it. auth.

Bruguerolle B, Attolini L, Roucoules X, Lorec AM. Cigarette smoke increases bupivacaine metabolism in rats (laboratory investigation), 733

 Roucoules X, Attolini L, Lorec AM. Bupivacaine kinetics during hyperthermia in rats (laboratory investigation), 253

Bruin G. Glossopharyngeal nerve block for tonsillectomy or uvulopalatopharyngoplasty (correspondence), 1236

Brull SJ, see Kelly D, it. auth.

Bryson GL, Kitts JB, Miller DR, Martineau RJ, Lindsay P, Hull K, Curran MJ, Bragg PR. Edrophonium requirements for reversal of neuromuscular block following infusion of mivacurium (abst.), A4-B

 Mundi C, Dupuis J-Y, Bourke M. Can multifactorial classifications predict outcome after cardiac surgery in patients with preoperative renal dysfunction? (abst.), A13-B

Buckley FP. Anaesthesia for the morbidly obese patient (refresher course), R94

- L'anesthésie de l'obèse (refresher course), R101
- see Crosby ET, jt. auth.

Burke RP, see Lavoie J, it. auth.

Burrows FA, see Lazzell VA, jt auth.

- see Lavoie J, jt. auth.

Byrick RJ. Postoperative ventilation: a goal-directed approach? (refresher course), R78

- La ventilation postopératoire: une approche planifée? (refresher course), R83
- see Guest CB, jt. auth.
- see Wong DT, it. auth.

Camann W, see Abouleish A, jt. auth.

Campbell FA, McLeod ME, Bissonnette B, Swartz JS. Endtidal carbon dioxide measurement in infants and children during and after general anaesthesia, 107

Cannon JE. Precurarization / la précurarisation (editorial), 177

Carmichael FJ, see Sharma SK, jt. auth.

Carr AS, Hartley EJ, Holtby HM, Cox P, Macpherson BA. Caudal morphine and early extubation of the trachea post cardiac surgery in children (abst.), A15-A

 Hartley EJ, Levine M, Yentis S, Lerman J. Ambulatory surgery and children with suspected or proven malignant hyperthermia susceptibility (abst.), A56-B - see Lazzell VA, jt. auth.

- see Markakis MA, jt. auth.

Carrier R, see Dubé L, jt. auth.

Carroll H, see Cheng DCH, jt. auth.

Carroll J, see Bailey K, jt. auth.

- see Cheng DCH, it. auth.

- see Karski JM, it. auth.

Cartier R, see Searle NR, jt. auth.

Casas JI, see Litvan H, jt. auth.

Caserza CL, see Vessey JA, jt. auth.

Casey W, see Chambers FA, jt. auth.

Caspi B, see Szmuk P, jt. auth.

Cassidy JD, see Hirst GC, jt. auth.

Cassidy MD, see Vessey JA, jt. auth.

Catoire P, see Fulgencio JP, jt. auth.

Cerletty JM, see Lutsky I, jt. auth.

Chambers FA, Casey W, Dowling F, Moore KP. Malignant hyperthermia during isoflurane anaesthesia (correspondence), 355

Champion P, see Neidhart PP, jt. auth.

Chang PC, Goresky GV, O'Connor G, Pyesmany DA, Rogers PCJ, Steward DJ, Stewart JA. A multicentre randomized study of single-unit dose package of EMLA patch vs EMLA 5% cream for venepuncture in children (equipment), 59

Chang PC, see Lang SA, it. auth.

Charest J, see Marquette GP, jt. auth.

- see Vischoff D, jt. auth.

Charters P. Analysis of mathematical model for osseous factors in difficult intubation, 594

- Marks RRD. Laryngoscope blade shape (correspondence reply), 264
- see Marks RRD, it. auth.

Chavez AM, see Smith CE, jt. auth.

Cheang M, see Mutch WAC, jt. auth.

Cheema-Dhadli S, see Braden H, jt. auth.

Chen FG, see Koh KF, jt. auth.

Cheng D. Perioperative care of the cocaine-abusing patient / La prise en charge du cocaïneomane â la période périopératoire (editorial), 883

- see Karski JM, jt. auth.
- see Levytam S, jt. auth.

Cheng DCH. Anaesthesia for cardiac transplant patients (correspondence – reply), 656

- Boylan JF, Asokumar B, Feindel CM, Sandler AN.
 Interactions of propofol with metoprolol or nifedipine on hemodynamic, myocardial blood flow and metabolism in a swine model of chronic coronary occlusion (abst.), A17-A
- Karski J, Peniston C, Asokumar B, Carroll J, Nierenberg H, Roger S, David T, Sandler AN. A prospective, randomized, controlled clinical trial of early versus conventional tracheal extubation following coronary artery

bypass graft (CABG) surgery: postoperative complications and hospital discharge (abst.), A49-A; postoperative ventilatory dynamics (abst.), A16-A

- Karski J, Peniston C, Asokumar B, Mickle D, Carroll J, Nierenberg H, Roger S, David T, Sandler AN. A prospective randomized, controlled, clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery: postoperative myocardial ischemia and infarction (abst.), A48-B
- Karski J, Peniston C, Asokumar B, Tong J, Carroll J, Nierenberg H, Roger S, David T, Sandler AN. A prospective, randomized, controlled clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery: perioperative hemodynamics and stress responses (abst.), A16-B; postoperative complications and hospital discharge (abst.), A49-A
- see Asokumar B, jt. auth.
- see Hennessy M, jt. auth.

Chhabra B, see Gombar KK, jt. auth.

Chisholm DG, Stuart H. Congenital methaemoglobinaemia detected by preoperative pulse oximetry, 519

Chung F, Paramanathar S, Parikh S, Cruise C, Michaloliakou M, Dusek B. Are patients satisfied with day bed surgery? (abst.), A25-A

- see Asokumar B, it. auth.
- see Michaloliakou C, jt. auth.

Cirone R, Sullivan P, Posner M, Cole CW, Lindsay P. Regional vs general anaesthesia for carotid endarterectomy surgery (abst.), A37-A

- see Crosby ET, jt. auth.

Claffey L, Plourde G, Morris J, Trahan M, Dean DM. Sedation with midazolam during regional anaesthesia: is there a role for flumazenil? 1084

Clairoux M, see Martin R, jt. auth.

Claridge RJ, see McLeod DH, it. auth.

Clark AJ. The Anaesthetic Services Programme encompassing Nova Scotia (ASPENS) (anaesthesia practice), 716

 Doig GA, Gondocz T. The maintenance of competence (MOCOMP) pilot project – anaesthetists' continuing medical education practices (abst.), A22-A

Clarke IMC, Morin JE, Warnell I. Personality factors and the practice of anaesthesia: a psychometric evaluation, 393 Cleland M, see Miller DR, jt. auth.

Code W. NSAIDs (correspondence - reply), 548

Code WE, Yip RW, Rooney ME, Browne PM, Hertz T. Preoperative naproxen sodium reduces postoperative pain following arthroscopic knee surgery, 98

Cody C, see Hall RI, jt. auth.

Cohen DR, see Cooper RM, it. auth.

Cohen MM, see Rose DK, jt. auth.

Cole CW, see Cirone R, it. auth.

Colonna-Romano P, Padolina R, Lingaraju N, Braitman LE. Diagnostic accuracy of an intrathecal test dose in epidural analgesia, 572

- see Lingaraju N, jt. auth.

Conn AW. Roderick Angus Gordon (b. 1911) (History of Canadian Anaesthesia), 71

Conway J, see Garnett RL, it. auth.

- see Uncles DR, it. auth.

Conway JB, Posner M. Anaesthesia for Caesarean section in a patient with Watson's syndrome (clinical report), 1113

Cooke ME, see Doyle DJ, jt. auth.

Cooper RM, Cohen DR. The use of an endotracheal ventilation catheter for jet ventilation during a difficult intubation (clinical report), 1196

Costello L, see Patel N, jt. auth.

Coupland SG, see Loken RG, jt. auth.

Courtemanche M, see Searle NR, it. auth.

Couture P, Boudreault D, Derouin M, Allard M, Blaise G, Girard D. Carbon dioxide embolism: detection by capnography, transesophageal echocardiography, pulmonary artery pressure and precordial auscultation (abst.), A24-A

Cox BA, see Marakis MA, jt. auth.

Cox J, see Frenette L, jt. auth.

Cox P, see Carr AS, it. auth.

- see Lerman J, jt. auth.

Cox RG. Hypoxaemia and hypotension after intravenous codeine phosphate (clinical report), 1211

Goresky GV. Succinylcholine and children (correspondence), 266

Cramb R, see Smedstead KG, it. auth.

Crawford MW, see Lerman J, jt. auth.

Creighton RE. The infant airway / Les voies aéraiennes supérieures de l'enfant (editorial), 174

- see Lazzell VA, jt. auth.

- see Lerman J, jt. auth.

Cremonesi E, see Ruiz-Neto PP, jt. auth.

Crespin P, see Kreidstein A, jt. auth.

Crone L-A, see Southerland LC, jt. auth.

Crosby ET. Lighting the way in emergency airway care (correspondence), 78

 Bryson GL, Elliott RD, Gverzdys C. Epidural sufentanil does not attenuate the central haemodynamic effects of Caesarean section performed under epidural anaesthesia, 192

 Ciron R, Reid D, Lind J, Armstrong M, Doyle W. A randomized, blinded comparison of 20 mg versus 25 mg isobaric bupivacaine for subarachnoid anaesthesia (abst.), A26-B

Crossan ML, see Zamora JE, jt. auth.

Cruise C, see Asokumar B, jt. auth.

- see Chung F, jt. auth.

Crutchley PM, Rose DK. Supplemental analgesic require-

ments with continuous epidural infusion: patient profiles (abst.), A30-A

Cuillerier D, see Badner NH, jt. auth.

Cujec B, see Goranson BD, jt. auth.

Currie J. Packaging of saline and Quelicin (Abbot) (correspondence – reply), 452

Curran M, see McDonagh P, it. auth.

Curran MJ, see Bryson GL, jt. auth.

Cutz E, see Shorten G, jt. auth.

Dain S. Drug labelling (correspondence), 755

Packaging of saline and Quelicin (Abbot) (correspondence), 452

- see Webster AC, jt. auth.

Daly DS, see Donnelly MB, jt. auth.

David AN, see Cheng DCH, jt. auth.

David T, see Cheng DCH, jt. auth.

Davies C, see Beaulieu P, jt. auth.

Davies JM, Pagenkopf D, Todd K, Werry B, Finegan BA.

Comparison of selection of preoperative laboratory tests:
the computer vs the anaesthetist, 1156

 Priddy RE. Structural aspects of anaesthetic care / Le Côté matériel de l'anesthésie (editorial), 661

 Webb RK. Adverse events in anaesthesia: the wrong drug / L'erreur médicamenteuse: une cause d'accidents (editorial), 83

- Drug errors (correspondence - reply), 870

- see Eagle CJ, jt. auth.

Dawe G, see Hall RI, jt. auth.

Dean DM, see Claffey L, jt. auth.

Debaene B, see Salib Y, jt. auth.

DeBoer D, see Rose DK, jt. auth. Décary F, see Hardy J-F, jt. auth.

DeLima LGR, see Bergeron P, jt. auth.

DeMajo W, see Hennessy M, it. auth.

Demers C, see Searle NR, jt. auth.

Depierraz B, Ravussin P, Brossard E, Monnier P. Percutaneous transtracheal jet ventilation for paediatric endoscopic laser treatment of laryngeal and subglottic lesions (clinical report), 1200

Derouin M, see Couture P, jt. auth.

Deschênes MC, see Loken RG, jt. auth.

Desjardins G, see Romuald A, jt. auth.

Devitt JH. Mask lung ventilation by ambulance personnel (correspondence – reply), 872

 Brooks DA, Oakley PA, Webster PM. Mask lung ventilation by ambulance personnel: a performance assessment, 111

Devitt JH, see Huang J, jt. auth.

Dimich I, see Neustein SM, jt. auth.

- see Singh PP, jt. auth.

Dixon AM, see Woodward WM, jt. auth.

Dobkowski WB, Kutt JL, Mezon BJ, Grant DR, Wall WJ.

- High dose aprotinin reduces transfusion requirements of blood and blood products during orthotopic liver transplantation (abst.), A33-B
- Yee R, Klein G. Nitrous oxide has no electrophysiological effects on the function of sinus node conduction, the normal atrioventricular system or the accessory pathways in patients with Wolff-Parkinson-White syndrome (abst.), A45-B
- see Badner NH, jt. auth.
- Doblar DD, Lim YC, Frenette L, Ronderos JR, Poplawski S, Ranjan D. The cerebrovascular response to CO₂ in hepatic failure: transcranial doppler velocity vs PaCO₂ during anesthesia for orthotropic liver transplant (abst.), A34-A
- see Frenette L, jt. auth.

Dodgson BG, see Lerman J, jt. auth.

Doig GA, see Clark AJ, jt. auth.

Dolovich M, see Shorten G, jt. auth.

Donati F. Analyse coût-bénéfice pour les curares (refresher course), R8

- Cost-benefit analysis of neuromusuclar blocking agents (refresher course), R3
- Abdallah C, Gal S. Mivacurium dose-response relationships and reversal with edrophonium in young and elderly adults (abst.), A21-B
- see Fauvel N, jt. auth.
- see Ibebunjo C, jt. auth.
- see Ralley FE, jt. auth.
- see Salib F, jt. auth.

Donen N, see Mutch WAC, jt. auth.

- see Tweed WA, jt. auth.

Donnelly MB, Scott WAC, Daly DS. Sedation for upper gastrointestinal endoscopy: a comparison of alfentanil-midazolam and meperidine-diazepam, 1161

Dosch E, see Doyle DJ, jt. auth.

Douglas MJ, see Duggal KN, jt. auth.

Dowling F, see Chambers FA, it. auth.

- Doyle DJ, Kantor G, Levytam S, Sandler AN, Roger S. Nierenberg H. The pharmacodynamic half-life of doxacurium (abst.), A71-B
- Yosu H, Opershaw DJ, Laws AK, Friedlander M, Marryatt CH, Dosch E, Sandler AN, Bradley J, O'Leary G, Bradwell J, Arellano R, Cooke ME. Succinylcholine in children (3), (correspondence), 267

Doyle J, see Levytam S, jt. auth.

Doyle JA, see Badner NH, it. auth.

Doyle W, see Crosby ET, jt. auth.

Drolet P, Girard M. Posterior lumbar plexus block (correspondence – reply), 1239

- see Farny J, jt. auth.

Drover DR, Whatley G, Knox JWWD. Determination of intrinsic PEEP and pulmonary compliance during one-lung ventilation and its relationship with preoperative FEV₁ (abst.), A62-A - see Hung OR, jt. auth.

Duarte AJ, see Kelly WB, it. auth.

Dubé L, Van Obbergh L, Francoeur M, Blouin C, Carrier R, Blaise G. Comparison of two methods of administration of inhaled NO (nitric oxide) on NO₂ (nitrite) production (abst.), A34-B

Dubin SA, Jense HG, McCranie JM, Zubar V. Sugarless gum chewing before surgery does not increase gastric fluid volume or acidity, 603

Duggal KN, Douglas MJ, Peter EA, Merrick PM.

Acupressure for intrathecal narcotic-induced nausea and vomiting post-caesarean section (abst.), A29-B

Duke T, see Southerland LC, jt. auth.

Duncan PG. The price of quality / Le prix de la qualité (editorial), 765

Dupuis J-Y, see Bergeron P, jt. auth.

- see Bryson G, jt. auth.
- see McDonagh P, jt. auth.

Dusek B, see Chung F, it. auth.

Dust WN, see Hirst GC, it. auth.

- Eagle CJ, Davies JM. Current models of "quality" an introduction for anaesthetists (correspondence – reply), 451
- Davies JM, Pagenkopf D. The cost of an established quality assurance programme: is it worth it? (brief review), 813
- Kryski S. The cost of anaesthesia (correspondence), 265
- Maltby RJ, Kryski S, Hardy D. Use of refractometry to identify opioid-containing solutions (laboratory investigation), 248
- see Elwood T, jt. auth.
- see Kowalewski RJ, jt. auth.
- see Maltby JR, jt. auth.
- see Todesco J, jt. auth.

Egan KJ, Ready LB. Patient satisfaction: (correspondence - reply), 754; with intravenous PCA or epidural morphine, 6

Eisen LB, see Fisher JA, jt. auth.

El-Beheiry H, see Rausa J, jt. auth.

Elliott M, see Macnab AJ, jt. auth.

Elliott RD. Neonatal resuscitation: the NRP guidelines (continuing medical education), 742

- see Crosby ET, jt. auth.

- Elwood T (presenter), Eagle CJ (discussion). A patient presenting for pharyngeal biopsy (clinical anaesthesia file), 861
- Huchcroft S, MacAdams C. Midazolam propofol coinduction does not delay reovery from anaesthesia (abst.), A64-B

Endrass J, see Krumholz W, jt. auth.

Eng CC, see Lam AM, jt. auth.

Enns J, see Bergeron P, jt. auth.

Erskine R, Janicki PK, Neil G, James MFM. Spinal

anaesthesia but not general anaesthesia enhances neutrophil biocidal activity in hip arthroplasty patients (laboratory investigation), 632

Etches RC. Patient satisfaction (correspondence), 754

 Respiratory depression associated with patient-controlled analgesia: a review of eight cases (clinical report), 125

Eurin BG, see Roland EJL, it. auth.

Ewen A, Archer DP, Samanani N. Pentobarbital and methohexital reduce nociceptive threshold in the rat (abst.), A19-B

- see Froelich JE, jt. auth.

Ezri T, Berry J, Ando K, Katz J. Unintentional left main bronchus intubation (correspondence), 76

- see Szmuk P, jt. auth.

Facer E, see Bingham R, jt. auth.

Faragher EB, see Ramsay TM, jt. auth.

Farcon EL, Kim MH, Marx GF. Changing Mallampati score during labour (clinical report), 50

- see Katsnelson T, jt. auth.

Fargas-Babjak AM, see Lee RMKW, jt. auth.

Farran RP, Goresky G. The cost impact of needle-free intravenous systems on a paediatric anaesthesia department (abst.), A65-A

Farny J, Drolet P, Girard M. Anatomy of the posterior approach to the lumbar plexus block, 480

 Girard M, Drolet P. Posterior approach to the lumbar plexus combined with a sciatic nerve block using halothane, 486

Fauvel N, Glavinovic M, Donati F. The action of neostigmine and edrophonium on the neuromuscular junction of the mouse omohyoid muscle in the presence of D-tubocurarine (abst.), A20-B

Fear DW, see Lerman J, it. auth.

Feindel CM, see Cheng DCH, jt. auth.

Ferguson JG, see Southerland LC, jt. auth.

Finegan BA, see Davies JM, jt. auth.

- see Koller JP, jt. auth.

Fisher JA. Anaesthesia – "tricks of the trade." (correspondence), 658

 Ananthanarayan C. Epidural catheter entrapment (correspondence), 357

 Bromberg IL, Eisen LB. On the design of anaesthesia record forms (special article), 973

Flynn J, see Redmond E, jt. auth.

Fong K, see Halpern S, jt. auth.

Forni M, see Borgeat A, jt. auth.

Forster A, see Schwieger IM, jt. auth.

Foster CJ, see Schwartz RE, jt. auth.

Fox GS, see Backman SB, jt. auth.

Francoeur M, see Dubé L, jt. auth.

Frei JV, see Knill RL, jt. auth.

Frenette L, Doblar D, Ronderos J, Singer D, Cox J, Gosdin

B, Boatwright M, Poplawski S, Ranjan D. Percutaneous 14 French, the perfect percutaneous cannula for establishing venous bypass access in orthoptic liver transplantation (OLT) (abst.), A35-A

- see Doblar DD, jt. auth.

Friedlander M, Sandler A, Kavanagh B, Winton T, Benumof J. Is hypoxic pulmonary vasoconstriction important during single lung ventilation in the lateral decubitus position? 26

- see Doyle DJ, jt. auth.

Froelich JE, Archer DP, Ewen A. The influence of serotonin and noradrenalin depletion on thiopental-induced hyperalgesia in rats (abst.), A18-A

Froese N, see Backman CR, it. auth.

Frossard J, see Salib Y, jt. auth.

Fu E, see Mangar D, jt. auth.

Fujii Y, Tanaka H, Toyooka H. Optimal anti-emetic dose of granisetron for preventing postoperataive nausea and vomiting, 794

 Reduction of postoperative nausea and vomiting with granisetron, 291

 Toyooka H, Amaha K. Nicardipine enhances diaphragmatic fatigue (laboratory investigation), 435

Fujita S, see Kanaya N, jt. auth.

Fujiwara Y, see Oshita S, jt. auth.

Fulgenicio JP, Rimaniol JM, Catoire P, Bonnet F. Clonidine and postoperative myocardial ischaemia (correspondence), 550

Gadalla F, see Spencer J, jt. auth.

Gallagher JM, see Southerland LC, it, auth,

Gallant B, see Rashiq S, jt. auth.

Gambling DR, see Sharma SK, jt. auth.

Gan TJ, Miller RF, Webb AR, Russell RCG. Phaeochromocytoma presenting as acute hyperamylasaemia and multiple organ failure (clinical report), 244

Ganapathy S, see Webster AC, jt. auth.

Ganjoo P, Twari P. Oral cyclosporine-vecuronium interaction (correspondence), 1017

Garnett RL, Conway J, Lindsay MP. Combined general and epidural anaesthesia with postoperative epidural analgesia: the effect on cardiac ischemia (abst.), A46-A

Gaudy J-H, Sicard J-F, Maneglia R, Quignon M. Effects de l'halothane sur les modifications de la PaCO₂, de l'équilibre acido-basique et de la ventilation provoquées par l'hypoxie chez le rat (laboratory investigation), 347

Gelb A, see Smith D, jt. auth.

Gelb AW, see Manninen PH, jt. auth.

Geiduschek JM, Haberkern CM, McLaughlin JF, Jacobson LE, Hays RM, Roberts TS. Pain management for children following selective dorsal rhizotomy (brief review), 492

Gentles TL, see Lavoie J, jt. auth.

Gerard M, see Drolet P, jt. auth.

- see Khy V. it. auth.

Gerus LR, see Lerman J, jt. auth.

Girard D, see Couture P, it. auth.

Girard M, see Farny J, jt. auth.

Glanc P, see Halpern S, jt. auth.

Glick N, see Macnab AJ, jt. auth.

Glavinovic M, see Fauvel N, jt. auth.

Glynn MFX, see Karski JM, jt. auth.

Goernert L, see Baxter AD, jt. auth.

Gombar KK, Nain SS, Singh B, Satinder S, Chhabra B.
Arterial oxygen desaturation during peripheral venous cannulation in children. 288

- see Gombar S, jt. auth.

Gombar S, Kiran S, Gupta M, Gombar K, Chhabra B.
Preanaesthetic oral ranitidine, omeprazole and meto-clopramide for modifying gastric fluid volume and pH (correspondence), 879

Gomez M, see Wong DT, it. auth.

Gondocz T, see Clark AJ, jt. auth.

Goodarzi M, Shier NH, Ogden JA. Physiologic change during tourniquet use in children (abst.), A50-A

Goranson BD, Lang SA, Stockwell MJ, Cujec B, Yip RW.

Comparison of two methods of anaesthesia for transoesophagele chocardiography (TEE) (abst.), A59-A

Gordon GJ, see Morscher AH, jt. auth.

Gore-Hickman WL, see Morris GF, jt. auth.

Goresky GV, Pipa D. Drug labels on anaesthesia carts (correspondence), 655

- Whitsett SF. Psychological preparation of children for surgery / La préparation psychologique de l'enfant en vue de la chirurgie (editorial), 1033
- see Chang PC, jt. auth.
- see Cox RG, it. auth.
- see Farran RP, jt. auth.
- see Kuwahara B, it. auth.
- see Wood CE, jt. auth.

Gosdin B, see Frenette L, jt. auth.

Goto Y, see Arakawa M, jt. auth.

- see Nakajirma K, jt. auth.

Goudsouzian NG, see Vassallo SA, jt. auth.

Grace M. see Rashia S. it. auth.

Graham MR, Thiessen D, Mutch WAC. A comparison of isoflurane and halothane on diastolic and systolic ventricular function in the newborn pig (abst.), A54-B

Grant RP. Epidural and intravenous fentanyl (correspondence - reply 2), 1237

 Epidural opioids for post-thoracotomy pain / l'épidurale aux morphiniques et la douleur post-thoracotomie (editorial), 169

Gray A, see Redmond E, jt. auth.

Grace MG, see Koller JP, jt. auth.

Graham R, see Backman CR, jt. auth.

Grant DR, see Dobkowski WB, jt. auth.

Greene NM. A critical appraisal of the anaesthesia literature (refresher course), R70

- Evaluation critique de la littérature anesthésique (refresher course), R74
- A new post: laureate of the history of anaesthesia / Du nouveau: un lauréat en histoire de l'anesthésie (editorial), 769

Greengrass R, see Baron CM, jt. auth.

Gregson PH, see McKay WPS, jt. auth.

Grocott HP, Mutch WAC. Lumbar epidural space compliance in a porcine model of acute raised intracranial pressure (abst.), A7-A

Guay J, Haig M, Lortie L, Guertin M-C, Poitras B. Predicting blood loss in surgery for idiopathic scoliosis, 775

Guertin M-C, see Guay J, jt. auth.

Guest CB, Byrick RJ, Mullen JB, Kay JC, Wigglesworth DF. Choice of anaesthetic affects the hemodynamic response to fat embolism (abst.), A5-B

Gulaya V, see Batra RK, jt. auth.

Gupta M, see Gombar S, it. auth.

Gverzdys C, see Crosby ET, jt. auth.

Haberkern CM, see Geiduschek JM, jt. auth.

Hackman T. Anaesthesia for adenotonsillectomy (correspondence), 757

Haig M, see Guay J, jt. auth.

Hall LW, see Ibebunjo C, jt. auth.

Hall RI, Cody C, O'Brien R, Shields-Thomson J. Gastric intramucosal pH monitoring – a study in patients undergoing major elective surgery (abst.), A19-A

Neumeister M, Dawe G. Intraoperative neurological injury
 does it affect MAC (abst.), A18-B

Hall SC, see Roth AG, jt. auth.

Halperin ML, see Braden H, jt. auth.

Halpern H, see Ruiz-Neto PP, it. auth.

Halpern S. A comparison of two doses of epidural fentanyl (correspondence - reply), 452

- Bissonnette B. The most proximal and accurate site for sampling end-tidal CO₂ in infants (laboratory investigation), 984
- Glanc P, Myhr T, Ryan M-L, Fong K, Amankwah K,
 Ohlsson A. The effect of ephedrine on the pulsatility indexes of the uterine and umbilical arteries in caesarean section patients (abst.), A27-B
- The effect of epidural anaesthesia for caesarean section on the pulsatility index of the uterine and unbilical arteries in low and high risk parturients (abst.), A27-A
- Uterine and umbilical blood flow velocity during epidural anaesthesia for Caesarean section, 1057
- Preston R. Dural puncture headache and spinal needles a meta-analysis (abst.), A28-A
- see Preston R, jt. auth.

Hamilton RC, see Zimmerman DL, jt. auth.

Hammerén E, see Hynynen M, jt. auth.

Hancock DE, see Patel N, it. auth.

Hannallah RS. Who benefits when parents are present during anaesthesia induction in their children? / La présence des parents à l'induction de l'anesthésie pédiatrique: à qui va le bénéfice? (editorial), 271

- Britton JT, Schafer PG, Patel RI, Norden JM. Propofol anaesthesia in paediatric ambulatory patients: a comparison with thiopentone and halothane, 12
- see Patel R, it. auth.

Hanson III CW, see Young ML, it. auth.

Harada J, see Nakajima K, jt. auth.

Hardy D, see Eagle CJ, jt. auth.

Hardy J-F. Key issues in vaporizer filling (correspondence – reply), 879

- Bélisle S. Natural and synthetic antifibrinolytics in adult cardiac surgery: efficacy, effectiveness and efficiency (review article), 1104
- Bélisle S, Décary. Cardiac surgical patients must not be denied the benefits of autologous blood predonation / Les avantages du sang autologue ne doivent pas être refusés aux malades de chirurgie cardiaque (editorial), 1021
- Robitaille D. Blood products: when to use them and how to avoid them (refresher course), R52
- Du bon usage des dérivés du sang (refresher course), R62

Harley P, see Karski JM, jt. auth.

Hart S, see Porter J, jt. auth.

Hartley EJ, see Carr AS, jt. auth.

- see Lerman J, jt. auth
- see Markakis MA, jt. auth.

Hartley P, see Karski JM, jt. auth.

Hatano Y, see Nakamura K, jt. auth.

- see Yamamoto M, jt. auth.

Hatch D, see Bingham R, jt. auth.

Hawkes C, Martineau R, Miller D, Hull K, Hopkins H, Tierney M. Anaesthesia pharmacoeconomics: impact of cost-minimization strategies in a tertiary care hospital (abst.), A61-B

Miller D, Martineau R, Hull K, Hopkins H, Tierney
 M. Evaluation of cost minimizing strategies of anaesthetic drugs in a tertiary care hospital, 894

Hays RM, see Geiduschek JM, jt. auth.

Heermans C, see Searle NR, jt. auth.

Hempelmann G, see Krumholz W, jt. auth.

Henderson S, see Smith D, jt. auth.

Hennessy M, Cheng DCH, Asokumar B, Winston T, Demajo W, Sandler AN. Critical cardiorespiratory events leading to cardiopulmonary bypass (CPB) during sequential single lung transplant (SSLT) surgery (abst.), A42-A

Hertz T, see Code WE, jt. auth.

Hetreed M, see Alexander R, jt. auth.

Hickman, see Gore-Hickman

Hill GD, see Sullivan M, jt. auth.

Hirakata H, see Yamamoto M, it. auth.

Hirano GM, see Hudes ET, jt. auth.

Hirst GC, Lang SA, Dust WN, Cassidy JD, Yip RW. Femoral nerve block: single injection vs continuous infusion for total knee arthroplasty (abst.), A63-A

Ho K, see Hudes ET, it. auth.

Hoffmann RG, see Lutsky I, jt. auth.

Holbrook N, see Smith CE, it. auth.

Hollebone E, see McKay WPS, it. auth.

Holtby H, see Markakis MA, it. auth.

Holtby HM, see Carr AS, it auth.

- see Lerman J, it. auth.

Hopkins C, see Hawkes C, it. auth.

Hopwood M, see Lutsky I, jt. auth.

Horan T, see Baron CM, jt. auth.

Horrow JC, Rosenberg H. Price stickers do not alter drug usage, 1047

- see Lingaraju N, jt. auth.

Howard R, see Bingham R, jt. auth.

Howie MB, see Kelly WB, jt. auth.

Huang J, Needs RE, Miller HAB, Devitt JH. Unsuspected tracheal rupture in blunt thoracic trauma (clinical report), 1208

Huchcroft S, see Elwood T, it. auth.

Hudes ET, Hirano GM, Kashin BA, Ho K, MacDonald IA, Shine K. Analgesic effects of thoracic epidural bupivacaine and fentanyl (correspondence), 1123

Hull K, see Baxter AD, it. auth.

- see Blew P, jt. auth.
- see Bryson GL, it. auth.
- see Hawkes C, jt. auth.

Huisman THJ, see Lang SA, it. auth.

Hull K, see Hawkes C, jt. auth.

Hull KA, see Miller DR, it. auth.

Humphreys RP, see Millar C, jt. auth.

Hung OR, Bands C, Laney G, Drover D, Stevens S, MacSween M. Drug allergies in the surgical population, 1149

 Pytka S, Murphy MF, Martin B, Stewart RD. A new lightguided intubation technique for inexperienced intubators (abst.), A50-B

Hynynen M, Hammarén E, Rosenberg PH. Propofol sequestration within the extracorporeal circuit, 583

Ibebunjo C, Donati F. Dose-response and duration of action of succinylcholine and vecuronium in seven muscles in the goat (abst.), A69-A

 Hall LW. Succinylcholine and vecuronium blockade of the diaphragm, laryngeal and limb muscles in the anaesthetized goat (laboratory investigation), 36

Ibuki T, Ando N, Tanaka Y. Vocal cord paralysis associated with difficult gastric tube insertion (clinical report), 431 Igarashi M, see Iwasaki H, jt. auth. Ikeda K, see Katoh T, jt. auth.

Inbaba S, see Sakaguchi Y, jt. auth.

Inomata S, Nishikawa T. Bleeding from the SvO₂ monitoring port of PA catheter during cardiac surgery (correspondence), 877

Irita K, see Sakaguchi Y, jt. auth.

Ishihara H, Shimodate Y, Koh H, Matsuki A, McIntyre JWR. The initial distribution volume of glucose and cardiac output in post-surgical patients (abst.), A32-A

- see Shimodate Y, jt. auth.

Iwasaki H, Igarashi M, Kawana S, Namiki A. Accelerated onset of vecuronium neuromuscular block with pulmonary arterial administration, 1178

Jacka MJ, Milne B, Nakatsu K, Pancham S, Smith G. Nitroglycerin relaxes uterine muscle in vitro (abst.), A29-A

Jackson P, see Kahn L, jt. auth.

Jacobson LE, see Geiduschek JM, jt. auth.

James FM, see Brooker RF, it. auth.

James I, see Bingham R, jt. auth.

James MFM, see Erskine R, it. auth.

Janicki PK, see Erskine R, jt. auth.

Javorski JJ, see Lavoie J, jt. auth.

Jense HG, see Dubin SA, jt. auth.

Jensen NF, see Tinker JH, jt. auth.

Johnston AE, see Lerman J, it. auth.

Joiner R, see Karski JM, jt. auth.

Joly L-M, Benhamou D. Ventilation during total intravenous anaesthesia with ketamine, 227

Jolly DT, see Rashig S, it. auth.

Jones SF. NSAIDs (correspondence), 548

Jopling MW. Asystole induced by right atrial injection of thiopentone (correspondence), 760

Jorge-Costa M, see Schwieger IM, jt. auth.

Jourdain S, see Martin R, jt. auth.

Kafle SK, Malla SM, Lekhak BD. Prophylactic oral ephedrine reduces the incidence of hypotension after subarachnoid block, 1091

Kahn L, Jackson P. Fentanyl infusions for post-thoracotomy pain management (correspondence), 871

Kakuyama M, see Nakamura K, jt. auth.

- see Yamamoto M, jt. auth.

Kalow W. Canadian Anaesthetists' Society Research Recognition Award, 73

Kamaya H, see Ueda I, jt. auth.

Kampine JP, see Lutsky I, it. auth.

Kanaya N, Nakayama M, Fujita S, Namiki A. Haemodynamic and EEG changes during rapid-sequence induction of anaesthesia, 699

Kane PB, see Beers RA, it. auth.

Kantor G, see Doyle DJ, jt. auth.

Kao YJ, Thio A, Barker SJ. Lingual-pulse oximetry (abst.), A36-B

Karski J, see Bailey K, jt. auth.

- see Cheng DCH, it. auth.

Karski JM, Joiner R, Carroll J, Teasdale SJ, Peniston C, Glynn MFX, Bailey K. Comparison of the effect of 3 different doses of tranexamic acid on postoperative bleeding in cardiac surgery performed without active systemic cooling (abst.), A41-A

 Teasdale SJ, Boylan J, Cheng D, Carroll J, Harley
 P. Propofol for continuous intravernous sedation after aortocoronary bypass graft surgery: dose finding study (abst.), A17-B

 Teasdale SJ,, Cheng D, Bailey K, Carroll P, Harley
 P. Recovery time following short term sedation with propofol after cardiac surgery (abst.), A40-A

- see Redahan C, jt. auth.

Kashiki K, see Oshima T, jt. auth.

Kashin BA, see Hudes ET, it. auth.

Katoh T, Ikeda K. A comparison of sevoflurane with halothane, enflurane, and isoflurane on bronchoconstriction caused by histamine (laboratory investigation), 1214

Katsnelson, Farcon E, Schwalbe SS, Badola R. The Bullard laryngoscope and the right arytenoid (correspondence), 552

Katz J, see Ezri T, jt. auth.

- see Levytam S, jt. auth.

- see Sandler AN, jt. auth.

Katz JC, see Guest CB, jt. auth.

Kaushik S, see Agarwal A, jt. auth.

Kavanagh B, see Friedlander M, jt. auth. Kawana S, see Iwasaki H, jt. auth.

Kelly D, Brull SJ. Neuroleptic malignant syndrome and mivacurium: a safe alternative to succinylcholine? (clinical report), 845

Kelly WB, Howie MB, Romanelli VA, Duarte JA, Rezaei H, McSweeney TD. A comparison of pentamorphone and fentanyl in balanced anaesthesia during general surgery, 703

Kemp SM, see Lerman J, jt. auth.

Keohane C, see Porter J, jt. auth.

Khan RM, see Maroof M, jt. auth.

Khy V, Girard M. L'utilisation de la 2-chloroprocaïne pour les blocs combinés du plexus lombaire et du nerf sciatique, 919

Kihara S, see Sato S, jt. auth.

Kim MH, see Farcon EL, it. auth.

Kimura R, see Watanabe S, jt. auth.

Kiran S, see Gombar S, jt. auth.

Kirchoff GT, see Mangar D, jt. auth.

Kitts J, see Asokumar B, jt. auth.

- see McDonnagh P, jt. auth.

Kitts JB, see Bryson GL, it. auth.

Klassen KA, see Wood CE, jt. auth.

Kleef UV, see Wierda JMKH, jt. auth.

Klein G, see Dobkowski WB, jt. auth.

Klein R, see Schregel W, jt. auth.

Knape KG, see Sabo B, jt. auth.

Knill RL. To Caesar what is Caesar's (correspondence – reply), 74

- Novick T, Vandervoort MK. Postoperative nightmares relate to perioperative opioid therapy (abst.), A24-B
- Vandervoort MK, Brown JE, Frei JV. Fatal myocardial infarction in the postoperative period differs from fatal myocardial infarction elsewhere (abst.), A47-B
- see Lalande P, jt. auth.

Knox JWD, see Drover DR, jt. auth.

Koh KF, Chen FG. Rapid tracheal intubation with atracurium: the timing principle, 688

Kolesar R, see Belo SE, jt. auth.

Koller JP, Lavoie GJ, Rigal WM, Taylor DA, Gracae MG, Finegan BA. Venous embolism after thigh tourniquet deflation (abst.), A61-A

Koh H, see Ishihara H, jt. auth.

Komar WE, see Badner NH, jt. auth.

Komocar L, see Splinter WM, jt. auth.

Kondo T, see Yamashita M, jt. auth.

Kopelaw M, see Backman CR, jt. auth.

Kostucki WM, see Lafont ND, jt. auth.

Koutsoukos G, Belo S. Combined ondansetron and droperidol in out-patient laparoscopy (abst.), A70-B

Kowalewski RJ, MacAdams CL, Eagle CJ, Archer DP, Bharadwaj B. Anaesthesia for coronary artery bypass surgery supplemented with subarachnoid bupivacaine and morphine: a report of 18 cases (clinical report), 1189

Kowalski R, see Baron CM, jt. auth.

Kramer RP, see Smith CE, jt. auth.

Kranner PW, see Arndt GA, jt. auth.

Krauss D, see Beers RA, jt. auth.

Kreidstein A, Boorin MR, Vrepsi P, Lebowitz P, Barst S. Delayed awakening from general anaesthesia in a patient with Hunter syndrome (clinical report), 423

Krishna PR, see Ueda I, jt. auth.

Krumholz W, Endrass J, Hempelmann G. Propofol inhibits phagocytosis and killing of Staphylococcus aureus and Escherichia coli by polymorphonuclear leukocytes in vitro (laboratory investigation), 446

Kryski S, see Eagle CJ, jt. auth.

Kubota H, see Kubota Y, jt. auth.

Kubota Y, Toyoda Y, Kubota H. Tracheo-bronchial angles in infants and children (correspondence), 1016

Kumagai M, see Sato S, jt. auth.

Kumar CM. Unattended continuous infusion of hyoscine leading to delayed visual disturbances (correspondence), 551

Kutt JL, see Dobkowski WB, it. auth.

Kumon K, see Yahagi N, jt. auth.

Kuwahara B (presenter), Goresky GV (discussion). Anaesthetic management of an asthmatic child for appendicectomy (clinical anaesthesia file), 523

- see Wood CE, it. auth.

Laborde R, see Mangar D, jt. auth.

Lacroix G, Lessard C, Trépanier C. Comparison of propofol (P) droperidol (D), and metoclopramide (M) for the treatment of postoperative nausea and vomiting (abst.), A66-A

Lafont ND, Kostucki WM, Marchand PH, Michaux MN, Boogaerts JG. Embolism detected by transoesophageal echocardiography during hip arthroplasty, 850

LaLande P, Knill RL. B.U.R.P. is more effective than backward pressure on the thyroid cartilage in managing difficult laryngoscopy (abst.), A65-B

Lam AM, Sharar SR, Mayberg TS, Eng CC. Isoflurane compared with nitrous oxide anaesthesia for intraoperative monitoring of somatosensory potentials, 295

- see Manninen PH, jt. auth.
- see Matta BF, jt. auth.

Lamont RW. A comparison of two doses of epidural fentanyl (correspondence), 452

Landeira, see Villar Landeira

Laney G, see Hung OR, jt. auth.

Lang S. Posterior lumbar plexus block (correspondence), 1238

Lang SA, Chang PC, Laxdal VA, Huisman THJ. Haemoglobin Hammersmith precludes monitoring with conventional pulse oximetry (clinical report), 965

- Van der Wal M. Death from the oculocardiac reflex (correspondence), 161
- see Goranson BD, it. auth.
- see Hirst GC, it. auth.
- see Morris GF, jt. auth.

Langevin PB, Gulig PA, Gravenstein N. Intralipid alters LD50 staphylococcus aureus (abst.), A37-B

Langière S, see Baxter AD, jt. auth.

Lauper U, see Atanassoff PG, jt. auth.

Lavoie GJ, see Koller JP, jt. auth.

Lavoie J, Burrows FA, Gentles TL, Sanders SP, Burke RP, Javorski JJ. Transoesophageal echocardiography detects residual ductal flow during video-assisted thoracoscopic patent ductus arteriosus interruption (clinical report), 310

Laws AK, see Doyle DJ, it. auth.

Laxdal VA, see Lang SA, jt. auth.

Lazzell VA, Carr AS, Lerman J, Burrows FA, Creighton RE. The incidence of masseter muscle rigidity after succinylcholine in infants and children, 475

Leal JJ, see Mangar D, jt. auth.

Lebowitz P, see Kreidstein A, jt. auth.

LeBel M, see Miller DR, jt. auth.

LeDez KM, Penny C, Snedden W. MAC-amnesia for isoflurane (abst.), A20-A

 Snedden W, Peddle T, Au J. Anesthetic concentrations in operating room air: the need for periodic quantitative measurement (abst.), A52-A

Lee RMKW, Fargas-Babjak AM, Ni J, Werstiuk ES, Woo J, Morison DH. The effect of general anaesthesia on the plasma levels of endothelin in humans (abst.), A31-A

Lekhak BD, see Kafle SK, jt. auth.

- see Tweed WA, jt. auth.

Lenczyk M, see Patel R, it. auth.

Lerman J, Berdock SE, Bissonnette B, Braude BM, Cox P, Crawford MW, Creighton RE, Dodgson BG, Fear DW, Gerus LR, Hartley EJ, Holtby HM, Johnston AE, Kemp SM, Levine M, Macpherson BA, McIntyre BG, McLeod ME, Relton JES, Robinson G, Roy WL, Sloan IA. Succinylchloride warning (correspondence), 165

- see Alderson PJ, jt. auth.

- see Carr AS, jt. auth.

- see Lazzell VA, jt. auth.

- see Markakis MA, it. auth.

- see Shorten G, jt. auth.

- see Sikich N, jt. auth.

- see Vener T, jt. auth.

Lessard M, see Lacroix G, jt. auth.

Levesque S. Safety hazards - Sabex drug labels (correspondence), 76

Levine M, see Carr AS, jt. auth.

- see Lerman J, jt. auth.

- see Macnab AJ, jt. auth.

Levy DA, see Maltby JR, jt. auth.

Levy DM, see Woodward WM, it. auth.

Levytam S, Arellano R, Katz J, Cheng D, Doyle J, Sandler A. A dose-response study of the hemodynamic effects of doxacurium chloride in the pithed rat (abst.), A40-B

- see Doyle DJ, jt. auth.

Lewis B, see Whalley DG, jt. auth.

Lim YC, see Doblar DD, jt. auth.

Lind J, see Crosby ET, jt. auth.

Lind L. Metabolic gas exchange during gynaecological laparotomy and laparoscopy, 19

Lindsay MP, see Garnett RL, jt. auth.

- see Rosaeg OP, jt. auth.

- see Zamora JE, jt. auth.

Lindsay P, see Bryson GL, jt. auth.

- see Cirone R, jt. auth.

Lindsay PA, see Wilkes PRH, jt. auth.

Lingaraju N, Horrow JC, Colonna-Romano P, Strong MD. Haemodynamic consequences of warm cardiac irrigation during cardiac surgery, 384

- see Colonna-Romano P, jt. auth.

Litman RS, Youman MM, Patt RB, Ward DS. Postoperative

recurrent paralysis in an infant after mivacurium infusion (correspondence), 758

Litvan H, Santacana E, Casas JI, Aris A, Villar Landeira JM. Aprotinin therapy to reduce blood loss in Jehovah's Witnesses (correspondence), 77

Litwin D, see Southerland LC, jt. auth.

Liu KR, see Vessey JA, jt. auth.

Llagunes J, Rodriguez-Hesles C, Aguar F. Laryngeal mask airway in cardiac surgery (correspondence), 1016

Lloyd-Thomas A, see Bingham R, jt. auth.

Loken RG, Coupland SG, Deschênes. The electroretinogram during orbital compression following intraorbital regional block for cataract surgery, 802

- see Zimmerman DL, jt. auth.

Long T, see Vener DF, jt. auth.

Lopez A, Mathieu A. A meta-analysis of published studies provides precise estimates of the effectiveness of ondansetron (O) for the prevention of postoperative nausea/vomiting (abst.), A23-A

Lorec AM, see Bruguerolle B, jt. auth.

Lorenz D, see Arndt GA, jt. auth.

Lortie L, see Guay J, it. auth.

Lowe DA, see Schwartz RE, jt. auth.

Lucy SJ. Anaesthesia for Caesarean delivery of a malignant hyperthermia susceptible parturient (obstetric forum), 1220

Lutsky I, Hopwood M, Abram SE, Cerletty JM, Hoffmann RG, Kampine JP. Use of psychoactive substances in three medical specialties: anaesthesia, medicine and surgery, 561

Lynch L, see Porter C, it. auth.

McAdams CL, see Elwood T, jt. auth.

- see Kowalewski RJ, jt. auth.

Macario A, Brock-Utne J. Anaesthetists overestimate blood loss (correspondence), 1017

McClenaghan KM, see Mazer CD, jt. auth.

McCranie JM, see Dubin SA, jt. auth.

McDonagh P, Dupuis J-Y, Curran M, Kitts J, Wynands JE. Is there a relationship between oxygen consumption and neuromusuclar blockade after cardiac surgery? (abst.), A14-B

 Pharmacodynamics and hemodynamics of doxacurium hydrochloride in patients undergoing elective cardiac surgery (abst.), A14-A

McDonald JF, see Bertlik M, jt. auth.

MacDonald IA, see Hudes ET, jt. auth.

McDonald PF, see Ramsay TM, jt. auth.

MacDonald SJ, see Badner NH, jt. auth.

McGill WA, see Patel R, it. auth.

McGraw T. Preparing children for the operating room: psychological issues (review article), 1094

McGuire GP, see Sharma SK, jt. auth.

- see Wong DT, jt. auth.

McHugh MD, Pappius HM. Impaired acquisition of the Morris Water Task for 24 hrs after halothane, but not isoflurane or pentobarbital anaesthesia in rats (abst.), A31-B

McIntyre BG, see Lerman J, jt. auth.

McIntyre JWR, see Ishihara H, jt. auth.

McKay BWS, see McKay WPS, it. auth.

McKay WPS, Gregson PH, McKay BWS, Militzer J, Hollebone E. Sternal acceleration ballistocardiography and arterial pressure wave analysis to determine stroke volume (abst.), A45-A

Mackenzie A, see Bingham R, jt. auth.

McKenzie FN, see Murkin JM, jt. auth.

McKnight DJ, see Braden H, jt. auth.

McLachlan RS, see Sprenger H, jt. auth.

McLaughlin JF, see Geiduschek JM, jt. auth.

McLeod DH, Wong DHW, Claridge RJ, Merrick PM. Lateral popliteal sciatic nerve block compared with subcutaneous infiltration for analgesia following foot surgery, 673

McLeod ME, see Campbell FA, jt. auth.

- see Lerman J, jt. auth.

Macnab AJ, Levine M, Glick N, Phillips N, Susak L, Elliott M. The Vancouver Sedative Recovery Scale for children: validation and reliability of scoring based on videotaped instruction, 913

McNeill A, see Backman CR, it. auth.

McPherson BA, see Carr AS, it. auth.

- see Lerman J, jt. auth.

- see Markakis MA, jt. auth.

MacSween M, see Hung OR, jt. auth.

McSweeney TD, see Kelly WB, jt. auth.

Madan R, see Batra RK, jt. auth.

Maekawa N, see Nishina K, jt. auth.

Malla SM, see Kafle SK, jt. auth.

Maltby JP, see Sandison J, jt. auth.

Maheshwari A, see Agarwal A, it. auth.

Maier C, Wulf H. Postoperative pain management and acute pain service in Canada (correspondence), 653

Makita K, see Uchida T, jt. auth.

Mangano DT. La morbidité cardiaque périopératoire (refresher course), R17

- Perioperative cardiac morbidity (refresher course), R13

Mangar D, Kirchoff GT, Leal JJ, Laborde R, Fu, E.
Pneumothorax during laparoscopic Nissen fundoplication:
(clinical report), 854

Malik A, see Plourde G, jt. auth.

Maltby JR. The laryngeal mask airway in anaesthesia / La prise en charge des voies aériennes avec le masque laryngé (editorial), 888

 Levy DA, Eagle CJ. Simple narcotic kits for controlledsubstance dispensing and accountability (special article), 301

- see Eagle CJ, jt. auth.

Maneglia R, see Gaudy J-H, it. auth.

Mangar D. Treatment of pulmonary artery haemorrhage with a single lumen tracheal tube (correspondence), 880

Manninen PH, Patterson S, Lam AM, Gelb AW, Nantau WE. Evoked potential monitoring during posterior fossa aneurysm surgery – a comparison of two modalities, 92

Marceau L, see Romuald A, jt. auth.

Marchand PH, see Lafont ND, it. auth.

Marion S. see Peter EA. it. auth.

Markakis MA, Carr AS, Sikich N, Lerman J. Propofol as a treatment of postoperative emesis in children (abst.), A58-B

 Hartley EJ, Holtby H, Carr AS, Cox P, Macpherson BA. Caudal morphine analgesia in infants undergoing thoracotomy for extracardiac surgery (abst.), A58-A

Marks RRD, Charters P. Laryngoscope design (correspondence – reply), 163

- see Charters P, jt. auth.

Maroof M, Khan RM, Bhatti TH. Clonidine premedication for induced hypotension with total intravenous anaesthesia for middle ear microsurgery (correspondence), 164

Marquette GP, Mechas T, Charest J, Rey E. Epidural anaesthesia for elective Caesarean section does not influence fetal umbilical artery blood flow indices, 1053

Marryatt CH, see Doyle DJ, jt. auth.

Martens P. Mask lung ventilation by ambulance personnel (correspondence), 872

Martin B, see Hung OR, jt. auth.

Martin R, Jourdain S, Clairoux M, Tétrault JP. Duration of decutitus position after epidural blood patch, 23

Martineau R, see Blew P, jt. auth.

- see Bryson GL, jt. auth.

- see Hawkes C, jt. auth.

- see Miller DR, jt. auth.

Martineau RJ, see Miller DR, jt. auth.

Marx GF, see Farcon EL, jt. auth. Marybiak JK, see O'Leary SD, jt. auth.

Masuda A, see Oshima T, it. auth.

Mathieu A. Cost-effectiveness analysis (CEA) of the prevention of post-operative nausea/vomiting (PONV) with ondansetron (OND) (abst.), A23-B

- see Lopez A, jt. auth.

Matsuki A, see Ishihara H, jt. auth.

- see Shimodate Y, jt. auth.

Matsuura H, see Tachibana M, jt. auth.

Matta BF, Lam AM, Mayberg TS. The influence of arterial oxygenation on cerebral venous oxygen saturation during hyperventilation, 1041

Mayberg TS, see Lam AM, jt. auth.

- see Matta BF, it. auth.

Mazer CD, McClenaghan KM. The CAS Residents' competition: a 25 year review (occasional review), 116

- see Baker JE, jt. auth.

- see Belo SE, it. auth.

- see Braden H, it. auth.

- see Naser BI, jt. auth.

Mechas T, see Marquette GP, jt. auth.

Meistelman C, see Salib Y, jt. auth.

Merrick PM, see Duggal KN, jt. auth.

- see McLeod DH, it. auth.

Mezrow C, see Neustein SM, jt. auth.

Mezon B, Badner N. Subcutaneous emphysema and laparoscopic cholecystectomy (correspondence), 874

Mezon BJ, see Dobkowski WB, jt. auth.

Michaloliakou C, Sharma S, Chung F. Preoperative multimodel analgesia facilitates same day discharge in laparoscopic cholecystectomy – a randomized double blind placebo-controlled study (abst.), A76-A

 Preoperative multi-model analgesia reduces postoperative pain in outpatient laparoscopic cholescystectomy – a randomized double blind placebo-controlled study (abst.), A39-A

Michalokiakou M, see Chung F, jt. auth.

Michaux MN, see Lafont ND, jt. auth.

Mickle D. see Cheng DCH. it. auth.

Mikawa K, see Nishina K, jt. auth.

Millar C, Bissonnette B. Awake intubation increases intracranial pressure without affecting cerebral blood flow velocity in infants, 281

 Humphreys RP. Cerebral arteriovenous malformations in children (review article), 321

Miller D, see Blew P, jt. auth.

- see Hawkes C, jt. auth.

Miller DR. Intravenous infusion anaesthesia and delivery devices (continuing medical education), 639

La nouvelle médication cardiovascular (refresher course),
 R114

 What's new in cardiovascular drugs? (refresher course), R106

 Martineau RJ, Hull KA, Vallée F, LeBel M. Optimizing sedation following major vascular surgery: a double-blind study of midazolam administered by continuous infusion, 782

 Martineau R, Sloan J, Hull K, Cleland M. Evaluation of the accuracy of non-invasive blood pressure monitors (abst.), A52-B

Miller HAB, see Huang J, jt. auth.

Miller RJ, see Bryson GL, jt. auth.

- see Gan TJ, jt. auth.

Milne B, see Jacka MJ, jt. auth.

- see Pattee C, jt. auth.

- see Rausa J, jt. auth.

Miltzer J, see McKay WPS, jt. auth.

Miyawaki I, see Nakamura K, jt. auth.

Monnier P, see Depierraz B, jt. auth.

Montanera WJ, see Sharma SK, jt. auth.

Moore KP, see Chambers FA, jt. auth.

Moote CA, The prevention of postoperative pain (continuing medical education), 527

- see Newton PT, jt. auth.

Morel DR, see Schwieger IM, jt. auth.

Morgan P. The role of vasopressors in the management of hypotension induced by spinal and epidural anaesthesia (review article), 404

Mori K, see Nakamura K, jt. auth.

- see Yamamoto M, jt. auth.

Morin JE, see Clarke IMC, jt. auth.

Morison DH, see Lee RMKW, jt. auth.

- see Smedstead KG, it. auth.

Morley-Forster PK, see Webster AC, it. auth.

Morris GF, Gore-Hickman WL, Lang SA, Yip RW. Can parturients reliably distinguish between epidural and intravenous fentanyl? (abst.), A6-B

 Can parturients distinguish between intravenous and epidural fentanyl?, 667

Morris IR. Fibreoptic intubation (continuing medical education), 996

Morris J, see Claffey L, jt. auth.

Morris LE. Daniel G. Revell (b. 1904) (History of Canadian Anaesthesia), 450

Morscher AH, Smith CE, Gordon GL, Patel N. A simple spreadsheet tool for cost accounting anaesthesia care (abst.), A69-B

Morris S, see Asai T, jt. auth.

Morton ML. Laryngoscope blade shape: (correspondence), 263

Mullen JB, see Guest CB, jt. auth.

Muravchick S, see Young ML, jt. auth.

Murkin JM. Monitoring cerebral oxygenation / Le monitorage de l'oxygénation cérébrale (editorial), 1027

 McKenzie FN, White S, Shannon NA. Blood loss in patients undergoing repeat median sternotomy randomized to either high or low dose aprotinin or tranexamic acid (abst.), A46-B

 A randomized comparison of the efficacy of high or low dose aprotinin, or tranexamic acid, to decrease blood loss and transfusion requirements in aspirin-treated cardiac surgical patients (abst.), A33-A

Mundi C, see Bryson G, jt. auth.

Murphy MF, see Hung OR, jt. auth.

Murphy P, see Best A, jt. auth.

Mutch WAC, White IWC, Donen N, Thomson IR, Rosenbloom M, Cheang M, West M. Myocardial ischemia during carotid endarterectomy: propofol versus isoflurane (abst.), A13-A

- see Graham MR, it. auth.

- see Grocott HP, jt. auth.

Myhr T, see Halpern S, jt. auth.

Nagasue N, see Tachibana M, it. auth.

Naguib M. Different priming techniques, including mivacurium, accelerate the onset of rocuronium, 902

Nain SS, see Gombar KK, jt. auth.

Naito H, see Tanaka M, jt. auth.

Nakajima K, Sugiura Y, Goto Y, Takakura K, Harada J.

Effect of prostaglandin E1 for hypertension: from the point of visceral microcirculatory system (abst.), A30-B

Nakamura K, Terasako K, Toda H, Miyawaki I, Kakuyama M, Nishiwada M, Hatano Y, Mori K. Mechanisms of inhibition of endothelium-dependent relaxation by halothane, isoflurane, and sevoflurane (laboratory investigation), 340

- see Yamamoto M, jt. auth.

Nakamura T, see Tachibana M, jt. auth.

Nakayama H, see Kanaya N, jt. auth.

- see Sato S, jt. auth.

- see Tanaka M, jt. auth.

Namiki A, see Iwasaki H, jt. auth.

- see Kanaya N, jt. auth.

Nantau WE, see Manninen PH, jt. auth.

Naser BI, Baker AJ, Mazer CD. Cerebral microembolization during coronary artery bypass surgery (abst.), A4-A

Nawata H, see Sakaguchi Y, jt. auth.

Needs RE, see Huang J, jt. auth.

Neidhart PP, Champion P, Vogel J, Zsigmond EK, Tassonyi E. A comparison of pipecuronium with pancuronium on haemodynamic variables and plasma catecholamines in coronary artery bypass patients, 469

Neil G, see Erskine R, jt. auth.

Neil SG, see Wood CE, jt. auth.

Neumeister M, see Hall RI, jt. auth.

Neustein SM, Dimich I, Sampson I, Sadeghi A, Mezrow C, Shiang H. Arrythmogenic potential of dopexamine hydrochloride during halothane anaesthesia in dogs (laboratory investigation), 542

Newton PT, Moote CA. Random double blind comparison of the effects of ketorolac vs morphine on recovery from general anaesthesia during outpatient knee arthroplasty (abst.), A75-B

Ni J, see Lee RMKW, jt. auth.

Nierenberg H, see Cheng DCH, jt. auth.

- see Doyle DJ, jt. auth.

Norton ML. Laryngoscope blade shape (correspondence), 263

Nigrovic V, Wierda JMKH. Post-succinylcholine muscle pain and smoking (correspondence), 453

Nikatsu K, see Jacka MJ, jt. auth.

Nishijima Y, see Sato S, jt. auth.

Nishikawa T, see Inomata S, jt. auth.

Nishimura M, see Abe K, jt. auth.

Nishina K, Mikawa K, Maekawa N, Tamada M, Obara

H. Omeprazole reduced preoperative gastric fluid acidity and volume in children, 925

Nishiwada M, see Nakamura K, jt. auth.

- see Yamamoto M, jt. auth.

Norden JM, see Hannallah RS, it. auth.

Novick T, see Knill RL, jt. auth.

Nsouli I, see Beers RA, it. auth.

Oakley PA, see Devitt JH, it. auth.

Obara H, see Nishina K, jt. auth.

Obbergh see Van Obbergh

O'Brien O, see Hall RI, jt. auth.

O'Connor G, see Chang PC, jt. auth.

Ogden JA, see Goodarzi M, jt. auth.

Ohlsson A, see Halpern S, jt. auth.

O'Hara JF Jr, Brand MI, Boutros AR. Acute airway obstruction following placement of a subclavian Hickman catheter (clinical report), 241

Okubo N, see Sato S, jt. auth.

O'Leary G, see Doyle DJ, jt. auth.

O'Leary SD, Maryniak JK, Tucker JH. Teaching effective cricoid pressure application using a force measuring device (abst.), A5-A

Ong B, Segstro R. Respiratory depression associated with meperidine spinal anaesthesia (clinical report), 725

Opershaw DJ, see Doyle DJ, jt. auth.

Orser BA. Propofol-induced neuroexcitation and receptor desensitization / L'excitation nerveuse induite par le propofol et la désensibilisation du récepteur (editorial), 366.

 Oxorn DC. An anaesthetic drug error: minimizing the risk (clinical report), 120

Propofol seizure and antidepressants (correspondence),
 262

- Yee DA. Drug errors (correspondence - reply), 870

- see Bertlik M, jt. auth.

- see Smith D, jt. auth.

Oshima T, Kashiki K, Toyooka H, Masuda A, Amaha K. Cutaneous iontophoretic application of condensed lidocaine, 677

Oshita S, Fujiwara Y, Tamura H, Sakabe T, Takeshita H. Contractile force and resting tension in the presence of halothane and increased extracellular potassium or decreased extracellular pH in isolated guinea pig atria (laboratory investigation), 534

Oxorn DC, see Orser B, jt. auth.

Padolina R, see Colonna-Romano P, jt. auth.

Pagenkopf D, see Davies JM, jt. auth.

- see Eagle CJ, jt. auth.

Pancham S, see Jacka MJ, jt. auth.

Pappius HM, see McHugh MD, jt. auth.

Paramanathar S, see Asokumar F, jt. auth.

- see Chung F, jt. auth.

Parikh S, see Chung F, jt. auth.

Parke TJ, see Uncles DR, jt. auth.

Parlow JL, see van Vlymen JM, jt. auth.

Parsloe C. To Caesar what is Caesar's (correspondence), 74
Pasquariello CA, Schwartz RE. Plasma cholinesterase

activity in infants (correspondence), 654

 Plasma cholinesterase deficiency in a premature neonate (correspondence), 263

- see Schwartz RE, jt. auth.

Patel L, see Backman CR, jt. auth.

Patel N, Smith CE, Costello F, Patterson L, Pinchak AC. Clinical comparison of two fluid warmers in adult patients (abst.), A53-B

 Smith CE, Pinchak AC. Clinical comparison of blood warmer performance at maximum flow rates (abst.), A36-A

 Smith CE, Pinchak AC, Hancock DE. Influence of tape type and of mastisol and benzoin on the force required to dislodge angiocatheters in humans (abst.), A53-A

 Influence of tape type and of skin preparation on the force required to dislodge angiocatheters (equipment), 738

- see Morscher AH, jt. auth.

- see Smith CE, jt. auth.

Patel R, Lenczyk M, Hannallah RS, McGill WA. Age and the onset of desaturation in apnoeic children, 771

Patel RI, see Hannallah RS, jt. auth.

Patt RB, see Litman RS, jt. auth.

Patoine J-G, see Romuald A, jt. auth.

Pattee C, Milne B, Adams M. Informed consent in epidural analgesia for labour and delivery (abst.), A60-B

Patterson L, see Patel N, jt. auth.

- see Pinchak AC, jt. auth.

Patterson S, see Manninen PH, jt. auth.

Pearce DJ. Subcutaneous emphysema and laparoscopic cholecystectomy (correspondence), 875

 Respiratory acidosis and subcutaneous emphysema during laparoscopic cholecystectomy (clinical report), 314

Peddle T, see LeDez KM, jt. auth.

Peniston C, see Cheng DCH, jt. auth.

- see Karski JM, jt. auth.

Penny C, see LeDez KM, jt. auth.

Pereira NH, see Swinhoe CF, jt. auth.

Perrault J, see Searle NB, jt. auth.

Peter EA. A Cost-utility evaluation of post-operative analgesia in the elderly in a community hospital using decision analysis (abst.), A22-B

 Marion S, Steward DJ. Anaesthetic agreement in assessment of children's fitness for surgery with URI (abst.), A55-B

- see Duggal KN, jt. auth.

Petras A, see Preston R, jt. auth.

Phillips N, see Macnab AJ, jt. auth.

Pinchak AC, Smith CE, Shepard LS, Patterson L. Waiting time after non-depolarizing relaxants alter muscle fasciculation response to succinylcholine, 206

- see Patel N, jt. auth.

- see Smith CE, jt. auth.

Pinkerton PH. Autologous blood donation in support of cardiac surgery: a preliminary report on a hospital-based autologous donor programme, 1036

Pipa D, see Goresky GV, jt. auth.

Pivalizza EG, Tonnesen AS. Acute life-threatening intraoperative atelectasis (clinical report), 857

Pizzolato GP, see Schwieger IM, jt. auth.

Plaud B, see Salib Y, jt. auth.

Plourde G, Malik A. The 40 Hz auditory steady state response (40 Hz ASSR) during diffusion into tracheal tube cuff (abst.), A51-B

- see Claffey L, jt. auth.

Podufal E, see Smith CE, jt. auth.

Poitras B, see Guay J, jt. auth.

Polosa C, see Backman SB, jt. auth.

Poplawski S, see Doblar DD, jt. auth.

 see Frenette L, jt. auth.
 Porter J, Lynch L, Hart S, Keohane C. Unexpected neurological deficits following recovery from anaesthesia (clinical report), 317

Posner M, see Cirone R, jt. auth.

- see Conway JB, jt. auth.

Pouliot J-C, see Romuald A, jt. auth.

Preston R, Halpern SH, Petras A. Quality assurance in obstetrical anaesthesia (abst.), A28-B

- see Halpern S, jt. auth.

Priddy RE, see Davies JM, jt. auth.

Prielipp RC. Unilateral mydriasis after induction of anaesthesia (clinical report), 140

Priscu L, see Szmuk P, jt. auth

Priscu V, see Szmuk P, jt. auth.

Puil E, see Ries CR, jt. auth.

Purday JP. Monitoring during paediatric cardiac anaesthesia (review article), 818

- see Bevan JC, jt. auth.

Pyesmany DA, see Chang PC, jt. auth.

Pytka MF, see Hung OR, jt. auth.

Quignon M, see Gaudy J-H, jt. auth.

Quiney NF. Sudden death after central venous cannulation (clinical report), 513

Quintal J. La petite histoire de René Goupil, patron des anesthésistes (History of Canadian Anaesthesia), 1009

Ralley FE. Combined technique for cardiac anaesthesia / Les techniques combinées en anesthésie cardiaque (editorial), 1140 Donati F, Robbins GR. Comparison of sufentanil-propofol versus sufentanil-midazolam anaesthesia for elective myocardial revascularization (abst.), A47-A

- see Backman SB, it. auth.

Ramsay TM, McDonald PF, Faragher EB. The menstrual cycle and nausea or vomiting after wisdom teeth extraction, 798

Ranjan D, see Doblar DD, it. auth.

- see Frenette L, jt. auth.

Rashiq S, Gallant B, Grace M, Jolly DT. Recovery characteristics following induction of anaesthesia with a combination of thiopentone and propofol, 1166

Rausa J, El-Beheiry H, Milne B, Seegobin R. Pre-induction volume loading maintains haemodynamic stability during rapid sequence intubation using propofol/succinylcholine (abst.), A62-B

Ravussin R, see Depierraz B, jt. auth.

Raymer K, see Yang H, jt. auth.

Ready LB, see Egan KJ, jt. auth.

Redahan C, Karski JM. Thyrotoxicosis factitia in a postaortocoronary bypass patient (clinical report), 969

Reddy E, see Redmond E, jt. auth.

Redmond E, Reddy E, Tucker J, Gray A, Flynn J. Factors related to postdural puncture headache: a higher incidence in patients on disability (abst.), A74-A

Reid D, see Crosby ET, jt. auth.

- see Wharton S, jt. auth.

Reimer H, see Backman CR, jt. auth.

- see Bevan JC, jt. auth.

Relle A. Laryngoscope design (correspondence), 162

- More on "BURP" (correspondence), 74

Relton JES. Alan William Conn (Canadian Anaesthetists' Society Gold Medal), 1121

- see Lerman J, jt. auth.

Renwick JE, see Boldt C, jt. auth.

Rey E, see Marquette GP, jt. auth.

Rezaei H, see Kelly WB, jt. auth.

Rhine EJ, see Splinter WM, jt. auth.

Richardson J, Sabanathan S. Epidural and intravenous fentanyl (correspondence), 1236

Ries CR, Scoates PJ, Puil E. Opisthotonos following propofol: a nonepileptic perspective and treatment strategy (clinical report), 414

Rigal WM, see Koller JP, jt. auth.

Rimaniol JM, see Fulgencio JP, jt. auth.

Robbins GR, see Ralley FF, jt. auth.

Roberts TS, see Geiduschek JM, jt. auth.

Robinson G, see Lerman J, jt. auth.

Rodríguez-Hesles C, see Llagunes J, jt. auth.

Roger S, see Asokumar B, jt. auth.

- see Cheng DCH, jt. auth.

- see Doyle DJ, jt. auth.

Rogers PCJ, see Chang PC, jt. auth.

Roland EJL, Wierda JMKH, Eurin BG, Roupie E. Pharmacodynamic behaviour of vecuronium in primary hyperparathyroidism, 694

Romanelli VA, see Kelly WB, it. auth.

Romano, see Colonnna-Romano

Romuald A, Brassard J, Brousseau C, Marceau L, Pouliot J-C, Rouillard J-F, Barbault J-P, Brochu J, Desjardins G, Patoine J-G, Rouillard M, Thivierge C. Succinylcholine and children (correspondence 2), 267

Ronan KP, see Ziser A, jt. auth.

Ronderos J, see Frenette L, jt. auth.

Ronderos JR, see Doblar DD, it. auth.

Roof J, see Searle NR, jt. auth.

Rooney ME, see Code WE, jt. auth.

Rorabeck CH, see Badner NH, jt. auth.

Rosaeg OP, Lindsay MP. Epidural opioid analgesia after Caesarean section: a comparison of patient-controlled analgesia with meperidine and single bolus injection of morphine, 1063

- see Zamora JE, jt. auth.

Rose DK, Cohen MM. The airway: problems and predictions in 18,500 patients, 372

 DeBoer D. Does anaesthetic management contribute to hypertension and tachycardia in the postanaesthetic care unit (abst.), A25-B

 Cohen MM, Yee CA. Can anaesthetists change their practice to reduce postoperative pain? (abst.), A39-B

- see Cruchley PM, it. auth.

Rosenberg H, see Horrow JC, jt. auth.

Rosenberg PH, see Hynynen M, jt. auth.

Rosenbloom M, see Mutch WAC, it. auth.

Roth AG, Wheeler M, Stevenson GW, Hall SC. Comparison of a rigid laryngoscope with the ultrathin fibreoptic laryngoscope for tracheal intubation in infants, 1069

Roucoules X, see Bruguerolle B, jt. auth.

Rouillard J-F, see Romuald A, jt. auth.

Rouillard M, see Romuald A, jt. auth.

Roupie E, see Roland EJL, jt. auth.

Roux A, Ansermino JM. Plasma cholinesterase deficiency in a premature neonate (correspondence), 263

Rovner A, see Smith CE, jt. auth.

Roy M, see Searle NR, jt. auth.

Roy WL, see Lerman J, jt. auth.

Ruiz-Neto PP, Halpern H, Cremonesi E. Rapid inhalation induction with halothane-nitrous oxide for myasthenic patients, 102

Russell RCG, see Gan TJ, jt. auth.

Ryan M-L, see Halpern S, jt. auth.

Sabanathan S, see Richardson J, it. auth.

Sabo B, Smith RB, Knape KG. A combined ventilatingwedging device for the parturient (correspondence), 79 Sadeghi A, see Neustein SM, jt. auth. Sakabe T, see Oshita S, jt. auth.

Sakaguchi Y, Inaba S, Irita K, Sakai H, Nawata H, Takahashi S. Absence of anti-trifluoroacetate antibody after halothane anaesthesia in patients exhibiting no or mild liver damage, 398

Sakai H, see Sakaguchi Y, jt. auth.

Sakakibara T, see Abe K, it. auth.

Salib U, Frossard J, Plaud B, Debaene B, Meistelman C, Donati F. Neuromuscular effects of vecuronium and neostigmine in Montreal and Paris, 908

Samanani N, see Ewen A, jt. auth.

Sampson I, see Neustein SM, jt. auth.

Samson B, see Baxter AP, jt. auth.

Sanders SP, see Lavoie J, jt. auth.

Sandler A, see Levytam S, jt. auth.

- see Friedlander M, jt. auth.

Sandler AN, Katz J. Postoperative analgesia and patient satisfaction / L'analgésie postopératoire: le malade est-il satisfait? (editorial), 1

- see Asokumar B, jt. auth.
- see Cheng DCH, jt. auth.
- see Doyle DJ, jt. auth.
- see Hennessy M, jt. auth.

Sandison JW, Maltby JF. Canadian anaesthetists' overseas responsibility / Notre devoir envers le tiers-monde (editorial). 1144

Santacana E, see Litvan H, jt. auth.

Satinder S, see Gombar KK, jt. auth.

Sato S, Akiyoshi Y, Ashimura H, Nishijima Y, Okubo N, Takahashi H. Toe skin temperature as a guide to epidural anaesthesia dosing, 232

- Okubo N, Yamashita S, Yamamoto S, Kumagai M, Kihara S, Nakayama H. Age-related decrease in toe-thumb temperature difference with lumbar epidural anaesthesia, 579
- see Tanaka M, jt. auth.

Savino JS, see Young ML, jt. auth.

Schaefermeyer H, see Schregel W, jt. auth.

Schafer PG, see Hannallah RS, jt. auth.

Schregel W, Schaefermeyer H, Sihle-Wissel M, Klein R.

Transcranial Doppler sonography during isoflurane/N₂O
anaesthesia and surgery: flow velocity, "vessel area" and
"volume flow," 607

Schwalbe SS, see Kutsnelson T, jt. auth.

Schwartz JS, see Campbell FA, it, auth.

Schwartz RE, Stayer SA, Pasquariello. Tracheal tube leak test (correspondence – reply), 549

- Stayer SA, Pasquariello CA, Lowe DA, Foster CJ.
 Anaesthesia for the patient with neonatal adrenoleukodystrophy (clinical report), 56
- see Pasquariello CA, jt. auth.

Schwieger IM, Jorge-Costa M, Pizzpolato GP, Forster A, Morel DR. Intrathecal midazolam reduces isoflurane MAC and increases the apnoeic threshold in rats (laboratory investigation), 144

Scoates PJ, see Ries CR, jt. auth.

Searle NR, Roy M, Bergeron G, Perrault J, Roof J, Heermans C, Courtemanche M, Demers C, Cartier R. Hydromorphone patient-controlled analgesia (PCA) after coronary artery bypass surgery, 198

Scott WAC, see Donnelly MB, jt. auth.

Seegobin R, see Rausa J, jt. auth.

Segstro R, see Ong B, jt. auth.

Sellery GR. Current models of "quality" - an introduction for anaesthetists (correspondence), 451

Seo N, see Yamamoto M, it. auth.

Shamsi A, see Singh PP, jt. auth.

Shannon NA, see Murkin JM, jt. auth.

Sharar SR, see Lam AM, jt. auth.

Sharma M, see Wig J, jt. auth.

Sharma SK, McGuire GP, Wong DT, Carmichael FJ, Montanera WJ. Airway obstruction post-carotid endarterectomy (abst.), A38-B

- Wallace DH, Sidaiwi JE, Gambling DR. Obstetric anaesthesia and MoyaMoya disease (correspondence), 756
- see Michaloliakou C, jt. auth.

Sharpe MD, see Springer H, jt. auth.

Shepard LS, see Pinchak AC, it. auth.

Shephard DAE. David Campbell Aikenhead (1891-1973) (History of Canadian Anaesthesia), 547

- Harry James Shields (1887-1973) (History of Canadian Anaesthesia), 261
- John Albert Blezard (1888-1971), (History of Canadian Anaesthesia), 156
- Samuel Johnston (1868-1946) (History of Canadian Anaesthesia), 353

Shiang H, see Neustein SM, jt. auth.

Shields-Thomson J, see Hall RI, it. auth.

Shier NH, see Goodarzi M. jt. auth.

Shimoda F, see Weda I, jt. auth.

- Shimodate Y, Ishihara H, Matsuki A. The initial distribution volume of glucose and cardiac output after haemorrhage in dogs (laboratory investigation), 257
- see Ishihara H, jt. auth.

Shine K, see Hudes ET, it. auth.

Shorten G, Cutz E, Lerman J. The effects of pulmonary aspiration of human breast milk and normal saline in the intubated rabbit (abst.), A57-B

 Dolovich M. Does metered dose inhaler aerosol salbutamol, delivered proximal to the endotracheal tube, induce tracheal lesions in rabbits? (abst.), A26-A

Shrestha BM, see Tweed WA, jt. auth.

Sicard J-F, see Gaudy J-H, it. auth.

Sidaiwi JE, see Sharma SK, jt. auth.

Sihle-Wissel M, see Schregel W, jt. auth.

Sikich N, Lerman J. Same day consent for anaesthesia research (correspondence), 1234

- see Narkakis MA, jt. auth.

Singer D, see Frenette L, it. auth.

Singer W, see Braden H, jt. auth.

Singh B, see Gombar KK, it. auth.

Singh PP, Dimich I, Shamsi A. Intraoperative pulmonary oedema in a young cocaine smoker (clinical report), 961

Sloan IA, see Lerman J, jt. auth

Sloan J, see Miller DR, jt. auth.

Smallman B, see Splinter WM, jt. auth.

Smedstad KG, Cramb R, Morison DH. Pulmonary hypertension and pregnancy: a series of eight cases (clinical report), 502

Smeulers NJ, see Wierda JMKH, jt. auth.

Smith CE, Podufal E, Snow NJ, Chavez AM, Kramer RP, Pinchak AC. Is epinephrine or norepinephrine superior to placebo during separation from cardiopulmonary bypass? (abst.), A48-A

- Rovner A, Botero C, Holbrook C, Patel N, Pinchak A.
 Hemodynamic effects of doxacurium and vecuronium in patients undergoing coronary artery bypass surgery (abst.), A35-B
- see Patel N, jt. auth.
- see Pinchak AC, it. auth.

Smith D, Orser BA, Henderson S, Gelb A. Hypomagnesemia and ketamine anaesthesia (abst.), A71-A

Smith G, see Jacka MJ, jt. auth.

Smith GJ, see Morscher AH, jt. auth.

Smith JH. Tracheal tube leak test (correspondence), 549

Smith MH, see Badner NH, jt. auth.

Smith RB. Death and the oculocardiac reflex (correspondence), 760

- see Sabo B, jt. auth.

Snedden W, see LeDez KM, jt. auth.

Snow NJ, see Smith CE, jt. auth.

Sorenson EJ, see Ziser A, jt. auth.

Sosis MB, Blazek W. A quantitative evaluation of pressure increases due to nitrous oxide diffusion into tracheal tube cuff (abst.), A51-A

- Braverman B. An analysis of the dimensions and flow characteristics of pediatric laser resistant tracheal tubes (abst.), A56-A
- A comparison of the lateral deviation of 22 gauge spinal needles (abst.), A75-A

Southerland LC, Duke T, Gallagher JM, Crone L-A, Ferguson JG, Litwin D. Cardiopulmonary effects of abdominal insufflation in pregnancy: fetal and maternal parameters in the sheep model (abst.), A59-B

Spencer J, Gadalla F, Wagner W, Blake J. Caesarean section in a diabetic patient with a recent myocardial infarction (clinical report), 516 Splinter WM, Smallman B, Rhine EJ, Komocar L. Postoperative sore throat in children and the laryngeal mask airway, 1081

Sprenger H, Sharpe MD, McLachlan RS. Flumazenil as a diagnostic tool in the differential diagnosis of coma in a critically ill patient (clinical report), 52

Stayer SA, see Schwartz RE, jt. auth.

Stein RD, see Backman SB, jt. auth.

Stevens S, see Hung OR, jt. auth.

Stevenson GW, see Roth AG, jt. auth.

Steward DJ. L'apport hydrique en anesthésie pédiatrique (refresher course), R91

- Fluid management for the paediatric patient (refresher course), R87
- see Chang PC, jt. auth.
- see Peter EA, jt. auth.

Stewart J, see Baxter AD, jt. auth.

Stewart JA, see Chang PC, jt. auth.

Stewart JC, Zimmerman D. Postoperative pain management and acute ain service in Canada (correspondence – reply), 653

Stewart RD, see Hung OR, jt. auth.

Stock MC, see Arndt GA, jt. auth.

Stockwell MJ, see Goranson BD, jt. auth.

Strong MD, see Lingaraju N, jt. auth.

Stuart H, see Chisholm DG, jt. auth. Sugiura Y, see Nakajima K, jt. auth.

Sullivan M, Thompson WK, Hill GD. Succinylcholineinduced cardiac arrest in children with undiagnosed myopathy (clinical report), 497

- see Cirone R, jt. auth.

Sumner E, see Bingham R, jt. auth.

Sury M, see Oshita S, jt. auth.

Susak L, see Macnab AJ, jt. auth.

Suter PM, see Borgeat A, jt. auth.

Swartz JS, see Campbell FA, jt. auth.

Swartz J, see Backman CR, jt. auth.

Swinhoe CF, Pereira NH. Intrapleural analgesia in a child with a mediastinal tumour (clinical report), 427

Sylvie L, see Baxter AD, it. auth.

Szmuk P, Ezri T, Ben Hur H, Caspi B, Priscu L, Priscu V. Regional anaesthesia for circumcision in adults: a comparative study, 1181

Tachibana M, Abe S, Tabara H, Yoshimura H, Matsuura H, Nagasue N, Nakamura T. One-lung or two-lung ventilation during transthoracic oesophagectomy? 710

Tabara H, see Tachibana M, jt. auth.

Taggart PCM, see Venkatesh B, jt. auth.

Takahashi H, see Sakaguchi Y, jt. auth.

- see Sato S, jt. auth.
- see Yahagi N, jt. auth.

Takakura J, see Nakajima K, jt. auth.

Takaori M, see Yano H, jt. auth.

Takeshita H, see Oshita S, jt. auth.

Tamada M, see Nishina K, jt. auth.

Tamura H, see Oshita S, jt. auth.

Tanaka H, see Fujii Y, jt. auth.

Tanaka M, Sato S, Naito H, Nakayama H. Anaesthetic management of a neonate with prenatally diagnosed cervical tumour and upper airway obstruction (clinical report), 236

Tanaka Y, see Ibuki T, jt. auth.

Tanigami H, see Yahagi N, jt. auth.

Tassonyi E, see Neidhart PP, jt. auth.

Taylor DA, see Koller JP, jt. auth.

Teasdale SJ, see Karski JM, jt. auth.

Terasako K, see Nakamura K, jt. auth.

Tessler MJ, see Tousignant G, jt. auth.

Tétrault JP. see Martin R. it. auth.

Tham LCH. Children and size of laryngeal masks (correspondence), 354

- LMA masks and children (correspondence - reply), 1235

Thiessen D, see Graham MR, jt. auth.

Thio A, see Kao HJ, jt. auth.

Thivierge C, see Romuald A, jt. auth.

Thompson WK, see Sullivan M, jt. auth.

Thomson IR. Are "clean" muscle relaxants better? / Les myorelaxants "propres" sont-ils meilleurs? (editorial), 459

- see Mutch WAC, jt. auth.

Tierney M, see Hawkes C, jt. auth.

- see Wharton S, jt. auth.

Tinker JH, Jensen NF. La gestion de la qualité totale: encore une autre marotte? (refresher course), R36

 Total quality management: is it another fad? (refresher course), R30

Toda H, see Nakamura K, jt. auth.

- see Yamamoto M, jt. auth.

Todd K, see Davies JM, it. auth.

Todesco J, Williams RT (presenters), Eagle CJ (discussion). Anaesthetic management of a patient with a large neck mass (clinical anaesthesia file), 157

Tong J, see Cheng DCH, it. auth.

Tonnesen AS, see Pivalizza EG, jt. auth.

Tousignant G, Tessler MJ. Light intensity and area of illumination provided by various laryngoscope blades (equipment), 865

Toyoda Y, see Kubota K, jt. auth.

Toyooka H, see Fujii Y, jt. auth.

- see Oshima T, it. auth.

- see Uchida T, jt. auth.

Trahan M, see Claffey L, it. auth.

Trépanier C, see Lacroix G, jt. auth.

Trikha A, see Batra RK, jt. auth.

Tsunoda Y, see Uchida T, jt. auth.

Tucker J, see Redmond E, jt. auth.

Tucker JH, see O'Leary SD, jt. auth.

Twari P, see Ganjoo P, jt. auth.

Tweed WA, Donen N. The experiential curriculum: an alternate model for anaesthesia education (medical education), 1227

 Shrestha BM, Basnyat NB, Lekhak BD. A low flow modification of the Bain circuit for remote anaesthesia and evacuation (abst.), A49-B

Uchida T, Makita K, Tsunoda Y, Toyooka H, Amaha K.
Clinical assessment of a continuous intra-arterial blood gas monitoring system (equipment), 64

Ueda I, Shinoda F, Kamaya H, Krishna PR. Malignant hyperthermia and calcium-induced heat production (clinical report), 440

Ullyot S, see Backman CR, jt. auth.

Uncles DR, Conway NE. Key issues in vaporizer filling (correspondence), 878

Parke TJ. Don't let the Bain take the blame (correspondence), 1015

Unruh H, see Baron CM, jt. auth.

Valleé F, see Miller DR, jt. auth.

Van der Wal M, see Lang SA, jt. auth.

Van Obbergh L, see Dubé L, jt. auth.

van Vlymen JM, Parlow JL. The effects of reversal of neuromuscular blockade on baroreflex function and heart rate variability (abst.), A66-B

Vandervoort MK, see Knill RL, jt. auth.

Vannelli AN, see Badner NH, jt. auth.

Vassallo SA, Goudsouzian NG. Plasma cholinesterase activity in infants (correspondence), 654

Vener DF, Long T, Lerman J. Perioperative respiratory complications after general anaesthesia in children with asthma (abst.), A55-A

Venkatesh B, Taggart PCM. Anaesthetic management of a patient with Moyamoya disease for Caesarean section (correspondence), 79

Obstetric anaesthesia and MoyaMoya disease (correspondence – reply), 756

Vessey JA, Bogeatz MS, Caserza CL, Liu KR, Cassidy MD. Parental upset associated with participation in induction of anaesthesia in children, 276

Villar Landeira JM, see Litvan H, jt. auth.

Vischoff D, Charest J. Propofol for pulsed dye laser treatments in paediatric outpatients (clinical report), 728

Vlymen see van Vlymen

Vogel J, see Neidhart PP, jt. auth.

Vohra SB. Convulsions after enflurane in a schizophrenic patient receiving neuroleptics (clinical report), 420

Wagner W, see Spencer J, jt. auth.

Wall WJ, see Dobkowski WB, jt. auth.

Wallace DH, see Sharma SK, jt. auth.

Ward DS, see Litman RS, it. auth.

Warnell MI, see Clarke IMC, jt. auth.

Watanabe S, Kimura T, Asakura N. End tidal O₂ and CO₂ after resuscitation (correspondence), 354

Webb AR, see Gan TJ, jt. auth.

Webb RK, see Davies JM, jt. auth.

Webster AC, Morley-Forster PK, Dain S, Ganapathy S.
Anaesthesia for adenotonsillectomy (correspondence – reply), 758

Webster PM, see Devitt JH, it. auth.

Weeks SK, see Withington DE, it. auth.

Weiss BM, see Atanassoff PG, jt. auth.

Wenstone R, see Best A, jt. auth.

Werry B, see Davies JM, jt. auth.

Werstiuk ES, see Lee RMKW, jt. auth.

West M, see Mutch WAC, jt. auth.

Whalley DG, Lewis B, Bedoes NM. Recovery of neuromuscular function after atracurium and pancuronium maintenance of pancuronium block, 31

Wharton S, Reid D, Tierney M. Comparison of regional intravenous guanethidine and bretylium in the treatment of sympathetically mediated pain (abst.), A73-B

Whatley G, see Drover DR, jt. auth.

Wheeler M, see Roth AG, it. auth.

White IWC, see Mutch WAC, jt. auth.

White S, see Murkin JM, jt. auth.

Whitsett SF, see Goresky GV, jt. auth.

Wierda JMKH, Beaufort AM, Kleef UW, Smeulers NJ, Agoston S. Preliminary investigations of the clinical pharmacology of three short-acting non-depolarizing neuromuscular blocking agents, Org 9453, Org 9489 and Org 9487, 213

- see Nigrovic V, jt. auth.
- see Roland EJL, it. auth.

Wig J, Sharma M, Baichoo N, Agarwal A. Nicardipine and verapamil attenuate the pressor response to laryngoscopy and intubation. 1185

Wigglesworth DF, see Guest CB, it. auth.

Wilder-Smith O, see Borgeat A, jt. auth.

Wilkes PRH, Lindsay PA. Bain circuit occluded by foreign body (clinical report), 137

Williams RT, see Todesco J, jt. auth.

Wilson-Yang K, see Yang H, jt. auth.

Winston T, see Hennessy M, jt. auth.

Winton T, see Friedlander M, jt. auth.

Withington DE. Allergy, anaphylaxis and anaesthesia / Allergie, anaphylaxie et anesthésie (editorial), 1133

 Weeks SK. Repeat epidural analgesia and unilateral block, 568

Wong DHW, see McLeod DH, jt. auth.

Wong DT, Gomez M, McGuire GP, Byrick RJ. Higher death rates in medical compared to surgical ICU patients with identical APACHE II scores (abst.), A38-A

- see Sharma SK, jt. auth.

Wong H, see Backman CR, it, auth.

Woo J, see Lee RMKW, it. auth.

Wood CE, Goresky GV, Klassen KA, Kuwahara B, Neil SG. Complications of continuous epidural infusions for postoperative analgesia in children (clinical practice), 613

Woodward WM, Levy DM, Dixon AM. Exacerbation of postdural puncture headache after epidural blood patch (clinical report), 628

Wulf H, see Maier C, jt. auth.

Wynands JE, see Bergeron P, jt. auth.

- see McDonagh P, it. auth.

Yagihara T, see Yahagi N, jt. auth.

Yahagi N, Tanigami H, Kumon K, Yamada K, Takahashi O, Yogihara T. Tracheal granulations secondary to wall compression by endotracheal tubes in infants (correspondence), 1123

Yamada Y, see Yahagi N, jt. auth.

Yamamato M, Hatano Y, Kakuyama M, Hirakata H, Toda H, Seo N, Nishiwada M, Nakamura K, Mori K. Halothane and isoflurane preferentially inhibit prostanoid-induced vasoconstriction in rat aorta (laboratory investigation), 991

Yamamoto S, see Sato S, jt. auth.

Yamashita M, Kondo T. Sacral intervertebral approach for epidural anaesthesia in infants and children (abst.), A54-A

Yamashita S, see Sato S, jt. auth.

Yang H, Wilson-Yang K, Raymer K. Recruitment in anaesthesia: results of two national surveys (medical education), 621

Yang K, see Wilson-Yang

Yang L-W, see Bertlik M, jt. auth.

Yano H, Takaori M. The microcirculation during enflurane and isoflurane anaesthesia in dogs (laboratory investigation), 149

Yee DA, see Rose DK, jt. auth.

Yee R, see Dobkowski WB, it. auth.

Yemen T. Drug errors (correspondence), 870

Yentis S, see Carr AS, jt. auth.

Yip RW, see Code WE, jt. auth.

- see Gormanson BD, jt. auth.
- see Hirst GC, jt. auth.
- see Morris GF, jt. auth.

Yoshimura H, see Tachibana M, jt. auth.

Yosu H, see Doyle DJ, jt. auth.

Younan MM, see Litman RD, jt. auth.

Young ML, Hanson III CW, Bloom MJ, Savino JS, Muravchick S. Localized hypothermia influences assessment of recovery from vecuronium neuromuscular blockade, 1172 Zamora JE, Rosaeg OP, Lindsay MP, Crossan ML. Acute intravenous hydration prior to epidural analgesia for labour: a comparison of two volumes of lactated Ringer's solution (abst.), A60-A

Zimmerman D, see Stewart JC, jt. auth.

Zimmerman DL, Loken RG, Hamilton RC. The diving reflex: bradycardia during cold occular irrigation (correspondence), 875

Ziser A, Sorenson EJ, Bluestein LS, Ronan KP. Epidural injection of aztreonam (correspondence), 553

Zsigmond EK, see Neidhart PP, jt. auth.

Zubar V, see Dubin SA, jt. auth.

Zulys V, see Bailey K, jt. auth.

Canadian Journal of Anaesthesia

Index of Subjects

VOLUME 41, 1994

Acid-base equilibrium

- acidosis, and increase of extracellular potassium combined with halothane, effect on contractile force and resting tension in the heart (atria) of the guinea pig: laboratory investigation (Oshita et al), 534
- measurement: blood gas monitoring system for continuous intra-arterial (CIABG), assessment: clinical report (Uchida et al), 64

Acupressure for intrathecal narcotic-induced nausea and vomiting post-caesarean section (Duggal *et al*), A29-B Adrenoleukodystrophy, see Complications

Age factor

- age and the onset of desaturation in apnoeic children (Patel et al), 771
- age-related decrease in toe-thumb temperature difference with lumbar epidural anaesthesia (Sato et al), 579
- elderly, cost-utility evaluation of post-operative analysis in a community hospital using decision analysis (Peter), A22-B
- young and elderly adults, mivacurium dose-response relationships and reversal with edrophonium in (Donati et al), A21-B

Aikenhead, David Campbell (1891-1973): History of Canadian Anaesthesia (Shephard), 547

Airway

- assessment
 - changing Mallampati score during labour: clinical report (Farcon et al), 50
 - in a patient with a large mediastinal mass presenting for pharyngeal biopsy: clinical anaesthesia file (Elwood and Eagle), 861
- problems and predictions (Rose and Cohen), 372
- difficult, in the obstetric patient, a combined ventilatory wedging device for managment: correspondence (Sabo et al), 79
- emergency care, lighting the way for intubation: correspondence (Crosby), 78
- fibreoptic intubation: continuing medical education (Morris), 996
- laryngeal mask
 - cuff pressure and position during anaesthesia lasting one to two hours (Brimacombe and Berry), 589
 - causing postoperative sore throat in children (Splinter et al), 1081
 - for endentulous patients: correspondence (Baraka), 78
 - in cardiac surgery: correspondence (Llagunes et al), 1016

- management

- assessment of mask lung ventilation administered by ambulance personnel (Devitt et al), 111; correspondence (Martens), 872; reply (Devitt), 872
- obstruction
 - during anaesthesia for anterior cervical cord decompression: correspondence (Beaulieu and Davies), 874
 - following placement of a subclavian Hickman catheter: clinical report (O'Hara et al), 241
 - in an infant, anaesthetic management: editorial (Creighton), 174
 - in a neonate with prenatally diagnosed cervical tumour and upper airway obstruction, anaesthetic management: clinical report (Tanaka et al), 236
- post-carotid endarterectomy (Sharma et al), A38-B
 Alcohol, abuse in three medical specialties: anaesthesia, medicine and surgery (Lutsky et al), 561

Alfentanil, see Analgesics, Anaesthetics, Intravenous Allerov

- anaphylaxis and anaesthesia: editorial (Withington), 1133
- drug allergies in the surgical population: (Ricardo et al), 1149
- histamine causing bronchoconstriction, a comparison of sevoflurane with halothane, enflurane and isoflurane: laboratory investigation (Katoh and Ikeda), 1214

Amnesia, see Memory

Anaphylaxis see Allergy

Anaesthesia

- adverse events in
 - drug error: clinical report (Orser and Oxorn), 120;
 correspondence (Yemen), 870; reply 1 (Orser et al),
 870; reply 2 (Davies and Webb), 870
 - the wrong drug: editorial (Davies and Webb), 83
- allergic reactions and anaphylaxis in: editorial (Withington), 1133
- cardiac
 - combined technique for: editorial (Ralley), 1140
 - monitoring during paediatric cardiac anaesthesia: review article (Purdy), 818
 - myocardial ischaemia following coronary artery bypass, effect of (PCA) on incidence of (Searle et al), 198
 - propofol sequestration within the extracorporeal circuit (Hynynen et al), 583
 - transplant patients, anaesthesia for: correspondence (Backman et al), 655; reply (Cheng), 656
 - warm cardiac irrigation during surgery, haemodynamic consequences of (Lingaraju et al), 384

- cardiovascular
 - comparison of pipecuronium with pancuronium on haemodynamic variables and plasma catecholamines in coronary artery bypass patients (Neidhart et al), 469
 - coronary artery bypass surgery supplemented with subarachnoid bupivacaine and morphine: clinical report (Kowalewski et al), 1189
 - thyrotoxicosis factitia in a post-aortocoronary bypass patient: clinical report (Redahan and Karski), 969
- care, structural aspects of: editorial (Davies and Priddy),
- costs, see under Anaesthesia: quality assurance, statistics
- delivery, iontophoretic of condensed lidocaine (Oshima et al), 677
- departments, peer review programmes (Anaesthetic Services Programme Encompassing Nova Scotia – ASPENS): Anaesthesia practice (Clark), 716
- depth, awareness with recall during propofol/alfentanil total intravenous anaesthesia, midazolam decreases the incidence of (Blew et al), A3-A
- for adenotonsillectomy: correspondence (Hackmann), 757
- for the morbidly obese patient (Buckley), R94; R101
- general
- and epidural combined with postoperative epidural analgesia: the effect on cardiac ischemia (Garnett et al), A46-A
- effect of, on plasma levels of endothelium in humans (Lee et al), A31-A
- in developing countries, use of total intravenous anaesthesia with ketamine (Joly and Benhamou), 227
- induction of anaesthesia with propofol, 40 Hz auditory steady state response (40 Hz ASSR) during (Plourde and Malik), A51-B
- inhalation, rapid induction with halothane-nitrous oxide for myasthenic patients (Ruiz-Neto et al), 102
- literature, critical appraisal of (Green), R70; R74
- neurosurgical
 - evoked potential monitoring during posterior fossa aneurysm surgery: a comparison of two modalities (Manninen et al), 92
 - influence of arterial oxygenation on cerebral venous oxygen saturation during hyperventilation (Matta et al), 1041
- obstetric
 - abdominal insufflation in pregnancy, cardiopulmonary effects of: fetal and maternal parameters in the sheep model (Southerland et al), A59-B
 - aortocaval compression during catheter placement in, effect of position on: correspondence (Breen), 356
 - Caesarean section
 - acupressure for intrathecal narcotic-induced nausea and vomiting post-caesarean section (Duggal et al), A29-B

- combined ventilating-wedging device for the parturient: correspondence (Sabo et al), 79
- effect of ephedrine on the pulsatility indexes of the uterine and umbilical arteries in caesarean section patients (Halpern et al), A27-B
- elective, in case of a neonate with prenatally diagnosed cervical tumour and upper airway obstruction: clinical report (Tanaka et al), 236
- epidural anaesthesia for Caesarean section
- effect on the pulsatility index of the uterine and umbilical arteries in low and high-risk parturients (Halpern et al), A27-A
- fentanyl, two doses compared: correspondence (Lamont), 452; reply (Halpern), 452
- for a term parturient with MoyaMoya disease: correspondence (Sharma et al), 756
- with and without addition of epidural sufentanyl, haemodynamic effects (Crosby et al), 192
- in a diabetic patient with a recent myocardial infarction: clinical report (Spencer et al), 516
- in a patient with Moyamoya disease, anaesthetic management of: correspondence, (Sharma et al), 756; (Venkatesh and Taggart), 79
- in a patient with Watson's syndrome: clinical report (Conway and Posner), 1113
- spinal anaesthesia for, in a patient with brain neoplasma: correspondence (Atanassof *et al*), 163
- changing Mallampati score during labour: correspondence (Farcon et al), 50
- epidural
 - and intravenous, can parturients distinguish between (Morris et al), 667
 - blood patch, exacerbation of post-dural puncture headache after: clinical report (Woodward et al), 628
 - for elective Caesarean section, does not influence fetal umbilical artery blood flow indices (Marquette et al), 1053
 - opioid analgesia after Caesarean section: a comparison of patient-controlled analgesia with meperidine and single bolus injection of morphine (Rosaeg and Lindsay), 1063
 - repeat epidural analgesia and unilateral block (Withington and Weeks), 568
 - spinal/epidural combined analgesia in advanced labour (Abouleish et al), 575
 - uterine and umbilical blood flow velocity during (Halpern et al), 1057
- fentanyl, epidural and intravenous, can parturients reliably distinguish between (Morris et al), 667; A6-B
- for a malignant hyperthermia susceptible parturient: obstetric forum (Lucy), 1220
- general anaesthesia for (Muir), R20; R26
- labour and delivery, informed consent in epidural analgesia for (Pattee *et al*), A60-B

- labour, epidural analgesia, acute intravenous hydration prior to: a comparison of two volumes of lactated Ringer's solution (Zamora et al), A60-A
- neurological dysfunction, unexpected, following recovery from anaesthesia: clinical report (Porter et al), 317
- nitroglycerin relaxes uterine muscle in vitro (Jacka et al), A29-A
- pulmonary hypertension and pregnancy: clinical report (Smedstad et al), 502
- quality assurance in (Preston et al), A28-B
- resuscitation, neonatal NRP guidelines: continuing medical education (Elliott), 742
- spinal/edpidural analgesia combined in advanced labour (Abouleish et al), 575
- ophthalmic
 - cold ocular irrigation, bradycardia, the diving reflex during: correspondence (Zimmerman et al), 875
- intraorbital regional block for caratact extraction (Loken et al), 802
- outpatient
 - menstrual cycle and nausea or vomiting after wisdom teeth extraction (Ramsay et al), 798
 - using thiopentone and propofol, recovery characteristics following induction of anaesthesia with (Rashiq et al), 1166

see also under Anaesthesia, paediatric, ambulatory patients

- age factor and the onset of desaturation in apnoeic children (Patel et al), 771
- ambulatory patients
 - midazolam and ketamine compared for oral premedication in (Alderson and Lerman), 221
 - parental upset associated with participation in induction of anaesthesia (Vessey et al), 276
 - propofol anaesthesia compared with thiopentone and halothane (Hannallah et al), 12
 - propofol for pulsed dye laser treatments in paediatric outpatients: clinical report (Vischoff and Charest),
 728
- anaesthesia for the patient with neonatal adrenoleukodystrophy: clinical report (Schwartz et al), 56
- anaesthetic agreement in assessment of children's fitness for surgery with U.R.I. (Peter et al), A55-B
- arterial oxygen desaturation during peripheral venous cannulation in (Gombar et al), 288
- awake intubation in infants increases intracranial pressure without affecting cerebral blood flow velocity (Millar and Bissonnette), 281
- blood loss predicting in surgery for idiopathic scoliosis (Guay et al), 775
- caudal morphine and early extubation of the trachea post cardiac surgery in children (Carr et al), A15-A

- cardiac arrest following induction of anaesthesia with succinylcholine in children with undiagnosed myopathy: clinical report (Sullivan et al), 497
- cardiac, monitoring during: review article (Purday), 818
- cerebral arteriovenous malformations in children: clinical report (Millar et al), 321
- congenital laryngomalacia, anaesthetic consideration in surgical repair of: clinical report (Baxter), 332
- cost impact of needle-free intravenous systems on paediatric anaesthesia department (Farran and Goresky), A65-A
- end-tidal carbon dioxide measurement in infants and children: during and after general anaesthesia (Campbell et al), 107; the most proximal and accurate site for sampling: laboratory investigation (Halpern and Bissonnette), 984; correspondence (Bhavani-Shankar), 1125
- endotracheal tubes in infants, tracheal granulations secondary to wall compression by: correspondence (Yahagi et al), 1123
- epidural
 - continuous infusions for postoperative analgesia in children, complications of: clinical practice (Wood et al), 613
 - in children: editorial (Berde), 555
 - in infants and children, sacral intervertebral approach for (Yamashita and Kondo), A54-A
- fluid managment for (Steward), R87; R91
- general anaesthesia in children with asthma, perioperative respiratory complications following (Vener et al), A55-A
- hypoxaemia and hypotension after intravenous codeine phosphate: clinical report (Cox), 1211
- intrapleural analgesia in a child with a mediastinal tumour: clinical report (Swinhoe and Pereira), 427
- laryngeal mask airways, determining size for children: correspondence (Tham), 354; correspondence (Ball), 1235; reply (Tham), 1235
- management of an asthmatic child for appendicectomy: clinical anaesthesia file (Kuwahara and Goresky), 523
- masseter muscle rigidity after succinylcholine in infants and children, incidence of (Lazzell et al), 475
- neonatal
 - anaesthetic management of a neonate with prenatally diagnosed cervical tumour and upper airway obstruction: clinical report (Tanaka et al), 236
 - with prenatally diagnosed upper airway obstruction: editorial (Creighton), 174
- neuromuscular blockade with doxacurium and pancuronium, reversal with neostigmine (Bevan et al), 1074
- newborn pig, comparison of isoflurane and halothane on diastolic and systolic ventricular function in (Graham et al), A54-B

- omeprazole reduces preoperative gastric fluid acidity and volume in children (Nishina et al), 925
- outpatient, see ambulatory under Anaesthesia, paediatric
- parental presence during induction, benefits of: editoral, (Hannallah), 271
- percutaneous transtracheal jet ventilation for paediatric endoscopic laser treatment of laryngeal and subglottic lesions: clinical report (Depierraz et al), 1200
- perioperative respiratory complications in practice (Backman et al), A57-A
- plasma cholinesterase: activity in infants: correspondence (Vassallo and Goudsouzian), 654; reply
 (Pasquariello), 654; deficiency in a premature neonate: correspondence (Roux and Ansermino), 263; reply
 (Pasquariello and Schwartz), 263
- postoperative emesis, propofol as treatment of (Markakis et al), A58-B
- postoperative recurrent paralysis in an infant after mivacurium infusion: correspondence (Litman et al), 758
- postoperative sore throat in children and the laryngeal mask airway (Splinter et al), 1081
- psychological issues: preparing children for surgery: editorial (Goresky and Whitsett), 1033; review article (McGraw), 1094
- succinylcholine, warning against routine use in children and adolescents: correspondence (Lerman et al), 165; correspondence 1. (Cox and Goresky), 266; 2. (Romuald et al), 267; 3. (Doyle et al), 267
- tracheal-bronchial angles in infants and children: correspondence (Kubota et al), 1016
- tracheal intubation in infants, comparison of a rigid laryngoscope with the ultrathin fibreoptic laryngoscope (Roth et al), 1069
- tracheal granulations secondary to wall compression by endotracheal tubes in infants: correspondence (Yahagi et al), 1123
- Vancouver sedative recovery scale for children: validation and reliability of scoring based on videotaped instruction (Macnab et al), 913
- video-assisted thoracoscopic surgery improves results in transoesophageal echocardiography to detect residual ductal flow: clinical report (Lavoie et al), 310

- potency

- MAC-amnesia for isoflurane (LeDez et al), A20-A
- MAC, is it affected by intraoperative neurological injury (Hall et al), A18-B
- remote and evacuation, a low flow modification of the Bain circuit for (Tweed et al), A49-B
- quality assurance
 - cost of an established programme, is it worth it? brief review (Eagle et al), 813; editorial (Duncan), 765
 - current models of an introduction for anaesthetists:

- correspondence (Sellery), 451; reply (Eagle and Davies), 451
- in obstetrical anaesthesia (Preston et al), A28-B
- price of: editorial (Duncan), 765
- quality management is it another fad? refresher course (Tinker and Jenson), R30; R36

- thoracic

- one-lung or two-lung ventilation during transthoracic oesophagectomy (Tachibana et al), 710
- single lung ventilation in the lateral decubitus position, occurrence of hypoxic pulmonary vasoconstriction (HPV) in, role of sodium nitroprusside in the prevention of HPV (Friedlander et al), 26

Anaesthesiologists

- current models of "quality" an introduction for anaesthetists: correspondence (Sellery), 541; reply (Eagle and Davies), 451
- education, medical students, residents: medical education (Yang et al), 621
- personality factors and the practice of anaesthesia: a psychometric evaluation (Clarke et al), 393
- overestimate blood loss: correspondence (Macario and Brock-Utne), 1017
- recruitment in anaesthesia: medical education (Yang et al),
 621
- substance abuse in (Lutsky et al), 561

see also Manpower

Anaesthesiology

- education, training, postgraduate, the experimental curriculum: an alternate model: medical education (Tweed and Donen), 1227
- research, same day consent for: correspondence (Sikich and Lerman), 1234
- structural aspects of anaesthetic care: editorial (Davies and Priddy), 661
- Anaesthetic care, structural aspects of: editorial (Davies and Priddy), 661

Anaesthetic techniques

- balanced during general surgery, pentamorphone and fentanyl compared (Kelly et al), 703
- continuous infusion, intravenous and delivery devices: continuing medical education (Miller), 639
- endotracheal, bronchoscopy in diagnosis and treatment of hypoxaemia in the operating room: clinical report (Pivalizza and Tonnesen), 857

- epidual

- analgesia in children: editorial (Berde), 555
- and general combined, with postoperative epidural analgesia: the effect on cardiac ischemia (Garnett et al), A46-A
- blood patch, exacerbation of postdural puncture headache after: clinical report (Woodward et al), 628
- continuous infusions for postoperative analgesia in

- children, complications of: clinical practice (Wood et al), 613
- dosing, toe skin temperature as a guide to (Sato et al), 232
- drug delivery, human dura matter permeability in humans: correspondence (Bernards), 1124
- fentanyl
 - and intravenous, can parturients distinguish between?
 (Morris et al), 667; A6-B
 - lumbar and intravenous compared for control of post-thoracotomy pain: editorial (Grant), 169; (Baxter et al), 184; correspondence (Kahn and Jackson), 871; reply (Baxter et al), 871; correspondence (Richardson and Sabanathan), 1236; reply 1 (Baxter), 1237; reply 2 (Grant), 1237
 - postoperative epidual fentanyl analgesia after abdominal or thoracic surgery, improved by 0.125% bupivacaine (Badner et al), 387
- for Caesarean section, effect of epidural sufentanil on central haemodynamic variables (Crosby et al), 192
- for elective Caesarean section does not influence fetal umbilical artery blood flow indices (Marquette et al), 1053
- for Caesarean section, uterine and umbilical blood flow velocity during (Halpern et al), 1057
- lumbar epidural, age-related decrease in toe-thumb temperature difference with (Sato et al), 579
- lumbar epdiural, diagnostic accuracy of an intrathecal test dose in (Colonna-Romano et al), 572
- lumbar epidural, power spectral analysis of heart rate and blood pressure variability in (Arakawa and Goto), 680
- lumbar space compliance in a porcine model of acute raised intracranial pressure (Grocott and Mutch), A7-A
- narcotic local anaesthetic infusions and PCA, safety and efficacy of, on regular wards (Badner et al), A73-A
- repeat analgesia and unilateral block (Withington and Weeks), 568
- role of vasopressors in management of hypotension induced by spinal and epidural: review article (Morgan), 404
- extradural analgesia in sitting position and lateral decubitus positions in a parturient, comparison of incidence of aortocaval compression: correspondence (Breen), 356
- for transoesophageal echocardiography, comparison of two methods of anaesthesia for (Goranson et al), A59-A
- general
 - and the Sturge-Weber syndrome: clinical report (Batra et al), 133
 - cold ocular irrigation under general anaesthesia, bradycardia, the diving reflex during: correspondence (Zimmerman et al), 875
 - for obstetrics (Muir), R20; R26
 - not spinal enhances neutrophil biocidal activity in hip

- arthroplasty patients; laboratory investigation (Erskine et al), 632
- vs regional for carotid endarterectomy surgery (Cirone et al), A37-A
- intubation, see Intubation
- hypotensive, induced with total intravenous anaesthesia for middle ear microsurgery: clonidine premedication: correspondence (Maroof et al), 164
- in a patient with a large neck mass: clinical anaesthesia file (Todesco, Williams and Eagle), 157
- induction
 - in children, parental upset associated with participation in (Vessey et al), 276
 - parental participation, who benefits from?: editorial (Hannallah), 271
 - rapid inhalation induction with halothane-nitrous oxide for myasthenic patients (Ruiz-Neto et al), 102
- inhaled NO (nitric oxide) comparison of two methods of administration of, on NO₂ (nitrite) production (Dubé et al), A34-B
- insufflation
- abdominal, in pregnancy, cardiopulmonary effects of: fetal and maternal parameters in the sheep model (Southerland et al), A59-B
- for repair of congenital laryngomalacia: clinical report (Baxter) 332
- intravenous total
- with ketamine (TIVAK) in precarious hospital environments (Joly and Benhamou), 227
- with propofol/alfentanil, midazolam decreases the incidence of awareness with recall during (Blew et al), A3-A
- laryngoscopy, tracheal intubation, nicardipine and verapamil attenuate the pressor response to (Wig et al), 1185
- needle-free intravenous systems, cost impact on paediatric anaesthesia department (Farran and Goresky), A65-A
- rapid sequence induction, haemodynamic and EEG changes during (Kanaya et al), 699
- regional
 - brachial plexus block and cervical rib: correspondence (Alexander et al), 266
 - endobronchial blockade, co-axial placement of endobronchial blocker: correspondence (Arndt et al), 1026
 - femoral nerve block: single injection vs continuous infusion for total knee arthroplasty (Hirst et al), A63-A
 - glossopharyngeal nerve block for tonsillectomy or uvulopalatopharyngoplasty: correspondence (Bruin), 1236
 - intrapleural analgesia in a child with a mediastinal tumour: clinical report (Swinhoe and Pereira), 427
 - lumbar plexus block combined with sciatic nerve block:
 anatomy of the posterior approach to (Farny et al), 480;

- correspondence (Lang), 1238; reply Drolet and Girard), 1239; posterior approach using lidocaine (Farny *et al*), 486; using 2-chloroprocaine (Virachit and Girard), 919
- neuromuscular block
 - following infusion of mivacurium, edrophonium requirements for reversal of (Bryson et al), A4-B
 - retrobulbar block for cataract surgery, electroretinogram during orbital compression following (Loken et al), 802
 - reversal, effect on baroreflex function and heart rate variability (van Vlymen et al), A66-B
 - with vecuronium, accelerated onset with pulmonary arterial administration (Iwasaki et al), 1178
- penile block for circumcision, a comparative study of five different techniques (Szmuk et al), 1181
- sciatic nerve block, lateral popliteal, compared with subcutaneous infiltration for analgesia following foot surgery (McLeod), 673
- sedation with midazolam during, is there a role for flumazenil? (Claffey et al), 1084
- versus general, for carotid endarterectomy surgery (Cirone et al), A37-A

- spinal

- for Caesarean section in a patient with brain neoplasma: correspondence (Atanassoff et al), 163
- mid-lumbar block for transurethral prostatectomy (Beers et al), 807
- not general enhances neutrophil biocidal activity in hip arthroplasty patients: laboratory investigation (Erskine et al), 632
- respiratory depression associated with meperidine spinal anaesthesia: clinical report (Ong and Segstro), 725
- role of vasopressors in management of hypotension induced by epidural and spinal: review article (Morgan), 404
- vecuronium neuromuscular blockade, localized hypothermia influences assessment of recovery from (Young et al), 1172
- with bupivacaine and morphine supplementing general anaesthesia for CABG surgery: clinical report (Kowalewski et al), 1189
- subarachnoid, a randomized, blinded comparison of 20 mg versus 25 mg isobaric bupivacaine for (Crosby et al), A26-B
- subcutaneous infiltration for analgesia following foot surgery, compared with lateral popliteal sciatic nerve block (McLeod et al), 673
- test dose, intrathecal, in epidural analgesia, diagnostic accuracy of (Colonna-Romano et al), 572

Anaesthetics

- concentrations in operating room air: the need for periodic quantitative measurement (LeDez et al), A52-A
- choice of, effects the hemodynamic response to fat embolism (Guest et al), A5-B

- cost: does not affect drug usage (Horrow and Rosenberg),
 1047; see also Anaesthesia, quality assurance; statistics
- errors, prevention: clinical report (Orser and Oxorn), 120;
 correspondence (Agarwal *et al*), 755; correspondence
 (Yemen), 870; reply (1) (Orser *et al*), 870; reply (2)
 (Davies), 8701
- labelling: clinical report (Orser and Oxorn), 120; correspondence (Boldt), 75; (Dain), 755

- gases

- nitrous oxide
 - compared with isoflurane for intraoperative monitoring of somatosensory-evoked potentials (Lam et al), 295
 - diffusion into tracheal cuffs, evaluation of pressure increases due to (Sosis and Blazek), A51-A
 - in patients with Wolff-Parkinson-White syndrome has no electrophysiological effects on the function of sinus node conduction, the normal arterioventricular system or the accessory pathways (Dobkowski et al), A45-B
 - isoflurane N₂O and surgery, transcranial Doppler sonography during, (Schregel et al), 607
 - lasting one to two hours, laryngeal mask airway cuff pressure and position during (Brimacombe and Berry), 589
 - two methods of administration of inhaled NO (nitric oxide) comparison of, on NO₂ (nitrite) production (Dubé et al), A34-B

Anaesthetics, Intravenous

- alfentanil/propofol total intravenous anaesthesia, midazolam decreases the incidence of awareness with recall during (Blew et al), A3-A
- delivery devices and intravenous infusion anaesthesia: continuing medical education (Miller), 639
- droperidol
 - and ondansetron in out-patient laparoscopy (Koutsoukos and Belo), A70-B
 - compared with propofol and metoclopramide for the treatment of postoperative nausea and vomiting (Lacroix et al), A66-A

- fentanyl

- can parturients reliably distinguish between epidural and intravenous (Morris et al), A6-B
- compared with pentamorphone in balanced anaesthesia during general surgery (Kelly et al), 703
- comparison of two doses of epidural, for Caesarean section: correspondence (Lamont), 452; reply (Halpern), 452
- thoracic epidural, analgesic effects of: correspondence (Hudes et al), 1123

ketamin

 compared with midazolam for oral premedication in paediatric ambulatory patients (Alderdon and Lerman),
 221

- hypomagnesemia and (Smith et al), A71-A
- total intravenous anaesthesia with, ventilation during (Joly and Benhamou), 227
- methohexital and pentobarbital reduce nociceptive threshold in the rat (Ewen et al), A19-B
- metoprolol or nifedipine, interactions of propofol with, on hemodynamic, myocardial blood flow and metabolism in a swine model of chronic coronary occlusion (Cheng et al), A17-A
- midazolam propofol co-induction does not delay recovery from anaesthesia (Elwood et al), A64-B
- morphine and bupivacaine, subarachnoid, supplementing anaesthesia for coronary artery bypass surgery: clinical report (Kowalewski et al), 1189
- pentamorphone compared with fentanyl in balanced anaesthesia during general surgery (Kelly et al), 703
- profolol
 - /alfentanil total intravenous anaesthesia: midazolam decreases the incidence of awareness with recall during (Blew et al), A3-A; midazolam does not prolong recovery following (Blew et al), A63-B
 - compared with thiopentone and halothane in paediatric ambulatory patients (Hannallah et al), 12
 - for continuous intravenous sedation after aortocoronary bypass graft surgery: dose finding study (Karski et al), A17-B
 - for pulsed dye laser treatments in paediatric patients: clinical report (Vischoff and Charest), 728
 - induced neuroexcitation and receptor desentization: editorial (Orser), 366
 - induction of anaesthesia with, the 40 Hz auditory steady state response (40 Hz ASSR) during (Plourde and Malik), A51-B
 - inhibits phagocytosis and killing of staphylococcus aureus and escherichia coli by polymorphonuclear leukocytes in vitro: laboratory investigation (Krumholtz et al), 446
 - interactions of, with metoprolol or nifedipine on hemodynamic, myocardial blood flow and metabolism in a swine model of chronic coronary occlusion (Cheng et al) A17-A
 - intracoronary, does not decrease myocardial contractile function in the dog: laboratory investigation (Belo et al), 43
 - opisthotonos following: a nonepileptic perspective and treatment strategy: clinical report (Ries et al), 414
 - seizures and antidepressants: correspondence (Orser and Oxorn), 262
 - selectively inhibits the NMDA subtype of glutamate receptor (Bertlik et al), A6-A
 - sequestration within the extracorporeal circuit (Hynynen et al), 583
 - short term sedation with, after cardiac surgery, recovery

- time following (Karski et al), A40-A
- succinylcholine for rapid sequence intubation, preinduction volume loading maintains haemodynamic stability during (Rausa et al), A62-B
- thiopentone, recovery characteristics following induction of anaesthesia with (Rashiq et al), 1166
- treatment of postoperative emesis in children (Markakis et al), A58-B
- versus isoflurane, myocardial ischemia during carotid endarteretomy (Mutch et al), A13-A
- sufentanil
 - epidural, added to epidural local anaesthetic solutions for Caesarean section, effects of (Crosby et al), 192
 - with propofol versus sufentanil-midazolam anaesthesia for elective myocardial revascularization (Ralley et al), A47-A
- thiopentone
 - atrial injection of, asystole induced by: correspondence (Jopling), 760
 - compared with halothane and propofol in paediatric ambulatory patients (Hannallah et al), 12
 - propofol combined, recovery characteristics following induction of anaesthesia with (Rashiq et al), 1166

Anaesthetics, Local

- bupivacaine
 - for combined spinal epidural analgesia in advanced labour (Abouleish et al), 575
 - for intrapleural analgesia in a child with a mediastinal tumour: clinical report (Swinhoe and Pereira), 427
 - improves continuous postoperative epidural fentanyl analgesia after abdominal or thoracic surgery, 0.125% (Badner et al), 387
 - intraarticular, provides analgesia for knee joint replacement but not evidence of preemptive blockade (Badner et al), A74-B
 - kinetics of, during hyperthermia in rats: laboratory investigation (Bruguerolle et al), 253
 - metabolism in rats, increased by cigarette smoke: laboratory investigation (Bruguerolle et al), 733
 - morphine, subarachnoid, supplementing anaesthesia for coronary artery bypass surgery: clinical report (Kowalewski et al), 1189
 - thoracic epidural, analgesic effects of: correspondence (Hudes et al), 1123
 - 20 mg versus 25mg isobaric, for subarachnoid anaesthesia, a randomized blinded comparison of (Crosby et al), A26-B
- 2-chloroprocaine for brachial plexus and sciatic nerve block combined (Khy and Girard), 919
- lidocaine
 - age-related decrease in toe-thumb temperature difference with lumbar epidural anaesthesia (Sato et al), 579
 - condensed, cutaneous iontophoretic application of (Oshima et al), 677

- skin temperature as a guide to epidural anaesthesia dosing with (Sato et al), 232
- use in the posterior approach to the lumbar plexus combined with sciatic nerve block (Farny et al), 486
- meperidine spinal anaesthesia, respiratory depression associated with: clinical report (Ong and Segstro), 725

Anaesthetics, Volatile

- enflurane

- and isoflurane in dogs, microcirculation during:
 laboratory investigation (Yano and Takaori), 149
- convulsions after, in a schizophrenic patient receiving neuroleptics: clinical report (Vohra), 420
- effect on bronchoconstriction caused by histamine, compared with halothane, isoflurane and sevoflurane: laboratory investigation (Katoh and Ikeda), 1214

- halothane

- absence of anti-trifluoroacetate antibody after, in patients with no or mild liver damage (Sakaguchi et al), 398
- arrhythmogenic potential of dopexamine hydrochloride during halothane anaesthesia in dogs: laboratory investigation (Neustein et al), 542
- compared with isoflurane on diastolic and systolic ventricular function in the newborn pig (Graham et al), A54-B
- contractile force and resting tension in the presence of, and increased extracellular potassium or decreased extracellular pH in isolated guinea pig atria: laboratory investigation (Oshita et al), 534
- effects of hypoxia, progressive, obtained by decreasing F₁O₂ on arterial blood gases and acid-base balance in rats anaesthetized with: laboratory investigation (Gaudy et al.), 347
- effects on bronchoconstriction caused by histamine, compared with enflurane, isoflurane and sevoflurane: laboratory investigation (Katoh and Ikeda), 1214
- impaired acquisition of the Morris Water Task for 24 hrs. after, in rats (McHugh and Pappius), A31-B
- inhibits prostanoid-induced vasoconstriction of rat aorta preferentially: laboratory investigation (Yamamoto et al), 991
- mechanism responsible for the inhibition of endothelium-dependent relaxation during halothane anaesthesia: laboratory investigation (Nakamura et al), 340
- nitrous oxide for myasthenic patients, rapid inhalation induction with (Ruiz-Neto et al), 102
- or thiopentone, compared with propofol in paediatric ambulatory patients (Hannallah et al), 12

- isoflurane

- and enflurane in dogs, microcirculation during: laboratory investigation (Yano and Takaori), 149
- compared with halothane on diastolic and systolic ventricular function in the newborn pig (Graham et al), A54-B

- compared with nitrous oxide for intra-operative monitoring of somatosensory-evoked potentials (Lam et al), 295
- does not impair acquisition of the Morris Water Task in rats (McHugh and Pappius) A31-B
- effects on bronchoconstriction caused by histamine, compared with enflurane, halothane and sevoflurane: laboratory investigation (Katoh and Ikeda), 1214
- inhibits prostanoid-induced vasoconstriction of rat aorta preferentially: laboratory investigation (Yamamoto et al), 991
- MAC amnesia for (LeDez et al), A20-A
- malignant hyperthermia during: correspondence (Chambers et al), 355
- mechanism responsible for the inhibition of endothelium-dependent relaxation during isoflurane: laboratory investigation (Nakamura et al), 340
- N₂O, transcranial Doppler sonography during anaesthesia and surgery (Schregel et al), 607
- prolonged use in asthma: correspondence (Best et al), 452
- reduction of isoflurane MAC and increase in apnoeic threshold in rats by intrathecal midazolam: laboratory investigation (Schwieger et al), 144
- versus propofol, myocardial ischemia during carotid endarterectomy (Mutch et al), A13-A

- sevoflurane

- effects on bronchoconstriction caused by histamine, compared with enflurane, halothane and isoflurane: laboratory investigation (Katoh and Ikeda), 1214
- mechanism responsible for the inhibition of endothelium-dependent relaxation during sevoflurane: laboratory investigation (Nakamura et al), 340
- Analeptics, amphetamine abuse in three medical specialties: anaesthesia, medicine and surgery (Lutsky *et al*), 561

 Analogsia
- balanced, non-steroidal anti-inflammatory drugs (NSAIDs): correspondence (Jones), 548; reply (Code), 548
- caudal morphine, in infants undergoing thoracotomy for extracardiac surgery (Markakis et al), A58-A
- continuous epidural infusion, supplemental analgesic requirements with (Cruchley and Rose), A30-A

- epidural

- and spinal, combined, in advanced labour (Abouleish et al), 575
- bupicavaine and fentanyl, thoracic, effects of: correspondence (Hudes et al), 1123
- opioid, after Caesarean section: a comparison of patientcontrolled analgesia with meperidine and single bolus injection of morphine (Rosaeg and Lindsay), 1063
- repeat and unilateral block (Withington and Weeks),
 568
- hyperanalgesia in rats, thiopental-induced, influence of

serotonin and noradrenaline depletion on (Froelich et al), A18-A

- patient controlled (PCA)

- and epidural narcotic-local anaesthetic infusions, safety and efficacy of, on regular wards (Badner et al), A73-A
- hydromorphone, after coronary artery bypass surgery (Searle et al), 198
- respiratory depression associated with (Etches), 125;
 editorial (Baxter), 87
- with meperidine after Caesarean section, compared with a single bolus injection of morphine (Rosaeg and Lindsay), 1063
- pain service (PCA) for children following selective dorsal rhizotomy: brief review (Geiduschek), 492

- postoperative

- continuous epidural infusions for, in children, complications: clinical practice (Wood et al), 613
- epidural, combined with general and epidural anaesthesia: effect on cardiac ischaemia (Garnett et al), A46-A
- epidural opioids for: editorial (Grant), 169
- fentanyl lumbar epidural and intravenous infusions for post-thoracotomy pain (Baxter et al), 184, correspondence (Kahn and Jackson), 871; reply (Baxter et al), 871; correspondence (Richardson and Sabanathan), 1236; reply 1 (Baxter), 1237; reply 2 (Grant), 1237
- following thoracotomy, effects of epinephrine on the continuous infusion of epidural fentanyl for (Bryson et al), A3-B
- in children: editorial (Wood et al), 555
- in the elderly in a community hospital, a cost-utility evaluation of, using decision analysis (Peter), A22-B
- patient controlled, respiratory depression with: editorial (Baxter), 87
- patient satisfaction with intravenous PCA or epidural morphine: (Egan and Ready), 6; editorial (Sandler and Katz), 1; correspondence (Etches), 754; reply (Egan and Ready), 754
- prevention of: continuing medical education (Moote),
 527

- preoperative, multi-model

- facilitates same day discharge in laparoscopic cholecystectomy a randomized double blind placebo-controlled study (Michaloliakou et al), A76-A
- reduces postoperative pain in outpatient laparoscopic cholecystectomy – a randomized double blind placebocontrolled study (Michaloliakou et al), A39-A

Analgesics

- abuse

- by anaesthetic personnel, alfentanil, fentanyl, morphine, sufentanil, use of refractometry to identify: laboratory investigation (Eagle et al), 248
- narcotic kits containing alfentanil, fentanyl, morphine, sufentanil for controlled-substance dispensing and accountability: special article (Maltby et al), 301

- alfentanil-midazolam compared with meperidinediazepam sedation for upper gastrointestinal endoscopy (Donnelly et al), 1161
- bupivacaine for combined spinal-epidural analgesia in advanced labour (Abouleish et al), 575
- codeine phosphate, hypoxaemia and hypotension after: clinical report (Cox), 1211

- fentanyl

- continuous infusion epidural, for postoperative analgesia following thoracotomy, effects of epinephrine on (Baron et al). A3-B
- intravenous and epidural, can parturients distinguish between? (Morris et al), 667; A-6B
- intravenous and lumbar epidural infusions compared for pain control following thoracotomy: editorial (Grant), 169; (Baxter et al), 184, correspondence (Kahn and Jackson), 871; reply (Baxter et al), 871; (Richardson and Sabanathan), 1236; reply 1 (Baxter), 1237; reply 2 (Grant), 1237
- postoperative epidural, after abdominal or thoracic surgery, improved by 0.125% bupivacaine (Badner et al), 387
- hydromorphone patient-controlled analgesia after coronary artery bypass surgery (Searle et al), 198
- ketorolac treatment of post-operative pain in children following selective dorsal rhizotomy: brief review (Geiduschek et al), 492

- meperidine

- /diazepam compared with alfentanil-midazolam sedation for upper gastrointestinal endoscopy (Donnelly et al), 1161
- for patient-controlled analgesia compared with single bolus injection of morphine after Caesarean section (Rosaeg and Lindsay), 1063

- morphine

- caudal analgesia in infants undergoing thoracotomy for extracardiac surgery (Markakis et al), A58-A
- caudal and early extubation of the trachea post cardiac surgery in children (Carr et al), A15-A
- epidural, patient satisfaction with intravenous PCA or (Egan and Ready), 6; editorial (Sandler and Katz), 1; correspondence (Etches), 754; reply (Egan and Ready), 754
- single bolus injection of, compared with patientcontrolled analgesia with meperidine after Caesarean section (Rosaeg and Lindsay), 1063
- versus ketorolac, comparison of effects of, on recovery from general anaesthesia during outpatient knee arthroplasty (Newton and Moote), A75-B
- narcotic, opioid perioperative therapy, relates to postoperative nightmares (Knill et al), A24-B
- NSAIDs, ketorolac vs morphine, comparison of effects of, on recovery from general anaesthesia during outpatient knee arthroplasty (Newton and Moote), A75-B

- opioids, causing postoperative respiratory depression following excision of carotid body tumours: clinical report (Baraka), 306
- sufentanil for combined spinal epidural analgesia in advanced labour (Abouleish et al), 575

Anatomy

- of the larynx: review article (Baxter), 332
- of the lumbar plexus as related to anaesthetic block (Farny et al), 480; correspondence (Lang), 1238; reply (Drolet and Girard), 1239

Animals

- -dog(s)
 - arrhythmogenic potential of dopexamine hydrochloride during halothane anaesthesia in: laboratory investigation (Neustein et al), 542
 - effects of intracoronary midazolam on systolic function in the dog heart (Belo and Mazer), A70-A
 - microcirculation during enflurane and isoflurane anaesthesia in: laboratory investigation (Yano and Takaori), 149
- goat(s), dose-response and duration of action of succinylcholine and vecuronium in seven muscles in (Ibebunjo and Donati). A69-A
- guinea pig heart (atria), isolated, contractile force and resting tension in the presence of halothane and increased extracellular potassium or decreased extracellular pH in: laboratory investigations, (Oshita et al), 534
- mice, action of neostigmine and edrophonium on the neuromuscular junction of the mouse omohyoid muscle in the presence of D-tubocurarine (Fauvel et al), A20-B
- -pig(s)
 - newborn, comparison of isoflurane and halothane on diastolic and systolic ventricular function in (Graham et al), A54-B
 - porcine model of acute raised intracranial pressure, lumbar epidural space compliance in (Grocott and Mutch), A7-A
 - swine model of chronic coronary occlusion, interactions of propofol with metoprolol or nifedipine on hemodynamic myocardial blood flow and metabolism in (Cheng et al), A17-A
- rabbit(s)
- does metered dose inhaler aerosol salbutamol, delivered proximal to the endotracheal tube induce tracheal lesions in? (Shorten et al), A26-A
- intubated, effects of pulmonary aspiration of human breast milk and normal saline in (Shorten et al), A57-B
- -rat(s)
 - aorta, halothane and isoflurane preferentially inhibit prostanoid-induced vasoconstriction of: laboratory investigation (Yamamoto et al), 991
 - bupivacaine
 - kinetics during hyperthermia in: laboratory investigation (Bruguerolle et al), 253

- metabolism, cigarette smoke increases: laboratory investigation (Bruguerolle et al), 733
- halothane, effectof, on modification of PaCO₂, acid-base equilibrium and hypoxia in: laboratory investigation (Gaudy et al), 347
- intrathecal midazolam reduces isoflurane MAC and increases the apnoeic threshold in: laboratory investigation (Schwieger et al), 144
- pentobarbital and methohexital reduce nociceptive threshold in (Ewen et al), A19-B
- pithed, a dose-response study of the hemodynamic effects of doxacurium chloride in (Levytam et al), A40-B
- thiopental-induced hyperalgesia in, influence of serotonin and noradrenaline depletion on (Froelich et al), A18-A
- sheep model, cardiopulmonary effects of abdominal insufflation in pregnancy: fetal and maternal parameters in (Southerland et al), A59-B

Antagonists

- benzodiazepines
 - flumazenil
 - as a diagnostic tool in the differential diagnosis of coma in a critically ill patient: clinical report (Sprenger et al), 52
 - for reversal of sedation with midazolam during regional anaesthesia (Claffey et al), 1084
- neuromuscular relaxants
 - edrophonium
 - and neostigmine, action of, on the neuromuscular junction of the mouse omohyoid muscle in the presence of D-tubocurrine (Fauvel et al), 20-B
 - in young and elderly adults, mivacurium doseresponse relationships and reversal with (Donati et al), A21-B
 - eserine, mechanism of bradycardia produced by (Backman et al), A21-A
- neostigmine
 - and edrophonium, action of, on the neuromuscular junction of the mouse omohyoid muscle in the presence of D-tubocurarine (Fauvel et al), A20-B
 - and vecuronium, neuromuscular effects of, in Montreal and Paris (Salib et al), 908
 - reversal of doxacurium and pancuronium neuromuscular blockade in children (Bevan et al), 1074
 - phyridostigmine, mechanism of the bradycardia produced by (Backman et al), A21-A
- serotonin
 - ondansetron (OND) and droperidol combined in outpatient laparoscopy (Koutsoukos and Belo), A70-B
- for prevention of postoperative nausea and vomiting: cost effectiveness analysis (CEA) (Mathieu), A23-B; meta-analysis of published studies provides precise estimates of the effectivness (Lopez and Mathieu), A23-A

Anxiety, sedation, patient satisfaction and arterial oxygen saturation in premedicated patients undergoing cardiac catheterization (Bergeron et al), A32-B

Antibiotics

cyclosporine-vecuronium, oral, interaction: correspondence (Ganjoo and Tewari), 1017

Anticholinergics

 hyoscine, unattended continuous infusion leading to delayed visual disturbances: correspondence (Kumar), 551
 Aorta, see Arteries

Aortocoronary bypass, see under Surgery, cardiac Aprotinin, see Blood coagulation

Arteries

- aorta of the rat, halothane and isoflurane preferentially inhibit prostanoid-induced vasoconstriction of: laboratory investigation (Yamamoto et al), 991
- carotid endarterectomy, myocardial ischaemia during, propofol versus isoflurane (Mutch et al), A13-A
- coronary artery occlusion, chronic, in a swine model, interactions of propofol with metoprolol or nifedipine on hemodynamic myocardial blood flow and metabolism (Cheng et al), A17-A
- vasodilation, mechanism of inhibition of endotheliumdependent relaxation by: laboratory investigation (Nakamura et al). 340

Aspiration, see Complications;

Gastrointestinal tract, stomach

Aspirin(e), see Pharmacology

Asthma, see Complications

Ataractics

- abuse, marijuana, in three medical specialties: anaesthesia, medicine and surgery (Lutsky et al), 561
- phenothiazines, thioxanthines in a schizophrenic patient, convulsions after receiving enflurane: clinical report (Vohra), 420

Atelectasis, see Complications

Atracurium, see Neuromuscular relaxants

Awareness, see Anaesthesia, depth; Memory

Aztreonam, see Pharmacology

Bain system, see Equipment, anaesthesia circuits Ballistocardiography, see Heart

Biopsy, pharyngeal, complicated by a mediastinal mass: clinical anaesthesia file (Elwood and Eagle), 861

Blezard, John Albert (1888-1971): History of Canadian Anaesthesia (Shephard), 156

Blood

- coagulation
 - aprotinin
 - high dose, reduces transfusion requirements of blood and blood products during orthotopic liver transplantation (Dobkowski et al), A33-B
 - or tranexamic acid, high or low dose: blood loss in

- patients undergoing repeat median sternotomy (Murkin et al), A46-B; comparison of the efficacy of, to decrease blood loss and transfusion requirements in aspirin-treated cardiac surgical patients (Murkin et al), A33-A
- therapy to reduce blood loss in Jehovah's Witnesses: correspondence (Litvan et al), 77
- tranexamic acid
 - comparison of effects of three different doses of, on postoperative bleeding in cardiac surgery performed without active systemic cooling (Karski et al), A41-A
 - or aprotonin, high or low dose: blood loss in patients undergoing repeat median sternotomy randomized to (Murkin et al), A46-B; comparison of efficacy of, to decrease blood loss and transfusion requirements in aspirin-treated cardiac surgical patients (Murkin et al), A33-A

- flow

- cerebral flow, measurement by transcranial Doppler sonography during isoflurane/N₂O anaesthesia and surgery (Schregel et al), 607
- microspheres, during enflurane and isoflurane anaesthesia in dogs: laboratory investigation (Yano and Takaori),
 149
- velocity
 - cerebral, during hyperventilation, influence of arterial oxygenation on (Matta et al), 1041
- fetal umbilical artery, epidural anaesthesia for elective Caesarean section does not influence (Marquette et al), 1053
- uterine and umbilical, during epidural anaesthesia for Caesarean section (Halpern et al), 1057
- glucose and cardiac output in post-surgical patients, initial distribution volume of (Ishihara et al), A32-A
- haemodynamics
 - doxacurium hydrochloride
 - and vecuronium in patients undergoing coronary artery bypass surgery (Smith et al), A35-B
 - in patients undergoing elective cardic surgery (McDonagh et al), A14-A
 - dose-response study of, in the pithed rat (Levytam et al), A40-B
 - myocardial blood flow and metabolism in a swine model of chronic coronary occlusion, interactions of propofol with metoprolol or nifedipine on (Cheng et al), A17-A
 - perioperative and stress response, a prospective, randomized, controlled clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery (Cheng et al), A16-B
- haemoglobin Hammersmith precludes monitoring with conventional pulse oximetry: clinical report (Lang et al), 965

- leukocytes, polymorphonuclear, propofol inhibits phagocytosis and killing of staphylococcus aureus and escherichia coli by: laboratory investigation (Krumholz et al), 446
- loss
 - overestimated by anaesthetists: correspondence (Macario and Brock-Utne), 1017
 - predicting in surgery for idiopathic scoliosis (Guay et al), 775
- methaemoglobinaemia, congenital, detected by preoperative pulse oximetry: clinical report (Chisholm and Stuart), 519
- patch, see Anaesthetic technique, epidural
- plasma levels of endothelin in humans, effect of general anaesthesia on (Lee et al), A31-A
- pressure
 - hypertension
 - effect of general anaesthesia on the plasma levels of endothelin in humans (Lee et al), A31-A
 - in the postanaesthetic care unit, does anaesthetic management contribute to? (Rose et al), A25-B
 - monitors, non-invasive, evaluation of accuracy of (Miller et al), A52-B
 - variability in lumbar epidural anaesthesia (Arakawa and Goto), 680
- products, when to use them and when to avoid them (Hardy et al), R52; R62
- transfusion, see Transfusion
- warmer performance, comparison at maximum flow rates (Patel et al), A36-A

Book Reviews

- Anaesthesia and intensive care for the neurosurgical patient, 2nd ed. FJM Walters, GS Ingram, JL Jenkinson (Eds.), (Mutch), 1240
- Anaesthesia for children, 2nd ed. TCK Brown and GCF Fisk (Eds.), (Bevan), 268
- Anaesthesia: Review 10. L Kaufman (Ed.), (Tétrault), 1129
- Anesthesia and the patient with co-existing heart disease.
 JI Simpson (Ed.), (Murphy), 762
- Anesthésie pour coeliochirurgie #38 Collection d'anesthésiologie et de réanimation. P Schoeffler, (Trépanier), 763
- Anesthesiology: problem-oriented patient management,
 3rd ed. F-SF Yao, JF Artusio Jr. (Eds), (Kolton), 1128
- Anesthetic toxicity. SA Rice, KJ Fish, (Eds.), (Oxorn), 1128
- Anatomy for anaesthetists, 6th ed. (H Ellis, S Feldman (Eds.), (Moore), 764
- Baillière's Clinical Anaesthesiology. International practice and research, vol. 6, No. 3. Outcome after Anaesthesia and surgery. JM Desmonts (Guest Editor); vol. 7, No. 2. The anaesthetic crisis. M McD Fisher, (Guest Ed.), (Davies), 456

- Les Brûlures. C Échinard, J Latarjet, (Pirlet), 1128
- Cancer pain, RB Pratt (Ed.), (Kliffer), 82
- Cardiac arrest, 3rd ed. JA Kaplan (Ed.), (Turnbull), 455
- Clinical atlas of transesophageal echocardiography. ME Goldman, (Kapnoudhis), 659
- Congrès national d'anesthésie-réanimation: Conférences d'actualisation 1993 (Perreault), 659
- Crisis management in anesthesiology. DM Gaba, KJ Fish, SK Howard. (Doyle), 1240
- Current and emerging issues in cancer pain: research and practice. CR Chapman, KM Foley (Eds.), (Moote), 166
- Day care: surgery, anaesthesia and management. EG Bradshaw, HT Davenport (Eds.), (Chung), 81
- Differential diagnosis of acute pain by body region. SL Wiener, (Badner), 659
- Hazards and complications of anaesthesia, 2nd ed. TH Taylor, E Major (Eds.), (Lang), 1019
- A Laboratory basis for anesthesiology. G Dal Santo (Gilron), 1019
- The liver. F Hawker, (DeMajo), 359
- The liver and anaesthesia, Vol 6, No.4 of Ballière's clinical anaesthesiology, international practice and research. L Strunin and S Thomson (Guest Eds.), (Crawford), 268
- Malignant hyperthermia: Hyperthermies malignes. Eng. M Aubert, J Borsarelli, HJ Khambatta, GK Ribbens (Eds.),
 Fr. M Aubert, J Borsarelli, GK Ribbens (Eds.), (Patel),
 1240
- The Management of chronic pain. AW Diamond and SW Coniam, (Burgi), 167
- Manual of cardiac anaesthesia, 2nd ed. SJ Thomas, JL Kramer (Eds.), (Hall), 881
- Musculoskeletal pain, myofascial pain syndrome, and fibromyalgia syndrome. S Jacobsen, B Danneskiold-Samsoe, B Lund (Eds.), (Ha), 882
- Noninvasive approaches to pain management in the terminally ill. DC Turk, CS Feldman (Eds.), (Burgi), 167
- Nun's applied respiratory physiology, 4th ed. JF Nunn (Knill), 554
- Oxygen transport. Principles and practice. JD Edwards, WC Shoemaker, J-L Vincent (Eds.), (Knill), 166
- Principles and practice of regional anaesthesia, 2nd ed.
 JAW Wildsmith, EN Armitage (Eds.), (Lui), 881
- Principles of anesthesiology: General and regional anesthesia, 3rd ed. (2 vol.) VJ Collins, (Moore), 359
- Principles and practice of pain management. CA Warfield (Forrest), 455
- Pulmonary care of the surgical patient. LH Hanowell, L Junod (Eds.), (Knill), 763
- Recent advances in anaesthesia and analgesia. RS Atkinson, AP Adams (Eds.), (Oxorn), 882
- Sedation and analgesia. GA Park and F Gempeler, (Oxorn), 81

 Textbook of pain, 3rd ed. PD Wall, R Medzack (eds.), (Moote), 762

Brachial plexus block, see Anaesthetic techniques, regional Bradycardia, see Heart, arrhythmias

Bretylium, see Heart, arrhythmias

Brain

- cerebral blood flow
 - measurement by transcranial Doppler sonography during isoflurane/N₂O anaesthesia and surgery (Schregel et al), 607
 - velocity in infants, effect of awake intubation on (Millar and Bissonnette), 281
- cerebral microembolization during coronary artery bypass surgery (Naser et al), A4-A
- cerebral oxygenation monitoring: editorial (Murkin), 1027
- cerebral venous oxygen saturation during hyperventilation in patients undergoing anaesthesia for neurosurgical procedures (Matta et al), 1041
- electroencephalogram and haemodynamic changes during rapid-sequence induction of anaesthesia (Kanaya et al), 699
- intracranial pressure
 - acute raised, lumbar epidural space compliance in a porcine model of (Grocott and Mutch), A7-A
 - increase in infants due to awake intubation (Millar and Bissonnette), 281
- neoplasma, spinal anaesthesia for Caesarean section in a patient with: correspondence (Atanassoff et al), 163

Bronchoconstriction, see Complications

Cannulation, see Veins

Carbon dioxide

- blood levels, effects of progressive hypoxia on, in rats anaesthetized with halothane: laboratory investigation (Gaudy et al), 347
- concentrations during cardio-pulmonary resuscitation: correspondence (Watanabe et al), 354
- elimination, production, metabolic gas exchange during gynaecological laparotomy and laparoscopy (Lind), 19
- embolism: detection by capnography, transesophageal echocardiography, pulmonary artery pressure and precordial auscultation (Couture et al), A24-A
- end-tidal measurement in infants and children: during and after general anaesthesia (Campbell et al), 107; most proximal and accurate site for sampling: laboratory investigation (Halpern and Bissonnette), 984
- monitoring in anaesthesia: correspondence (Parsloe), 74;
 reply (Knill), 75
- PetCO₂ elevation after submucosal epinephrine: correspondence (Brooker and James), 162

Capnography, see Measurement techniques, carbon dioxide Cardiac, see Heart

Cardiopulmonary bypass, see Surgery, cardiovascular

Care unit, see Recovery room

Carotid endarterectomy, see Surgery

Cells, membrane, calcium-induced heat production and malignant hyperthermia: laboratory investigation (Ueda et al), 440

Cerebral microembolization, see under Brain

Chloroprocaine, see Anaesthetics, local

Cholinesterase, see Enzymes

Cigarettes, see Complications

Cocaone, see under Drug abuse

Classifications, see Records

Clonidine, see sympathetic nervous system, pharmacology

Coma, see Complications

Complications

- adrenoleukodystrophy, neonatal, anaesthesia for the patient with: clinical report (Schwartz et al), 56
- allergy
 - and anaesthesia: editorial (Withington), 1133
 - drug in the surgical population: editorial (Hung et al), 1149
 - anaphylaxis and anaesthesia: editorial (Withington), 1214
- aortocaval compression: correspondence (Breen), 356
- aspiration
 - acid aspiration syndrome, control by preanaesthetic oral ranitidine compared with omeprazole and metoclopramide: correspondence (Gombar et al), 879
 - effect of use of laryngeal mask airway on: review article (Asai and Morris), 930
 - preoperative gastric fluid acidity and volume in children, omperazole reduces (Nishina et al), 925
- arrhythmia resulting from an inadvertent epinephrine injection: clinical report (Orser and Oxorn), 120; correspondence (Yemen), 870; reply, 1 (Orser et al), 870; reply, 2 (Davies and Webb), 871
- aspiration
 - effect of sugarless gum chewing before surgery on incidence of (Dubin et al), 603
 - pulmonary of human breast milk and normal saline,
 effects of, in the intubated rabbit (Shorten et al), A57-B
- asthma
- in a child undergoing appendicectomy, anaesthetic management: clinical anaesthesia file (Kuwahara and Goresky), 523
- in children, perioperative respiratory complications after general anaesthesia (Vener et al), A55-A
- status asthmaticus, prolonged use of isoflurane in: correspondence (Best et al), 452
- atelectasis, acute life-threatening intraoperative: clinical report (Pivalizza and Tonnesen), 857
- brain neoplasma, spinal anaesthesia for Caesarean section in a parturient with: correspondence (Atanassoff et al),

- cardiac arrest
 - after central venous cannulation: clinical report (Ouiney), 513
 - succinylcholine-induced in children with undiagnosed myopathy: clinical report (Sullivan et al), 497
- cerebral arteriovenous malformations in children: clinical report (Millar et al), 321
- cervical rib and brachial plexus block: correspondence (Alexander et al), 266
- cigarette smoke increases bupivacaine metabolism in rats: laboratory investigation (Bruguerolle et al), 733
- convulsions
 - after enflurane in a schizophrenic patient receiving neuroleptics: clinical report (Vohra), 420
 - induced by propofol in a patient taking antidepressants: correspondence (Orser and Oxorn), 262
- coma in a critically ill patient, flumazenil as a diagnostic tool in the differential diagnosis of: clinical report (Sprenger et al), 52
- cyanosis, congenital methaemoglobinaemia detected by preoperative pulse oximetry: clinical report (Chisholm and Stuart), 519
- cystic hygroma prenatally diagnosed, causing upper airway obstruction, anaesthetic management of a neonate with: clinical report (Tanaka et al), 236; editorial (Creighton), 174
- death
 - and the oculocardiac reflex: correspondence (Smith et al), 760; (Stock et al), 161; reply (Arndt), 161
 - sudden, after central venous cannulation: clinical report (Quiney), 513
- diabetes, Caesarean section in a diabetic patient with a recent myocardial infarction: clinical report (Spencer et al), 516
- emphysema during laparoscopic surgery: clinical report (Pearce), 314; correspondence (Mezon and Badner), 875; reply (Pearce), 875
- epidural catheter entrapment: correspondence (Fisher), 357
- headache
 - postdural puncture
 - exacerbation of, after epidural blood patch: clinical report (Woodward et al), 628
 - factors related to: a higher incidence in patients on disability compensation (Redmond et al), A74-A
- Hunter syndrome, delayed awakening from general anaesthesia in a patient with: clinical report (Kreidstein et al), 423
- hyperamylasaemia and multiple organ failure, acute, phaechromocytoma presenting as: clinical report (Gan et al), 244
- hypercapnia during laparoscopic cholecystectomy: clinical report (Pearce), 314; correspondence (Mezon and Badner), 874; reply (Pearce), 875

- hyperglycemia during cardiopulmonary bypass: the role of the kidney (Braden et al), A64-A
- hypotension induced by spinal and epidural anaesthesia, role of vasopressors in management of: review article (Morgan), 404
- hypoxaemia and hypotension after intravenous codeine phosphate (Cox), 1211
- ischaemia, following cataract surgery, electroretinogram during (Loken et al), 802
- jaundice, malignant obstructive, vecuronium neuromuscular block in patients with: correspondence (Baraka), 759
- mediastinal mass in a patient presenting for pharyngeal biopsy: clinical anaesthesia file (Elwood and Eagle), 861
- mediastinal tumour, intrapleural analgesia in a child with: clinical report (Swinhoe and Pereira), 427
- morbidity, perioperative cardiac (Mangano) R13; R17
- moyamoya disease in a parturient, anaesthetic management for Caesarean section: correspondence (Venkatesh and Taggart), 79
- myalgia, postoperative, of mivacurium with or without reversal agents in comparison to succinylcholine in day surgery (Asokumar et al), A72-B
- myasthania gravis, rapid inhalation induction with halothane-nitrous oxide for patients with (Ruiz-Neto et al), 102
- neck mass, large, anaesthetic management of a patient with: clinical anaesthesia file (Todesco, Williams and Eagle), 157
- neurolept malignant syndrome and mivacurium: a safe alternative to succinylcholine? clinical report (Kelly and Brull), 845
- neurological deficits following recovery from anaesthesia: clinical report (Porter et al), 317
- obesity, anaesthesia for the morbidly obese patient (Buckley), R94; R101
- of continuous epidural infusions for postoperative analgesia in children: clinical practice (Wood et al), 613;
 editorial (Berde), 555
- of succinylcholine, precurarization to minimize: editorial (Cannon), 177
- opisthotonos following propofol, a nonepileptic perspective and treatment strategy: clinical report (Ries et al), 414
- paralysis, postoperative recurrent, in an infant after mivacurium infusion: correspondence (Litman et al), 758
- pneumothorax
- during difficult intubation using an endotracheal ventilation chatheter for jet ventilation: clinical report (Cooper and Cohen), 1196
- during laparoscopic Nissen fundoplication: clinical report (Mangar et al), 854
- postanaesthetic care unit, does anaesthetic management contribute to hypertension and tachycardia in? (Rose et al), A25-B

- postoperative
 - and hospital discharge, clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (Cheng et al), A49-A
 - nightmares relate to perioperative opiod therapy (Knill et al), A24-B
 - of continuous epidural infusions for analgesia in children: clinical practice (Wood et al), 613; editorial (Berde), 555
 - sore throat in children and the laryngeal mask airway (Splinter et al), 1081
- pulmonary artery haemorrhage, treatment with a single lumen tracheal tube: correspondence (Mangar), 880
- pulmonary oedema, intraoperative, in a young cocaine smoker: clinical report (Singh et al), 961
- renal dysfunction, preoperative, can multifactorial classifications predict outcomes after cardiac surgery in patients with? (Bryson et al), A13-B
- respiratory
 - depression associated with patient-controlled analgesia: clinical report (Etches), 125
 - perioperative
 - after general anaesthesia in children with asthma (Vener et al), A55-A
 - in a paediatric anaesthesia practice (Backman et al), A57-A
- resuscitation, neonatal: the Neonatal Resuscitation Programme (NRP) guidelines: continuing medical education (Elliott), 742
- smoking, cigarette, increases bupivacaine metabolism in rats: laboratory investigation (Bruguerolle et al), 733
- stress response and perioperative hemodynamics, a clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery (Cheng et al), A16-B
- Sturge-Weber syndrome, anaesthesia and: clinical report (Batra et al), 133
- thyrotoxicosis factitia in a post-aortocoronary bypass patient: clinical report (Redahan and Karski), 969
- tracheal
 - granulations secondary to wall compression by endotracheal tubes in infants: correspondence (Yahagi et al), 1123
 - lesions in rabbits, does metered dose inhaler aerosol salbutamol, delivered proximal to the endotracheal tube induce? (Shorten et al), A26-A
 - obstruction: correspondence (Agarwal and Kaushik), 1015; reply (Baraka), 1016
 - rupture in blunt thoracic trauma: clinical report (Huang et al), 1208
- unilateral block and repeat epidural analgesia (Withington and Weeks), 568
- unilateral mydriasis after induction of anaesthesia: clinical report (Prielipp), 140

- venous embolism after thigh tourniquet deflation (Koller et al), A61-A
- visual disturbances, delayed caused by unattended continuous infusion of hyoscine: correspondence (Kumar), 551
- vocal cord paralysis associated with difficult gastric tube insertion: clinical report (Ibuki et al), 431
- Watson's syndrome, anaesthesia for Caesarean section in a patient with: clinical report (Conway and Posner), 1113
- Wolff-Parkinson-White syndrome, nitrous oxide has no electrophysiological effects on the function of sinus node conduction, the normal arterioventricular system or the accessory pathways in patients with (Dobkowski et al), A45-B

Computers

- Health Quiz II, a computerized history taking device before anaesthesia and surgery compared with preoperative evaluation by anaesthetists using traditional methods (Davies et al), 1156
- a simple spreadsheet tool for cost accounting anaesthesia care (Morscher et al), A69-B

Congenital defects, see Genetic factors

Conn, Alan William, Canadian Anaesthetists' Society Gold Medal (Relton), 1122

Coronary artery, see under Arteries

Coronary artery bypass graft (CABG), see under Surgery Cardiovascular

Costs, see under statistics

Circoid pressure, see under Larynx

Cyclosporin, see Antibiotics

Dantrolene, see Hyperthermia, malignant

Death, see Complications

Dentistry, wisdom teeth extraction, the menstrual cycle and nausea or vomiting after (Ramsay et al), 798

Dermatology, port-wine stains in children, propofol for pulsed dye laser outpatient treatment (Vischoff and Charest), 728

Dog(s), see Animals

Doppler, see under Measurement techniques

Doxacurium, see under Neuromuscular relaxants

Drug abuse

- cocaine
- intraoperative pulmonary oedema in a young smoker: clinical report (Singh et al), 961
- perioperative care of the abusing patient: editorial (Cheng), 883

Drugs, see, Anaesthetics, Analgesics, Interactions, Pharmacology

Dura, see Anaesthetic techniques, epidural

Echocardiography, see under Heart, measurement techniques Edrophonium, see Antagonists, neuromuscular relaxants

Education

- anaesthesia, post-graduate, the experimental curriculum: an alternate model: medical education (Tweed and Donen), 1227
- anaesthetists' continuing medical practices, Maintenance of Competence (MOCOMP) pilot project (Clark et al), A22-A
- Canadian anaesthetists' overseas responsibility: the CAS International Education Fund: editorial (Sandison and Maltby), 1144
- quality assurance of resident training in anaesthetic drug management: clinical report (Orser and Oxorn), 120; corespondence (Yemen), 870; reply, 1 (Orser et al), 870; reply, 2 (Davies and Webb), 870
- residents' CAS competition: a 25 year review: occasional review (Mazer and McClenaghan), 116
- teaching effective cricoid pressure applications using a force measuring device (O'Leary et al), A5-A
- videotaped instruction of Vancouver sedative recovery scale for children, validation and reliability (Macnab et al), 913

Embolism

- carbon dioxide: detection by capnography, transesophageal echocardiography, pulmonary artery pressure and precordial auscultation (Couture et al), A24-A
- cerebral microembolization during coronary artery bypass surgery (Naser et al), A4-A
- fat, hemodynamic response to, affected by choice of anaesthetic (Guest et al), A5-B
- pulmonary, detected by transoesophageal echocardiography during hip arthroplasty: clinical report (Lafont et al), 850
- venous, after thigh tourniquet deflation (Koller et al), A61-A

Endothelin, see under Heart

Enzymes

- cholinesterase
- activity in infants: correspondence (Vassallo and Goudsouzian), 654; reply (Pasquariello and Schwartz), 654
- deficiency, plasma, in a premature neonate: correspondence (Roux and Ansermino), 263; reply (Pasquariello and Schwartz), 263
- peroxisomes, anaesthesia for the patient with neonatal adrenoleukodystrophy: clinical report (Schwartz et al), 56
 Epinephrine, see Sympathetic nervous system, pharmacology
 Epidural anaesthesia, see under Anaesthesia, obstetric;

Anaesthetic techniques

Epidural space, accidental injection of wrong fluid,

aztreonam: correspondence (Ziser et al), 553

Equipment

 airway mask lung ventilation by ambulance personnel and anaesthetists: a performance assessment (Devitt et al),

- 111; correspondence (Martens), 872; reply (Devitt), 872
- anaesthetic carts, precautions in labeling of drugs placed on, to avoid mistakes in identification: correspondence (Goresky and Pipa), 655
- anaesthetic circuits
 - Bain
 - low flow modification of, for remote anaesthesia and evacuation (Tweed et al), A49-B
 - obstruction, don't let the Bain take the blame: correspondence (Uncles and Parke), 1015
 - occluded by foreign body: clinical report (Wilkes and Lindsay), 137
- angiocatheters, force required to dislodge, influence of tape type and of mastisol and benzoin on (Patel et al), A53-A
- blood pressure monitors, non-invasive, evaluation of accuracy of (Miller et al), A52-B
- bronchoscopes, fibreoptic
 - co-axial placement of endobronchial blocker: correspondence (Arndt et al.), 1126
 - continuing medical education (Morris), 996
 - using a laryngeal mask airway: review article (Asai and Morris), 930
- cannula, percutaneous 14 French, perfect for establishing venous bypass access in orthoptic liver transplantation (OLT) (Frenette et al), A35-A
- catheter(s)
 - epidural, entrapment: correspondence (Fisher), 357
 - Hickman acute airway obstruction following insertion of: clinical report (O'Hara et al), 241
 - intravenous angiocatheters, influence of tape type and of skin preparation on force required to dislodge: equipment (Patel et al), 738
 - pulmonary artery, bleeding from the SvP₂ monitoring port of, during cardiac surgery: correspondence (Inomata and Nishikawa), 877
 - transtracheal, for paediatric endoscopic laser treatment of laryngeal and subglottic lesions: clinical report (Depierraz et al), 1200
- fluid warmers in adult patients, clinical evaluation of two (Patel et al), A53-B
- force measuring device for teaching cricoid perssure application (O'Leary et al), A5-A
- infusion pumps, intravenous infusion anaesthesia and delivery devices: continuing medical education (Miller), 638
- laryngeal mask airway
 - and children: correspondence (Ball), 1235; reply (Tham), 1235
 - cuff pressure and position during anaesthesia lasting one to two hours (Brimacombe and Berry), 589
- features, effects and role: review article (Asai and Morris), 930

- for endentulous patients: correspondence (Baraka), 78
- in cardiac surgery: correspondence (Llagunes et al), 1016
- postoperative sore throat in children and the LMA (Splinter et al), 1081
- size of, for children: correspondence (Tham), 354
- spontaneous reinflation characteristics of: correspondence (Brimacombe), 873
- laryngoscope(s)
 - blades, light intensity and area of illumination provided by various: equipment (Tousignant and Tessler), 865
 - Bullard and the right arytenoid: correspondence (Katsnelson et al), 552
 - design: correspondence (Relle), 162; reply (Marks and Charters), 163; blade shape: correspondence (Norton), 263; reply (Charters and Marks), 264
 - fibreoptic, ultrathin, compared with a rigid laryngoscope for tracheal intubation in infants (Roth et al), 1069
 - mathemathical model for osseous factors in difficult intubation, analysis of (Charters), 594
- lighted stylet to aid emergency intubation: correspondence (Crosby), 78
- needles, spinal
 - dural puncture headache and a meta-analysis (Halpern and Preston), A28-A
 - 22 gauge, comparison of lateral deviation of (Sosis and Braverman), A75-A
- tourniquet use in children, physiologic change during (Goodarzi et al), A50-A
- tubes
 - gastric, vocal cord paralysis associated with insertion of: clinical report (Ibuki et al), 431
 - oesophageal tracheal combitube for difficult intubation: correspondence (Brimacombe and Berry), 655; reply (Baraka), 657
 - tracheal
 - cuffs, quantitative evaluation of pressure increases due to nitrous oxide diffusion into (Sosis and Blazek)), A51-A
 - endotracheal ventilation catheter for jet ventilation during difficult intubation: clinical report (Cooper and Cohen), 1196
 - in infants, tracheal granulations secondary to wall compression in infants, caused by endotracheal tubes: correspondence (Yahagi et al), 1123
 - leak test: correspondence (Smith), 549; reply (Schwartz et al), 549
 - paediatric laser resistant, analysis of the dimensions and flow characteristics of (Sosis and Braverman), A56-A
 - single lumen, treatment of pulmonary artery haemorrhage with: correspondence (Mangar), 880
- vaporizers, overfilling, key issues in: correspondence (Uncles and Conway), 878; reply (Hardy), 879

- ventilating-wedging device for the parturient with airway difficulty: correspondence (Sabo et al), 79
- ventilators, high frequency jet, for paediatric endoscopic laser treatment of laryngeal and subglottic lesions: clinical report (Depierraz et al), 1200

Eserine, see Antagonists, neuromuscular relaxants

 pupil, mydriasis, unilateral, after induction of anaesthesia: clinical report (Prielipp), 140

see also Anaesthesia, ophthalmic

Extubation of trachea, see under Intubation, tracheal

Fat embolism, see Embolism

Fentanyl, see Anaesthetics, Intravenous; Analgesics Fluid management of the paediatric patient (Steward), R87; R91

Flumazenil, see Antagonists, benzodiazepines

Gastrointestinal tract (stomach)

- gastric pH, gastric volume
- effect of sugarless gum chewing before surgery on (Dubin et al), 603
- preanaesthetic oral ranitidine, omeprazole and metoclopramide for modifying: correspondence (Gombar et al), 879
- preoperative, in children, omeprazole reduces
- nausea and vomiting
 - post-caesarean section intrathecal narcotic induced, acupressure for (Duggal et al), A29-B
 - post-operative
 - in children, propofol as treatment (Markakis et al), A58-B
 - metoclopramine compared with granisetron for control of, following gynaecological surgery (Fujii et al), 291
 - ondansetron(O)
 - cost-effectiveness analysis (CEA) of prevention of, with (Mathieu), A23-B
 - meta-analysis of published studies provides precise estimates of effectiveness of, for prevention (Lopez and Mathieu), A23-A
 - propofol, droperidol and metoclopramide compared for the treatment (Lacroix et al), A66-A
- stomach, gastric acidity and volume, preanaesthetic oral ranitidine, omeprazole and metoclopramide in reduction of: correspondence (Gombar et al), 879

General anaesthesia, see Anaesthesia, general; Anaesthetic techniqes

Genetic factors

congenital laryngomalacia: clinical report (Baxter), 332
 Glucose, see under Blood

Glutamate receptor, see under Receptors

Goat(s), see Animals

Gordon, Roderick Angus (b1911): History of Canadian Anaesathesia (Conn), 71

Goupil, René, 1608-1642, patron saint of anaesthetists History of Canadian Anaesthesia (Quintal), 1009

Granisetron, see Receptor antagonists; vomiting

Guanethidine, see Sympathetic nervous system, pharmacology

Haemodynamic response, see under Measurement techniques Haemodynamics, see under Blood

Haemorrhage, postoperative bleeding in cardiac surgery performed without active systemic cooling, comparison of the effect of 3 different doses of tranexamic acid on (Karski *et al*), A41-A

Halothane, see Anaesthetics, Volatile Headache, see Complications Heart

- arrhythmias

- arrhythmogenic potential of dopexamine hydrochloride during halothane anaesthesia in dogs: laboratory investigation (Neustein et al), 542
- atria, contractility and resting tension in the presence of halothane: laboratory investigation (Oshita et al), 534
- bretylium compared with guanethidine in treatment of sympathetically mediated pain (Wharton et al), A73-B

- bradycardia

- during cold ocular irrigation: the diving reflex: correspondence (Zimmerman et al), 875
- mechanism of, produced by eserine and phyridostigmine (Backman et al), A21-A
- death from arrhythmias caused by oculocardiac reflex: correspondence (Lang and Van der Wal), 161; reply (Arndt), 161; (Smith), 760
- dysrhythmias, after arterial injection of thiopentone: correspondence (Jopling), 760
- ballistocardiography, sternal acceleration, and arterial pressure velocity analysis to determine stroke volume (McKay et al), A45-A
- baroreflex function and heart rate variability, effects of reversal of neuromuscular blockade on (van Vlymen and Parlow), A66-B

- cardiac

- catheterization, anxiety, sedation, patient satisfaction and arterial oxygen saturation in premedicated patients undergoing (Bergeron et al), A32-B
- ischaemia
 - effect of combined general and epidural anaesthesia with post-operative epidural analgesia on (Garnett et al), A46-A
 - postoperative myocardial and clonidine: correspondence (Fulgencio et al), 550
- morbidity, perioperative (Mangano), R13; R17
- output in post-surgical patients, initial distribution volume of glucose and (Ishihara et al), A32-A

- cardiorespiratory events, critical, leading to cardiopulmonary bypass (CPB) during sequential single lung transplant (SSLT) surgery (Hennessy et al), A42-A
- cardiopulmonary resuscitation, role of laryngeal mask airway in: review article (Asai and Morris), 930
- cardiovascular drugs, what's new in (Miller), R106; R114
- contractility, myocardial in the dog, intracoronary propofol does not decrease: laboratory investigation (Belo et al), 43
- echocardiography, transoesophageal (TEE), comparison of two methods of anaesthesia for (Goranson et al), A59-A
- endothelin, effect of general anaesthesia on the plasma levels of (Lee et al), A31-A

- mvocardium

- infarction
- and ischaemia, postoperative, clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery (Cheng et al), A48-B
- fatal in the postoperative period differs from fatal myocardial infarction elsewhere (Knill et al), A47-B
- recent in a diabetic patient, Caesarean section in: clinical report (Spencer et al), 516

- ischaemia

- and infarction, postoperative, clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery (Cheng et al), A48-B
- during endarterectomy: propofol versus isoflurane (Mutch et al), A13-A
- in patients undergoing cardiac surgery with warm irrigation of the cardiac pouch (Lingaraju et al), 384
- nifedipine or propofol with metoprolol, interactions of, on hemodynamic, myocardial blood flow and metabolism in swine model of chronic coronary occlusion (Cheng et al), A17-A
- precordial auscultation, carbon dioxide embolism: detection by capnography, transesophageal echocardiography, pulmonary artery pressure and (Couture et al), A24-A

- rate

- and blood pressure variability in lumbar epidural anaesthesia, power spectral analysis of (Arakawa and Goto), 680
- variability, effect of reversal of neuromuscular blockade on baroreflex function and (van Vlymen and Parlow), A66-B
- revascularization, elective, comparison of sufentanylpropofol versus sufentanil-midazolam anaesthesia for (Ralley et al), A47-A
- stroke volume, sternal acceleration ballistocardiography and arterial pressure wave analysis to determine (McKay et al), A45-A

- transplant patients, anaesthesia for non-cardiac surgery in: correspondence (Backman et al), 655; reply (Cheng), 656
- vascular pressures, haemodynamic consequences of warm cardiac irrigation during cardiac surgery (Lingaraju et al), 384

Hepatic, see Liver

History

- anaesthesia, a new post: laureate of: editorial (Greene),
 769
- Daniel G. Revell (b.1904): History of Canadian Anaesthesia (Morris), 450
- David Campbell Aikenhead (1891-1973): History of Canadian Anaesthesia (Shephard), 547
- John Albert Blezard (1888-1971): History of Canadian Anaesthesia, (Shepard), 156
- René Goupil, 1608-1642, patron saint of anaesthetists:
 History of Canadian Anaesthesia (Quintal), 1009
- Roderick Angus Gordon (b. 1911): History of Canadian Anaesthesia (Conn), 71

Hormones

- indomethacin, safety of, in early postoperative period following aortocoronary bypass surgery (Bailey et al), A41-B
- prostaglandin El
 - for hypertension: from the point of visceral microcirculatory system (Nakajima et al), A30-B
 - halothane and isoflurane preferentially inhibit prostanoid-induced vasoconstriction of rat aorta: laboratory investigation (Yamamoto et al), 991

Hospitals, tertiary care, evalusation of cost minimizing strategies of anaesthetic drugs in (Hawkes *et al*), A61-B; 894

Hydromorphone, see Analgesics

Hyoscine, see Anticholinergics

Hyperalgesia, see Analgesia

Hyperthermia

- in rats, bupivacaine kinetics during: laboratory investigation (Bruguerolle et al), 253
- malignant
 - anaesthesia for Caesarean delivery of a malignant hyperthermia susceptible parturient: obstetric forum (Lucy), 1220
 - and calcium-induced heat production: laboratory investigation (Ueda et al), 440
 - and mivacurium: a safe alternative to succinylcholine?
 clinical report (Kelly and Brull), 845
 - dantrolene, use in anaesthesia for Caesarean section of a malignant hyperthermia susceptible parturient: obstetric forum (Lucy), 1220
 - during isoflurane anaesthesia: correspondence (Chambers et al), 355
 - incidence of masseter muscle rigidity after succinylcholine in infants and children (Lazzell et al), 475

Hypertension, see under Blood, pressure Hyperventilation, see Brain, blood flow Hypnotics

- barbiturates
 - pentobarbital
 - and methohexital reduce nociceptive threshold in the rat (Ewen et al), A19-B
 - anaesthesia in rats, does not impair acquisition of the Morris Water Task (McHugh and Papius), A31-B
- benzodiazepines
 - abuse in three medical specialties: anaesthesia, medicine and surgery (Lutsky et al), 561
 - diazepam meperidine compared with alfentanil midazolam for sedation for upper gastrointestinal endoscopy (Donnelly et al), 1161
 - midazolam
 - /alfentanil compared with meperidine diazepam for sedation for upper gastrointestinal endoscopy (Donnelly et al), 1161
 - and ketamine compared as oral premedications for paediatric ambulatory anaesthesia (Alderson and Lerman), 221
 - continuous infusion, optimizing sedation following major vascular surgery: a double-blind study (Miller et al), 782
 - decreases the incidence of awareness with recall during propofol/alfentanil total intravenous anaesthesia (Blew et al), A3-A
 - does not prolong recovery following total intravenous anaesthesia with propofol/alfentanil (Blew et al), A63-B
 - intracoronary, effect on systolic function in the dog heart (Belo and Mazer), A70-A
 - intrathecal, reduces isoflurane MAC and increases the apnoeic threshold in rats: laboratory investigations (Schwieger et al), 144
 - narcotic kits for dispensing and accountability: special article (Maltby et al), 301
 - sedation with, during regional anaesthesia: is there a role for flumazenil? (Claffey et al), 1084

Hypomagnesemia, see under Ions, magnesium Hypotension, see Anaesthetic techniques Hypothermia, see under Temperature Hypoxia

- acute, effect of, on arterial blood gas and acid-base balance in rats anaesthetized with halothane: laboratory investigation (Gaudy et al), 347
- caused by foreign body lodged in the Bain circuit: clinical report (Wilkes and Lindsay), 137
- caused by intraoperative atelectasis: clinical report (Pivalizza and Tonnesen), 857
- in children, associated with intravenous induction of anaesthesia (Gombar et al), 288

Immune response, bacterial, chemoluminescence in hip arthroplasty patients, effect of general and spinal anaesthesia on: laboratory investigation (Erskine *et al.*), 632

Indomethacin, see under Hormones

Infants, see Anaesthesia, paediatric

Infection

- escherichia coli, effect of propofol on phagocytosis and killing of, by polymorphonuclear leukocytes in vitro: laboratory investigation (Krumholz et al), 446
- septicaemia, improvement in level of consciousness following flumazenil administration in a critically ill patient with: clinical report (Sprenger et al), 52
- staphylococcus aureus
 - effect of propofol on phagocytosis and killing of, by polymorphonuclear leukocytes in vitro laboratory investigation (Krumholz et al), 446
- LD50, altered by intralipid (Langevin et al), A37-B
 Insufflation, see Anaesthetic techniques

Insulin, see Metabolism

Intensive care

- flumazenil to reverse or block the CNS effects of benzodiazepines in a febrile septic patient: clinical report (Sprenger et al), 52
- higher death rates in medical compared to surgical ICU patients with identical APACHE II scores (Wong et al), A38-A
- sedation with midazolam administered by continuous infusion, following major vascular surgery (Miller et al), 782

Interactions

- cocaine-abusing patients, drug interactions: editorial (Cheng), 883
- drug, effect of non-depolarizing relaxants and waiting time on muscle fasciculation response to succinylcholine (Pinchak et al), 206
- hyperparathyroidism, hypercalcaemia, pharmacodynamic behaviour of vencuronium in (Roland et al), 694
- mivacurium, rocuronium (ORG 9426) compared with succinylcholine for neuromuscular block, effect of different priming sequences on (Naguib), 902
- oral cyclosporine-vecuronium interaction: correspondence (Ganjoo and Tewari), 1017

Intravenous anaesthesia, see Anaesthetic techniques, Anaesthetics, Intravenous

Intubation

- "BURP" (backward, upward and right directed pressures) in difficult intubations: correspondence (Relle), 74
- difficult
 - analysis of mathematical model for osseous factors in (Charters), 594
 - oesophageal-tracheal combitube for: correspondence (Brimacombe and Berry), 656; reply (Baraka), 657
 - "tricks of the trade:" correspondence (Fisher), 658

- use of an endotracheal ventilation catheter for jet ventilation during: clinical report (Cooper and Cohen), 1196
- fibreoptic: continuing medical education (Morris), 996
- left main bronchus, unintentional intubation of, in a patient with tracheal stenosis: correspondence (Ezri et al), 76
- new light-guided technique for inexperienced intubators (Hung et al), A50-B
- rapid sequence, using propofol/succinylcholine, preinduction volume loading maintains haemodynamic stability during (Rausa et al), A62-B
- tracheal
 - airway assessment: problems and predictions (Rose and Cohen), 372
 - and laryngoscopy, nicardipine and verapamil attenuate the pressor response to (Wig et al), 1185
 - awake technique, increases intracranial pressure without affecting cerebral blood flow velocity in infants (Millar and Bissonnette), 281
 - Bullard laryngoscope and the right arytenoid: correspondence (Katsnelson et al), 552
 - complications: unilateral mydriasis after induction of anaesthesia caused by ephrine/lidocaine spray to the airway: clinical report (Prielipp), 140
 - extubation
 - caudal morphine and, post cardiac surgery in children (Carr et al), A15-A
 - early versus conventional, following coronary artery bypass graft (CABG) surgery: perioperative hemodynamics and stress responses (Cheng et al), A16-B; postoperative complications and hospital discharge (Cheng et al), A49-A; postoperative myocardial ischemia and infarction (Cheng et al), A48-B; postoperative ventilatory dynamics (Cheng et al), A16-A
 - granulations secondary to wall compression by endotracheal tubes in infants: correspondence (Yahagi et al), 1123
 - laryngeal mark airway
 - review article (Asai and Morris), 931
 - postoperative sore throat in children and (Splinter et al), 1081
 - laryngoscopy
 - and intubation, nicardipine and verapamil attenuate the pressor response to (Wig et al), 1185
 - difficult, B.U.R.P. is more effective than backward pressure on the thyroid cartilage in managing (LaLande and Knill), A65-B
 - difficult: obtaining the best view: editorial (Benumof), 361
 - technique, rapid, with atracurium: the timing principle (Koh and Chen), 688
- technique in infants, comparison of a rigid laryngoscope

with the ultrathin fibreoptic laryngoscope (Roth et al), 1069

Ions

- light intensity and area of illumination provided by various laryngoscope blades: equipment (Tousignant and Tessler), 865
- magnesium, hypomagnesemia and ketamine anaesthesia (Smith et al), A71-A
- potassium, effects of increasing extracellular concentrations and decreasing extracellular pH (acidosis) alone or combined with halothane in isolated guinea pig atria: laboratory investigation (Oshita et al), 534

Jehovah's Witnesses, aprotinin therapy to reduce blood loss in: correspondence (Litvan et al), 77

Kalow, Werner: Canadian Anaesthetists' Society Research Recognition Award, 73

Ketorolac, see Analgesics, NSAID

Kidney

- renal dysfunction in patients undergoing cardiac surgery, can multifactorial classifications predict outcome after?
 (Bryson et al), A13-B
- role of, in hyperglycemia during cardiopulmonary bypass (Braden et al), A64-A

Labour

 advanced, combines spinal-epidural analgesia in (Abouleish et al), 575

see also Anaesthesia, obstetric

Laparoscopic cholecystectomy, see Surgery

Laparoscopy, laparotomy, see Surgery, gynaecological

Laryngoscopy, see Intubation, tracheal

Larynx

- obstruction, percutaneous transtracheal jet ventilation for paediatric endoscopic laser treatment of laryngeal and subglottic lesions: clinical report (Depierraz et al), 1200
- oedema, during course of labour, revealed by repeated airway evaluation giving rise of changing Mallampati scores: clinical report (Farcon et al), 50
- vocal cords, paralysis associated with difficult gastric tube insertion: clinical report (Ibuki et al), 431
- teaching cricoid pressure application using a force measuring device, (O'Leary et al), A5-A

Literature, anaesthetic, critical appraisal of (Greene), R70; R74

Liver

- failure, cerebrovascular response to CO₂ in: transcranial doppler velocity vs PaCO₂ during anesthesia for orthotopic liver transplant (Doblar et al), A34-A
- hepatitis, toxicity, absence of trifluoroacetate antibody after halothane anaesthesia in patients exhibiting no or mild liver damage (Sakaguchi et al), 398

- jaundice, malignant obstructive, vecuronium neuromuscular block in patients with: correspondence (Baraka), 759
 Lung(s)
- pulmonary compliance, determination of intrinsic PEEP and, during one-lung ventilation and its relationship with preoperative FEV₁ (Drover et al), A62-A
- pulmonary oedema, intraoperative, in a young cocaine smoker: clinical report (Singh et al), 961
- pulmonary hypertension and pregnancy: clinical report (Smedstead et al), 502
- tracheal granulations secondary to wall compression by endotracheal tubes in infants: correspondence (Yahagi et al), 1123
- tracheal obstruction: correspondence (Agarwal and Kausik), 1015; reply (Baraka), 1016
- tracheo-bronchial angles in infants and children: correspondence (Kubota et al), 1016

MAC, see under Potency, anaesthetic

Magnesium, see Ions

Manpower

- ambulance officers, mask lung ventilation by: performance assessment (Devitt et al), 111
- anaesthesia personnel, opioid and substance abuse by, use of refractometry to identify: laboratory investigation to identify: laboratory investigation (Eagle et al), 248
- anaesthetists
- mask lung ventilation by: performance assessment (Devitt et al), 111
- personality factors and practice of anaesthesia: a psychometric evaluation (Clarke et al), 393
- recruitment: medical education (Yang et al), 621

Marijuana, see Ataractics

Measurement techniques

- acid base, gas tension, continuous intra-arterial blood gas system (CIABG), clinical assessment of: clinical report (Uchida et al), 64
- assessment of recovery from vecuronium neuromuscular blockade, influenced by localized hypothermia (Young et al), 1172
- blood flow, effect of enflurane and isoflurane anaesthesia on, in dogs, studied by microspheres: laboratory investigation (Yano and Takaori), 149
- capnometry in infants, the most proximal and accurate site for sampling end-tidal CO₂: laboratory investigation (Halpern and Bissonnette), 984
- carbon dioxide, capnography, detection of embolism by, transesophageal echocardiography, pulmonary artery pressure and precordial auscultation (Couture et al), A24-A
- cardiac output after haemorrhage in dogs, initial distribution volume of glucose and: laboratory investigation (Shimodate et al). 257

- Doppler ultrasound
 - during isoflurane/N₂O anaesthesia and surgery, velocity, "vessel area" and "volume flow," (Schregel et al), 607
 - to assess the influence of arterial oxygenation on cerebral venous oxygen saturation during hyperventilation (Matta et al), 1041
 - velocity, transcranial, vs PaCO₂ during anesthesia for orthotopic liver transplant, the cerebrovascular response to CO₂ in hepatic failure (Doblar et al), A34-A
- echocardiography, transesophageal, detection of carbon dioxide embolism by (Couture et al), A24-A
- electroretinography during orbital compression following intraorbital regional block for cataract surgery (Loken et al), 802
- haemodynamic response to fat embolism, effect of choice of anaesthetic on (O'Leary et al), A5-B
- interleukin-6 and tumour necrosis factor during cardiopulmonary bypass: correspondence (Abe et al), 876
- pulse oximetry
 - assessment during total intravenous anaesthesia with ketamine (Joly and Benhamou), 227
 - failure to be of use in case of haemoglobin Hammersmith: clinical report (Lang et al), 965
 - lingual-pulse oximetry (Kao et al), A36-B
 - preoperative, detection of congenital methaemoglobinaemia by: clinical report (Chisholm and Stuart), 519
 - to measure arterial oxygen desaturation during peripheral venous cannulation in children (Gombar et al), 288
- pulsatility index of the uterine and umbilical arteries in low and high risk parturients, effect of epidural anaesthesia for caesarean section on (Halpern et al), A27-A
- refractometry to identify opioid containing solutions: laboratory investigation (Eagle et al), 248

Memory

- MAC-amnesia for isoflurane (LeDez et al), A20-A
- recall, awareness with, during propofol/aflentanil total intravenous anaesthesia, midazolam decreases the incidence of (Blew et al), A3-A

Meperidine, see Anaesthetics, local; Analgesics Metabolism

- insulin, role of in glucose kinetics after glucose administration: laboratory investigation (Shimodate et al), 257
- oxygen consumption during gynaecological laparotomy and laparoscopy (Lind), 19

Meta-analysis, see Outcome

Methohexital, see under Anaesthetics, intravenous
Metoclopramide, see under Gastrointestinal tract, stomach
Metoptolol, see Anaesthetics, intravenous
Midazolam, see Hypnotics, benzodiazepines
Middle ear surgery, see Surgery, otolaryngological
Mivacurium, see under Neuromuscular relaxants
Modeling

- analysis of mathematical model for osseous factors in difficult intubation (Chartres), 594
- cardiopulmonary effects of abdominal insufflation in pregnancy: fetal and maternal parameters in the sheep model (Southerland et al), A59-B
- lumbar epidural space compliance in a porcine model of acute raised intracranial pressure (Grocott and Mutch), A7-A
- swine model of coronary occlusion, interactions of propofol with metoprolol or nifedipine on hemodynamic, myocardial blood flow and metabolism in (Cheng et al), A17-A

Monitoring

- blood pressure
 - carbon dioxide, cardiac output, coagulation,
 echocardiography, electrocardiography,
 electroencephalography, neuromuscular function,
 oxygen, temperature, venous pressure, during paediatric
 cardiac anaesthesia: review article (Purday), 818
 - echocardiography, transoesophageal, during hip arthroplasty, embolism detected by: clinical report (Lafont et al), 850
- evaluation of accuracy of non-invasive monitors (Miller et al), A52-B
- variability in lumbar epidural anaesthesia (Arakawa and Goto), 680
- carbon dioxide, end-tidal, in infants and children during and after general anaesthesia (Campbell *et al*), 107;
 correspondence (Bhavani-Shankar), 1125
- cerebral oxygenation: editorial (Murkin), 1027
- ECG, power spectral analysis of heart rate and blood pressure variability in lumbar epidural anaesthesia (Arakawa and Goto), 680
- evoked potential modalities (2) during posterior aneurysm surgery, brain stem auditory and somatosensory compared (Manninen et al), 92
- gastric intramucosal pH monitoring, is it affected by intraoperativae neurological injury: a study in patients undergoing major elective surgery (Hall et al), A19-A
- neuromuscular function, recovery of,
 - after atracurium and pancuronium maintenance of pancuronium blockade (Whalley et al), 31
 - localized hypothermia influences assessment of, after vecuronium neuromuscular blockade (Young et al), 1172
- oxvgen
- congenital methaemoglobinaemia detected by preoperative pulse oximetry: clinical report (Chisholm and Stuart), 519
- haemoglobin Hammersmith precludes monitoring with conventional pulse oximetry: clinical report (Lang et al), 965
- somatosensory-evoked potentials, isoflurane compared

with nitrous-oxide anaesthesia for intraoperative monitoring of (Lam et al), 295

- train-of-four
 - and neuromuscular duration of vecuronium and neostigmine in Montreal and Paris (Salib et al), 908
 - different priming techniques, including mivacurium, accelerate the onset of rocuronium (Naguib), 902
- transoesophageal echocardiography to detect residual ductal flow during video-assisted thoracoscopic patent ductus arteriosus interruption: clinical report (Lavoie et al), 310

Morbidity, see Complications

Morphine, see analgesics

Morris Water Task, impaired acquisition of, for 14 hrs after halothane, but not isoflurane or pentobarbital anaesthesia in rats (McHugh and Pappius), A31-B

Moyamoya disease, see Complications

Mucopolysacchariodoses, see Complications, Hunter syndrome

Muscle(s)

- masseter, incidence of rigidity after succinylcholine in infants and children (Lazzell et al), 475
- omohyoid in the mouse, action of neostigmine and edrophonium on the neuromuscular junction of, in the presence of D-tubocurarine (Fauvel et al), A20-B
- skeletal
 - cricoarytenoideus dorsalis, thyroarytenoideus, diaphragm, ulnaris lateralis, comparison of response of, to succinylcholine and vecuronium blockade: laboratory investigation, (Ibebunjo and Hall), 36
 - diaphragm fatigue, enhanced by nicardipine: laboratory investigation (Fujii et al), 435
- uterine in vitro, nitroglycerin relaxes (Jacka et al), A29-A Myalgia, see Complications

Myasthenia gravis, see Complications

Myocardium, see under Heart

Nausea, see Vomiting

Neonates, see Anaesthesia, paediatric

Neostigmine, see Neuromuscular relaxants

Nerve(s), neurological injury, intraoperative, does it affect MAC? (Hall et al), A18-B

Neurological injury, see Nerve(s)

Neuromuscular blockade, see under Neuromuscular relaxants Neuromuscular relaxants

- are "clean" relaxants better: editorial (Thomson), 459
- atracurium
 - and waiting time, effect on muscle fasciculation response to succinylcholine (Pinchak et al), 206
 - maintenance of pancuronium blockade, recovery of neuromuscular function after (Whalley et al), 31
- rapid tracheal intubation with: the timing principle (Koh et al), 688
- blockade, after cardiac surgery, is there a relationship

- between oxygen consumptionm and? (Dupuis et al), A14-B
- blocking agents, cost-benefit of (Donati), R3; R8
- cost of various agents does not affect usage (Horrow and Rosenberg), 1047
- d-tubocurarine
 - action of neostigmine and edrophonium on the neuromuscular junction of the mouse omohyoid muscle in the presence of (Fauvel et al), A20-B
 - and waiting time, effect on muscle fasciculation response to succinylcholine (Pinchak et al), 206
- doxacurium (chloride, hydrochloride)
 - blockade in children, reversal of, with neostigmine (Bevan et al), 1074
 - in patients undergoing coronary artery bypass surgery, hemodynamic effects of (Smith et al), A35-B
 - in patients undergoing elective surgery, pharmacodynamics and haemodynamics of (McDonagh et al), A14-A
 - in the pithed rat, a dose-response study of the hemodynamic effects of (Levytam et al), A40-B
 - pharmacodynamic half-life of (Doyle et al), A71-B
- mivacurium
 - a safe alternative to succinylcholine? in neuroleptic malignant syndrome and malignant hyperthermia: clinical report (Kelly and Brull), 845
- block, edrophonium requirements for reversal of (Bryson et al), A4-B
- dose-response relationships and reversal with edrophonium in young and elderly adults (Donati et al), A21-B
- effect of different priming techniques on action of, compared with succinylcholine (Naguib), 902
- infusion, postoperative recurrent paralysis in an infant after: correspondence (Litman et al), 758
- intra-operative efficacy of, with and without reversal agents in comparison with succinylcholine (Asokumar et al), A72-A
- postoperative myalgia of, with and without reversal agents in day surgery compared with succinylcholine (Asokumar et al), A72-B
- non-depolarizing neuromuscular blocking agent (NNMBA) before succinylcholine to reduce complications: editorial (Cannon), 177
- Org 9453, 9489, 9487, clinical pharmacology of (Mark et al), 213
- pancuronium
 - and waiting time, effect on muscle fasciculation response after succinylcholine (Pinchak et al), 206
- blockade in children, reversal of, with neostigmine (Bevan et al), 1074
- blockade, recovery of neuromuscular function after maintenance with atracurium and pancuronium (Whalley et al), 31

- compared with pipecuronium on haemodynamic variables and plasma catecholamines in coronary artery bypass patients (Neidhart et al), 469
- pipecuronium compared with pancuronium on haemodynamic variables and plasma catecholamines in coronary artery bypass patients (Neidhart), 469
- rocuronium, effect of different priming techniques on action of, compared with succinylcholine (Naguib), 902
- succinylcholine
 - and children: correspondence 1. (Cox and Goresky),
 267; 2. (Romuald et al), 267; 3. (Doyle et al), 267;
 editorial (Bevan), 465; (Lazzell et al), 475; (Sullivan et al), 497
 - blockade and vecuronium blockade, comparison of response of the diaphragm, laryngeal and limb muscles in the anaesthetized goat: laboratory investigation (Ibebunjo and Hall), 36
 - cardiac arrest induced by, in children with undiagnosed myopathy: clinical report (Sullivan et al), 497
 - causing muscle pain, effect of smoking on: correspondence (Nigrovic and Wierda), 453
 - compared with mivacurium, with or without reversal agents: intraoperative efficiency of (Asokumar et al), A72-A; postoperative myalgia of (Asokumar et al), A72-B
 - compared with mivacuronium and rocuronium using different priming techniques (Naguib), 902
 - dose-response and duration of action of, in seven muscles in the goat (Ibebunjo and Donati), A69-A
 - in neuroleptic malignant syndrome and malignant hyperthermia, is mivacurium a safe alternative to? clinical report (Kelly and Brull), 845
 - incidence of masseter muscle rigidity in infants and children following (Lazzell et al), 475
 - muscle fasciculation response to, effect of non-depolarizing muscle relaxants and waiting time on (Pinchak et al), 206
 - precurarization to minimize complications of: editorial (Cannon), 177
 - rapid tracheal intubation with: the timing principle (Koh et al), 688
 - role of, in clinical practice: editorial (Bevan), 465
 - warming: correspondence (Lerman et al), 165;
 (Bingham et al), 657
- vecuronium
 - and waiting time, effect on muscle fasciculation response to succinylcholine (Pinchak), 206
 - block in patients with malignant obstructive jaundice: correspondence (Baraka), 759
 - blockade and succinylcholine blockade, comparison of response of the diaphragm, laryngeal and limb muscles in the anaesthetized goat: laboratory investigation (Ibebunjo and Hall), 36

- blockade, localized hypothermia influences assessment of recovery from (Young et al), 1172
- dose-response and duration of action of, in seven muscles in the goat (Ibebunjo and Donati), A69-A
- hemodynamic effects of, in patients undergoing coronary artery bypass surgery (Smith et al), A35-B
- in primary hyperparathyroidism, pharmacodynamic behaviour of (Roland *et al*), 694
- potency of, in Montreal and Paris compared (Salib et al), 908
- pulmonary arterial administration of, accelerates onset of block (Iwasaki et al), 1178
- with oral cyclosporine, interaction: correspondence (Ganjoo and Tewari), 1017

Nicardipine, see Pharmacology

Nifedipine, see under Heart

Nightmares, postoperative, relationship to perioperative opioid therapy (Knill et al), A24-B

Nitroglycerin, see Pharmacology, glyceryl trinitrate Nitrous oxide (NO), see under Anaesthetics, Gases Noradrenaline, see under Sympathetic nervous system, pharmacology

Obesity, see Complications

Omeprazole, see Pharmacology

Ondansetron, see Antagonists, serotonin

Operating rooms, anesthetic concentrations in OR air: the need for periodic quantitative measurement (LeDez *et al*), A52-A

Ophthalmology

delayed visual disturbances caused by unattended continuous infusion of hyoscine: correspondence (Kumar), 551

Opiods, see Analgesics, narcotic

Opisthotonos, see Complications

ORG 9453, 9487, 9489, see Neuromuscular relaxants Organizations

- ASPENS (Anaesthetic Services Programme Encompassing Nova Scotia: anaesthesia practice (Clark), 716
- Canadian Anaesthetists' Society
 - Anaesthesia Training and Relief Fund name changed to International Education Fund; training of anaesthetists in developing countries: editorial (Sandison and Maltby), 1144
 - Gold medal: Alan William Conn (Relton), 1121
 - Research Recognition Award: Werner Kalow, 73
 - Residents' Competition: a 25 year review (Mazer and McClenaghan), 116
 - Roderick Angus Gordon: History of Canadian Anaesthesia (Conn), 71
 - Canadian Heart and Stroke Foundation, Neonatal Resuscitation Programme guidelines: continuing medical education (Elliott), 742

Outcome

- can multifactorial classifications predict outcome after cardiac surgery in patients with preoperative renal dysfunction? (Bryson et al), A13-B
- meta-analysis of dural puncture headache and spinal needles (Halpern and Preston), A28-A
- meta-analysis of published studies provides precise estimates of effectiveness of ondansetron (O) for the prevention of postoperative nausea/vomiting (Lopez and Mathieu), A23-A

Oximetry, see under Measurement techniques, pulse oximetry

Oxygen

- arterial oxygen saturation in premedicated patients undergoing cardiac catheterization (Bergeron et al), A32-B
- concentration during cardiopulmonary resuscitation (CPR): correspondence (Watanabe et al), 354
- consumption
 - and neuromuscular blockade after cardiac surgery, is there a relationship between? (McDonagh et al), A14-B
 - brain, influence of arterial oxygenation on cerebral venous oxygen saturation during hyperventilation (Matta et al), 1041
 - during gynaecological laparotomy and laparoscopy (Lind), 19
- hypoxia, during single lung ventilation in the lateral decubitus position (Friedlander et al), 26

Packaging, of saline and Quelicin (Abbott): correspondence (Dain), 452; reply (Currie), 452

Pain

- management in children following dorsal rhizotomy: brief review (Geiduschek et al), 492
- muscle, adverse effects of succinylcholine on, and smoking: correspondence (Nigrovic and Wierda), 453
- postoperative
 - analgesia and patient satisfaction: editorial (Sandler and Katz).
 - bupivacaine 0.125% improves continuous postoperative epidural fentanyl analgesia after abdominal or thoracic surgery (Badner et al), 387
 - can anaesthetists change their practice to reduce? (Rose et al), A39-B
 - complications of continuous epidural infusions for postoperative analgesia in children: clinical practice (Wood et al), 613; editorial (Berde), 555
 - control with NSAIDs (non-steriodal anti-inflammatory drugs): correspondence (Jones), 548; reply (Code), 548
 - epidural opioids for post-thoracotomy pain: editorial (Grant), 169
 - in outpatient laparoscopic cholecystectomy, reduction by preoperative multi-model analgesia (Michaloliakou et al), A39-A

- local anaesthetics in relief of (Badner), R42; R48
- management and acute pain service in Canada: correspondence (Maier and Wolf), 653: reply (Stewart and Zimmerman), 653
- patient-controlled analgesia
 - morphine, intravenous (PCA) or epidural morphine, patient satisfaction with (Egan and Ready), 6; correspondence (Etches), 754; reply (Egan and Ready), 754
 - opioids (PCA) or epidural opioids (EOA) analgesia for control, patient satisfaction with (Egan and Ready), 6; editorial (Sandler and Katz), 1
 - respiratory depression associated with: clinical report (Etches), 125; editorial (Baxter), 87
 - with meperidine compared with single bolus injection of morphine, after Caesarean section (Rosaeg and Lindsay), 1063
- prevention: continuing medical education (Moote), 527
- sympathetically mediated, a comparison of regional intravenous guanethidine and bretylium in treatment (Wharton et al), A73-B

Pancuronium, see Neuromuscular relaxants

 participation in induction of anaesthesia in children, parental upset associated with (Vessey et al), 276; who benefits from: editorial (Hannallah), 271

Patient satisfaction

- in premedicated patients undergoing cardiac catheterization (Bergeron et al), A32-B
- postoperative analgesia and: editorial (Sandler and Katz), 1
- with day bed surgery (Chung et al), A25A
- with intravenous PCA or epidural morphine (Egan and Ready), 6; correspondence (Etches), 754; reply (Egan and Ready, 754

Pentamorphone, see Anaesthetics, Intravenous

Pentobarbital, see Hypnotics, barbiturates

PetCO2, see Carbon dioxide

Phaeochromocytoma, see Surgery

Pharmacodynamics

- doxacurium
- half-life of (Doyle et al), A71-B
- hydrochloride in patients undergoing elective cardiac surgery (McDonagh et al), A14-A
- priming principle, different techniques, including mivacurium, accelerate the onset of rocuronium (Naguib), 902

Pharmacoeconomics

- anaesthesia, impact of cost-minimization strategies in a tertiary care hospital (Hawkes et al), A61-B
- cost of anaesthesia: correspondence (Eagle and Kryski),
 265

see also Statistics

Pharmacokinetics

- bupivacaine metabolsim in rats increased by cigarette smoke: laboratory investigation (Bruguerolle et al), 733
- dose-response relationships of vecuronium in primary hyperparathyroidism (Roland et al), 694

Pharmacology

- aspirin(e)
 - cardiac surgical patients treated with, reduction of blood loss and transfusion requirements with aprotinin or tranexamic acid (Murkin et al), A33-A
 - to zyloprim, new considerations for major vascular surgery (Ansley), R121; R128
- aztreonam, epidural injection of: correspondence (Ziser et al), 553
- drugs
 - anaesthetic drug error (Orser and Oxorn), 120;
 correspondence (Agarwal et al), 755
 - cardiovascular, what's new (Miller), R106; R114
 - control, simple narcotic kits for controlled-substance dispensing and accountability: special article (Maltby et al), 30
 - labelling: correspondence (Dain), 755; safety hazards of (Sabex drug labels): correspondence (Boldt and Renwick), 75; reply (Levesque), 76
 - labels on anaesthesia carts: correspondence (Goresky),
 - packaging of saline and Quelicin (Abbott): correspondence (Dain), 452; reply (Currie), 452
- glyceryl trinitrate, nitroglycerin, relaxes uterine muscle in vitro (Jacka et al), A19-A
- lithium, propofol seizures and: correspondence (Orser and Oxorn), 262
- maprotoline (Ludiomil), propofol seizures and: correspondence (Orser and Oxorn), 262
- nicardipine
 - attenuates the pressor response to laryngoscopy and intubation (Wig et al), 1185
 - enhances diaphragmatic fatigue: laboratory investigation (Fujii et al), 435
- of three short acting non-depolarizing neuromuscular blocking agents, Org 9453, Org 9489, Org 9487 (Mark et al), 213
- omeprazole reduces preoperative gastric fluid acidity and volume in children (Nishina et al), 925
- salbutamol, metered dose aerosol inhaler, delivered proximal to the endotracheal tube, does it induce tracheal lesions in rabbits? (Shorten et al), A26-A
- verapamil attenuates the pressor response to laryngoscopy and intubation (Wig et al), 1185

Phyridostigmine, see under Antagonists, neuromuscular relaxants

Physicians, substance abuse and impairment (Lutsky et al), 561

Pig(s), see Animals

Plasma, see under Blood

Pipecuronium, see Neuromuscular relaxants

Porcine, see Animals (pigs)

Port-wine stains, see Dermatology

Position

- effect of, on placement of epidural catheter: correspondence (Breen), 356
- laryngeal mask airway, cuff pressure and position during anaesthesia lasting one to two hours (Brimacombe and Berry), 589
- lateral decubitus, effects, cardiovascular and effects on ventilation of position, during single lung ventilation (Friedlander et al), 26

Potency

- MAC
 - amnesia for isoflurane (LeDez et al), A20-A
 - does intraoperative neurological injury affect? (Hall et al). A18-B
 - isoflurane MAC, reduction with intrathecal midazolam: laboratory investigation (Schwieger et al), 144

Pregnancy

- cardiopulmonary effects of abdominal insufflation in: fetal and maternal parameters in the sheep model (Southerland et al), A59-B
- pulmonary hypertension and: clinical report (Smedstad et al), 502

see also Anaesthesia, Obstetric

Premedication

- of patients undergoing cardiac catheterization, anxiety, sedation, satisfaction and arterial oxygen saturation in (Bergeron et al), A32-B
- omeprazole reduces preoperative gastric fluid acidity and volume in children (Nishina et al). 925
- Preoperative assessment, a comparison of selection of laboratory tests by the computer vs the anaesthetist (Davies *et al*), 1156

Propofol, see Anaesthetics, Intravenous

Prostaglandins, see Hormones

Psychological responses, preparation of children for surgery: editorial (Goresky and Whitsett), 1033: review article (McGraw), 1094

Quality assurance, see under Anaesthesia

Rabbits, see Animals

Rats, see Animals

Recall, see Memory

Receptors

- antagonists, granisetron, reduction of postoperative nausea and vomiting with (Fujii et al), 291
- desentization, propofol-induced neuroexcitation and: editorial (Orser), 366
- glycine, GABA, effect of propofol on: clinical report (Ries et al), 414

 glutamate, NMDA subtype of, propofol selectively inhibits (Bertlik et al), A6-A

Records

- Anaesthetic Services Programme Encompassing Nova Scotia (ASPENS): anaesthesia practice (Clark), 716
- clinical anaesthesia file: editorial, 91
- design of forms: special article (Fisher), 973
- assessment, the Vancouver sedative recovery scale for children: validation and reliability of scoring based on videotaped instruction (Macnab et al), 913
- characteristics following induction of anaesthesia with a combination of thiopentone and propofol (Rashiq et al), 1166

Recovery

- delayed awakening from general anaesthesia in a patient with Hunter syndrome: clinical report (Kreidstein et al), 423
- midazolam
 - does not prolong, following total intravenous anaesthesia with propofol/alfentanil (Blew et al), A63-B
 - /propofol co-induction does not delay recovery from anaesthesia (Elwood et al). A64-B
- room, postanaesthetic care unit, does anaesthetic management contribute to hypertension and tachycardia in? (Rose et al), A25-B
- time following short term sedation with propofol after cardiac surgery (Karski et al), A40-A

Refractometry, see Measurement techniques

Renal, see Kidney

Research

- anaesthesia, same day consent for: correspondence (Sikich and Lerman), 1234
- publication as a result of CAS Residents' competition: occasional review (Mazer and McClenaghan), 116

Resuscitation

- cardio-pulmonary, end tidal O₂ and CO₂ after: correspondence (Watanabe et al), 354
- neonatal: the NRP guidelines: continuing medical education (Elliott), 742
- Revell, Daniel G. (b.1904): History of Canadian Anaesthesia (Morris), 450

Risk management

- adverse events in anaesthesia: the wrong drug: editorial (Davies and Webb), 83
- anaesthetic drug error: minimizing the risk: clinical report (Orser and Oxorn), 120; correspondence (Dain), 755; (Agarwal et al), 755
- packaging of saline and Quelicin (Abbott): correspondence (Dain), 452; reply (Currie), 452

Safety hazards

 drug labels on anaesthesia carts: correspondence (Goresky and Pipa), 655 Sabex drug labels: correspondence (Boldt and Renwick),
 75; reply (Levesque),
 76

Salbutamol, see Pharmacology

Sedation, anxiety, patient satisfaction and artrial oxygen saturation in premedicated patients undergoing cardiac catheterization (Bergeron *et al*), A32-B

Serotoni

 and noradreneline depletion, influence of, on thiopentalinduced hyperalgesia in rats (Froelich et al), A18-A

Sheep, see under animals

Smoking

- cigarette smoke increases bupivacaine metabolism in rats: laboratory investigation (Bruguerolle et al), 733
- effect of, on post-succinylcholine muscle pain: correspondence (Nigrovic and Wierda), 453

Staphlococcus aureus, see Infection

Statistics

- anaesthesia pharmacodynamics: impact of cost-minimization strategies in a tertiary care hospital (Hawkes et al), A61-B
- anaesthetic record forms design: special report (Fisher et al), 973
- cost accounting anaesthesia care, a simple spreadsheet tool for (Morscher et al), A60-B
- cost-benefit analysis of neuromuscular blocking agents (Donati), R3; R8
- cost does not alter drug usage (Horrow and Rosenberg), 1047
- cost-effectiveness analysis (CEA) of the prevention of post-operative nausea/vomiting (PONV) with ondansetron (OND) (Mathieu), A23-B
- cost impact of needle-free intravenous systems on a paediatric anaesthesia department (Farran and Goresky), A65-A
- cost minimization strategies of anaesthetic drugs in a tertiary hospital, evaluation of (Hawkes et al), 894
- cost of an established quality assurance programme: brief review (Eagle et al), 813; editorial (Duncan), 765
- cost of anaesthesia: correspondence (Eagle and Kryski),
 265
- cost of preoperative laboratory tests selected by the computer (Health Quiz II: HQII) vs the anaesthetist (Davies et al), 1156
- cost-utility evaluation of post-operative analysis in the elderly in a community hospital using decision analysis (Peter), A22-B

Sternotomy, see under Surgery

Stress. see under Complications

Sturge-Weber syndrome, see Complications

Succinylcholine, see Neuromuscular relaxants

Surgeons, substance abuse in (Lutsky et al), 564

Surgery

- abdominal or thoracic, bupivacaine 0.125% improves

- continuous postoperative epidural fentanyl analgesia after (Badner et al), 387
- ambulatory, in children with suspected or proven malignant hyperthermia susceptibility (Carr et al), A56-B

- cardiac

- aortocoronary bypass graft
 - dose finding study of propofol for continuous intravenous sedation after (Karskiet al), A17-B
 - thyrotoxicosis factitia following: clinical report (Redahan and Karski), 969
- autologous blood predonation, benefits of: editorial (Hardy et al), 1021; preliminary report on a hospital-based autologous donor programme (Pinkerton), 1036
- bleeding from the SvO₂ monitoring port of PA catheter during: correspondence (Inomata and Nichikawa), 877
- elective, pharmacodynamics and haemodynamics of doxacurium in patients undergoing (McDonagh et al), A14-A
- in aspirin-treated patients, a comparison of the efficacy of high or low dose aprotinin, or tranexamic acid, to decrease blood loss and transfusion requirements in (Murkin et al), A33-A
- in Jehovah's Witnesses, aprotinin therapy to reduce blood loss: correspondence (Litvan et al), 77
- in patients with preoperative renal dysfunction, can multifactorial classifications predict outcome after? (Bryson et al), A13-B
- laryngeal mask airway in: correspondence (Llagunes et al), 1016
- myocardial revascularization, comparison of sufentanilpropofol versus sufentanil-midazolam anaesthesia for elective (Ralley et al), A47-A
- performed without active systemic cooling, effect of tranexamic acid on postoperative bleeding in (Karski et al), A41-A
- recovery time following short term sedation with propofol after (Karski et al), A40-A
- relationship between oxygen consumption and neuromuscular blockade after (McDonagh et al), A14-B

- cardiovascular

- aortocoronary bypass, safety of indomethacin in early postoperative period following (Bailey et al), A41-B
- cardiopulmonary bypass
 - during sequential single lung transplant, cardiorespiratory events leading to (Hennessy et al), A42-A
 - hyperglycemia during, the role of the kidney (Braden et al), A64-A
 - interleukin-6 and tumour necrosis factor during: correspondence (Abe *et al*), 876
 - natural and synthetic antifibrinolytics in: review article (Hardy and Bélisle), 1104
 - normothermic, determination of post-operative hypothermia following (Baker et al), A15-B

- propofol sequestration within the extracorporeal circuit (Hynynen et al), 583
- separation from, is epinephrine or norephinephrine superior to placebo during (Smith *et al*), A48-A
- thoracoscopy, video-assisted, for patent ductus arteriosus interruption: clinical report (Lavoie et al), 310
- warm cardiac irrigation during, haemodynamic consequences of (Lingaraju et al), 384
- coronary artery bypass graft
 - anaesthesia for, supplemented with bupivacaine and morphine: clinical report (Kowalewski et al), 1189
 - cerebral microembolization during (Naser et al), A4-A
 - comparison of pipecuronium with pancuronium on haemodynamic variables and plasma catecholamines in CABG patients (Neidhart et al), 469
 - early versus conventional tracheal extubation following: perioperative hemodynamics and stress response (Cheng et al), A16-B; postoperative complications and hospital discharge (Cheng et al), A49-A; postoperative myocardial ischemia and infarction (Cheng et al), A48-B; postoperative ventilatory dynamics (Cheng et al), A16-A
 - general anaesthesia supplemented with subarachnoid bupivacaine and morphine for: clinical report (Kowalewski et al), 1189
- hemodynamic effects of doxacurium and vecuronium in patients undergoing (Smith et al), A35-B
- hydromorphone patient-controlled analgesia (PCA) after (Searle et al), 198

- carotid

- body tumours, excision, postoperative respiratory depression following excision of: clinical report (Baraka), 306
- endarterectomy
 - airway obstruction, following (Sharma et al), A38-B
 - regional vs general anaesthesia for (Cirone et al), A37-A
- circumcision in adults, regional anaesthesia for: a comparative study of 5 different techniques (Szmuk et al), 1181
- endoscopy, upper gastrointestinal sedation for: a comparison of alfentanil-midazolam and meperidine-diazepam (Donnelly et al), 1161
- gynaecological
 - granisetron for preventing post-operative nausea and vomiting, optimal anti-emetic dose (Fujii et al), 794
 - laparoscopy and laparotomy, metabolic gas exchange during (Lind), 19
- laparoscopic cholecystectomy
 - acidosis, respiratory and subcutaneous emphysema during: clinical report (Pearce), 314; correspondence (Mezon and Badner), 874; reply (Pearce), 875

- preoperative multi-model analgesia facilitates same day discharge in (Michaloliakou et al), A76-A
- laparoscopy
 - Nissen fundoplication, pneumothorax during: clinical report (Mangar et al), 854
 - out-patient, combined ondansetron and droperidol in (Koutsoukos and Belo), A70-B
- laser
 - carbon dioxide CO₂ laser: microinstrumentation, hazards of in treatment of congenital laryngomalacia (CLM) (Baxter), 332
 - endoscopic laser treatment of laryngeal and subglottic lesions in children, percutaneous transtracheal jet ventilation for: clinical report (Depierraz et al), 1200
 - propofol for pulsed laser treatments in paediatric outpatients: clinical report (Vischoff and Charest), 728
- major elective, gastric intramucosal pH monitoring a study in patients undergoing (Hall et al), A19-A
- neurological
 - cerebral arteriovenous malformations in children: clinical report (Millar et al), 321
 - posterior fossa aneurysm surgery, a comparison of two modalities of evoked potential monitoring during (Manninen et al), 92
 - rhizotomy, dorsal; pain management of children following: brief review (Geiduschek et al), 492
- spinal cord, airway obstruction during anaesthesia for anterior cervical cord decompression: correspondence (Beaulieu and Davies), 874
- orthopaedic
 - arthroplasty
 - hip, embolism during, detected by transoesophageal echocardiography: clinical report (Lafont et al), 850
 - hip patients, spinal anaesthesia but not general enhances neutrophil biocidal activity in laboratory investigation (Erskine et al), 632
 - knee, femoral nerve block: single injection vs continuous infusion for (Hirst et al), A63-A
 - knee joint replacement, intraarticular bupivacaine provides analgesia for, but not evidence of preemptive blockade (Badner et al), A74-B
 - knee, outpatient, comparison of effects of ketorolac vs morphine on recovery from general anaesthesia during (Newton and Moote), A75-B
- foot surgery, lateral popliteal sciatic nerve block compared with subcutaneous infiltration for analgesia following (NcLeod et al), 673
- rhizotomy, see under Surgery, neurological
- scoliosis, idiopathic, predicting blood loss in surgery for (Guay et al), 775
- outpatient, are patients satisfied with day bed surgery?
 (Chung et al), A25-A

see also, specific procedures under Surgery

- otolaryngologic
 - adenotonsillectomy, anaesthesia for: correspondence (Hackman), 757; reply (Webster et al), 758
 - middle ear microscopy, clonidine premedication for induced hypotension with total intravenous anaesthesia for: correspondence (Maroof et al), 164
 - tonsillectomy and uvulopalatopharyngoplasty, glossopharyngeal nerve block for: correspondence (Bruin et al), 1236
- paediatric
 - caudal morphine and early extubation of the trachea: post cardiac surgery in (Carr et al), A15-A
 - congenital laryngomalacia (Baxter), 332
 - fitness of children for, anaesthetic agreement in assessment of (Peter et al), A55-B
 - preparing children: psychological issues: review article (McGraw), 1094
- phaeochromocytoma, presenting as acute hyperamylasaemia and multiple organ failure: clinical report (Gan et al), 244
- postoperative period
 - fatal myocardial infarction in, differs from fatal myocardial infarction elsewhere (Knill et al), A47-B
 - volume of glucose and cardiac output in (Ishihara et al), A32-A
- spinal cord, see Surgery, neurological
- sternotomy, repeat median, blood loss in patients undergoing, randomized to either high or low dose aprotinin or tranexamic acid (Murkin et al), A46-B
- thoracic
 - thoracotomy
 - effects of epinephrine on the continuous infusion of epidral fentanyl for postoperative analgesia following (Baron et al), A3-B
 - for extracardiac surgery in infants, caudal morphine analgesia for (Marakis et al), A58-A
 - post-operative pain control
 - comparison of lumbar epidural and intravenous fentanyl infusions for (Baxter et al), 184
 - epidural opioids for: editorial (Grant), 169;
 - transthoracic oesophagectomy, one-lung or two-lung ventilation during (Tachibana *et al*), 710
- transplantation
 - liver, orthoptic (OLT)
 - high dose aprotinin reduces transfusion requirements of blood and blood products during (Dobkowski et al), A33-B
 - percutaneous 14 French, the perfect percutaneous cannula for establishing venous bypass access in (Frenette et al), A35-A
 - transcranial doppler velocity vs PaCO₂ during anaesthesia for, the cerebrovascular response of CO₂ in hepatic failure (Doblar et al), A34-A

- lung, sequential single lung transplant (SSLT), critical cardiorespiratory events leading to cardiopulmonary bypass during (Hennessy et al), A42-A
- trauma, blunt cervical, thoracic and abdominal complicated by an unsuspected tracheal rupture, management of: clinical report (Huang et al), 1208
- urological
 - TURP, does a mid-lumbar block level provide adequate anaesthesia for? (Beers et al), 807
- vascular, from aspirinTM to zyloprimTM: new considerations for major vascular surgery (Ansley), R121; R128

Sympathetic nervous system

- pharmacology
 - adrenaline, role in the management of hypotension induced by spinal epidural anaesthesia: review article (Morgan), 404
 - clonidine
 - and postoperative myocardial ischaemia: correspondence (Fulgencio et al), 550
 - premedication for induced hypotension with total intravenous anaesthesia for middle ear microsurgery: correspondence (Maroof et al), 164
 - dopamine, dopexamine, arrhythmogenic potential of, during halothane anaesthesia in dogs (Neustein et al), 542
 - ephedrine, role in the management of hypotension induced by spinal and epidural anaesthesia: review article (Morgan), 404
 - epinephrine
 - effects of, on continuous infusion of epidural fentanyl for postoperative analgesia following thoracotomy (Baron et al), A3-B
 - elevation of PetCO₂ after submucosal injection of: correspondence (Brooker and James), 162
 - or norepinephrine, which is superior to placebo during separation from cardiopulmonary bypass (Smith et al), A48-A
 - guanethidine and baretylium regional intravenous, compared in the treatment of sympathetically mediated pain (Wharton *et al.*), A73-B
 - metaraminol, role in the management of hypotension induced by spinal and epidural anaesthesia: review article (Morgan), 404
 - methohexamine, role in the management of hypotension induced by spinal and epidural anaesthesia: review article (Morgan), 404
 - noradrenaline and serotonin depletion, influence on thiopental-induced hyperalgesia in rats (Froelich et al), A18-A
 - phenylephrine, role in management of hypotension induced by spinal and epidural anaesthesia: review article (Morgan), 404
 - vasopressors, role of in management of hypotension

induced by spinal and epidural anaesthesia: review article (Morgan), 404

Syndromes, see name under Complications

Tachycardia, see under Complications, postanaesthetic Temperature

- hypothermia, localized, influences assessment of recovery from vecuronium neuromusuclar blockade (Young et al), 1172
- normothermic cardiopulmonary bypass, determinants of post-operative hypothermia following (Baker et al), A15-B
- hypothermia following normothermic cardiopulmonary bypass, determinants of (Baker et al), A15-B
- skin, toe, as a guide to epidural anaesthesia dosing (Sato et al). 232
- toe-thumb, age-related decrease in, difference (Sato et al), 579

Thiopentone, see Anaesthetics, Intravenous

Toxicity, cocaine-abusing patient, perioperative care of: editorial (Cheng), 883

Trachea, see Lung

Tranexamic acid, see Blood coagulation

Transfusion

- blood
- and blood products, requirements during orthotopic liver transplantation reduced by high dose aprotinin (Dobkowski et al), A33-B
- autologous blood donation in support of cardiac surgery: editorial (Hardy et al), 1021; a preliminary report on a hospital-based autologous donor programme (Pinkerton), 1036
- loss and transfusion requirements in aspirin-treated cardiac surgical patients, comparison of the efficacy of high or low dose aprotinin, or tranexamic acid to decrease (Murkin et al), A33-A

Transplantation, see under Surgery, individual organs Trauma, see under Complications; Surgery

Vasopressors, see Sympathetic nervous system, pharmacology

Vecuronium, see Neuromuscular relaxants Veins

- cannulation
 - central venous, sudden death after: clinical report (Ouiney), 513
 - peripheral venous in children, arterial oxygen desaturation during (Gombar et al), 288

Ventilation

- anaesthetics, effects of apnoea: age and the onset of desaturation in apnoeic children (Patel et al), 771
- apnoeic threshold, increase in, caused by use of intrathecal midazolam: laboratory investigation (Schwieger et al), 144
- artificial resuscitation by ambulance personnel: perform-

- ance assessment (Devitt et al), 111; correspondence (Martens), 872: reply (Devitt), 872
- jet
 - an endotracheal ventilation catheter for jet ventilation during a difficult intubation: clinical report (Cooper and Cohen), 1196
 - percutaneous transtracheal, for paediatric endoscopic laser treatment of laryngeal and subglottic lesions: clinical report (Depierraz et al), 1200
- one-lung, determination of intrinsic PEEP and pulmonary compliance during one-lung ventilation and its relationship with preoperative FEV₁ (Drover et al), A62-A
- positive-end-expiratory pressure (PEEP), determination of, and pulmonary compliance during one-lung ventilation and its relationship with preoperative FEV1 (Drover et al), A62-A
- postoperative
 - a goal-directed approach (Greene), R78; R83
 - ventilatory dynamics, a prospective, randomized, controlled clinical trial of early versus conventional tracheal extubation following coronary artery bypass graft (CABG) surgery (Cheng et al), A16-A
- respiratory depression
 - associated with meperidine spinal anaesthesia: clinical report (Ong and Segstro), 725
 - severe post-operative, after excision of carotid body tumours: clinical report (Baraka), 306

Verapamil, see Pharmacology

Vomiting

- acupressure for intrathecal narcotic-induced nausea and, post-caesarean section (Duggal et al), A29-B
- postoperative, nausea and
 - comparison of propofol, droperidol and metoclopramide for the treatment of (Lacroix et al), A66-A
 - cost-effectiveness analysis of the prevention of, with ondansetron (OND) (Matheiu), A23-B
 - granisetron for prevention, optimal dose (Fujii et al),
 794
 - hyoscine patches for control of, leading to delayed visual disturbances: correspondence (Kumar), 551,
 - in children, propofol as treatment (Markakis et al), A58-B
 - incidence following wisdom teeth extraction, influence of the menstrual cycle on (Ramsay et al), 798
 - meta-analysis of published studies provides precise estimates of the effectiveness of ondansetron (O) for prevention of (Lopez and Mathieu), A23-A
 - reduction with ganisetron compared with a placebo and metoclopramide (Fujii et al), 291
- Zyloprim, (A-Z) new considerations for major vascular surgery (Ansley), R121; R128